Project: Date Prepared:

| Statement of Special Inspections – A/M/E/P A/P # : | (By Staff) |
|--|--|
| Project: | |
| Location: | |
| Owner: This Statement of Special Inspections encompasses the following discipline: | |
| Mechanical/Electrical/Plumbing | |
| Architectural Other: | |
| Registered Design Professional in Responsible Charge: | |
| Firm Name: | |
| (Note: Statement of Special Inspections for other disciplines may be included under a separate con | ver) |
| This <i>Statement of Special Inspections</i> is submitted as a condition preceding issuance of permit in a Structural Testing requirements of the Building Code. It includes a schedule of Special Inspectio of the identity of approved agencies to be retained for conducting these inspections and tests will Discovered discrepancies shall be brought to the immediate attention of the Contractor for corrective the discrepancies shall be brought to the attention of the Building Official and the Registered D The Special Inspection program does not relieve the Contractor of his or her responsibilities. Interim reports shall be submitted by the Special Inspector to the Building Official when request Responsible Charge (RDPIRC) at an interval determined by the RDPIRC. A <i>Final Report of Special Inspections</i> documenting completion of all required Special Inspections, noted in the inspections shall be submitted prior to final inspections by City of Tulsa. Each <i>Final</i> the special inspections. Job site safety and means and methods of construction are solely the responsibility of the Contractor. | accordance with the Special Inspection and on services applicable to this project. A list be submitted as soon as possible. ion. If such discrepancies are not corrected, besign Professional in Responsible Charge. ted and the Registered Design Professional in , testing and correction of any discrepancies <i>Report</i> shall be prepared and submitted by ect and submit to the Building Official prior ctor. |
| Interim Report Frequency: | per attached schedule. |
| Prepared by: | |
| (type or print name of the Registered Design Professional in Responsible Charge) | |
| Signature Date | |

Design Professional Seal

List of Special Inspectors/Approved Agencies

This Statement of Special Inspections includes the following building systems:



Sprayed Fire Resistant Materials Exterior Insulation and Finish Systems (EIFS)

Smoke Control

Fire Resistant Coatings

Special Cases

| Special Inspectors/Approved Agencies | Firm | Address, Telephone, e-mail |
|--------------------------------------|------|----------------------------|
| 1. Special Inspector (SI 1) | | |
| 2. Special Inspector (SI 2) | | |
| 3. Testing Agency (TA 1) | | |
| 4. Testing Agency (TA 2) | | |
| 5. Other (O1) | | |

Note: The special inspectors /approved agencies shall be employed by the Owner or the Registered Design Professional Responsible Charge acting as the Owner's agent, and <u>not</u> by the Contractor or Subcontractor whose work is to be inspected or tested. The RDPIRC and Engineer or Architect of Record involved in the design of the project is permitted to act as the approved agency and their personnel are permitted to act as special inspectors provided they are qualified. Any conflict of interest must be disclosed to the Building Official, prior to commencing work.

Statement of Special Inspections – A/M/E/P SPRAYED FIRE-RESISTANT MATERIALS

| VERIFICATION AND INSPECTION 2018 IBC Section 1705.14 | Y/N | EXTENT: CONTINUOUS; PERIODIC; SUBMITTAL | COMMENTS | AGENT | AGENT QUALIFICATION | TASK COMPLETED |
|--|-----|--|-----------------|-------|------------------------|-------------------|
| Structural member surface conditions. | | | IBC 1705.14.2 | | PE/EIT; RA; SFSI | |
| Surfaces shall be prepared in accordance with the approved fire-resistance design and the written instructions of approved manufacturers. The prepared surface of structural members to be sprayed shall be inspected before the application of the sprayed fire resistant material. | | | | | PE/EIT; RA; SFSI | |
| Application. | | | IBC 1705.14.3 | | PE/EIT; RA; SFSI | |
| The substrate shall have a minimum ambient temperature before and after application as specified in the written instructions of approved manufacturers. The area for application shall be ventilated during and after application as required by the written instructions of approved manufacturers. | | | | | PE/EIT; RA; SFSI | |
| Thickness. | | | IBC 1705.14.4 | | PE/EIT; RA; SFSI | |
| Not more than 10 percent of the thickness measurements of the sprayed fire-resistant materials applied to floor, roof and wall assemblies and structural members shall be less than the thickness required by the approved fire-resistance design, but in no case less than the minimum allowable thickness required by Section 1705.14.4.1. | | | | | PE/EIT; RA; SFSI | |
| Minimum allowable thickness. | | | IBC 1705.14.4.1 | | PE/EIT; RA; SFSI | |
| For design thicknesses 1" (25 mm) or greater, the minimum allowable individual thickness shall be the design thickness minus ¼" (6.4 mm). For design thicknesses less than 1" (25 mm), the minimum allowable individual thickness shall be the design thickness minus 25 percent. Thickness shall be determined in accordance with ASTM E 605. Samples of the sprayed fire-resistant materials shall be selected in accordance with Sections 1705.14.4.2 and 1705.14.4.3. | | | | | PE/EIT; RA; SFSI | |
| Floor, roof and wall assemblies. | | | IBC 1705.14.4.2 | | PE/EIT; RA; SFSI | |
| The thickness of the sprayed fire-resistant material applied to floor, roof and wall assemblies shall be determined in accordance with ASTM E 605, making not less than four measurements for each 1,000 square feet (93 m^2) of the sprayed area, or portion thereof, in each story. | | | | | PE/EIT; RA; SFSI | |
| Cellular decks. | | | IBC 1705.14.4.3 | | PE/EIT; RA; SFSI | |
| Thickness measurements shall be selected from a square area, 12 inches by 12 inches (305 mm by 305 mm) in size. A minimum of four measurements shall be made, located symmetrically within the square area. | | | | | PE/EIT; RA; SFSI | |

Project: Date Prepared:

| Fluted decks. | IBC 1705.14.4.4 | PE/EIT; RA; SFSI | |
|--|-----------------|------------------|--|
| Thickness measurements shall be selected from a square area, 12 inches by 12 inches (305 mm by 305 mm) in size. A minimum of four measurements shall be made, located symmetrically within the square area, including one each of the following: valley, crest and sides. The average of the measurements shall be reported. | | PE/EIT; RA; SFSI | |
| Structural members. | IBC 1705.14.4.5 | PE/EIT; RA; SFSI | |
| The thickness of the sprayed fire-resistant material applied to structural members shall be determined in accordance with ASTM E 605. Thickness testing shall be performed on not less than 25 percent of the structural members on each floor. | | PE/EIT; RA; SFSI | |
| Beams and girders. | IBC 1705.14.4.6 | PE/EIT; RA; SFSI | |
| At beams and girders thickness measurements shall be made at nine locations around the beam or girder at each end of a 12-inch (305mm) length. | | PE/EIT; RA; SFSI | |
| Joists and trusses. | IBC 1705.14.4.7 | PE/EIT; RA; SFSI | |
| At joists and trusses, thickness measurements shall be made at seven locations around the joist or truss at each end of a 12-inch (305mm) length. | | PE/EIT; RA; SFSI | |
| Wide-flanged columns. | IBC 1705.14.4.8 | PE/EIT; RA; SFSI | |
| At wide-flanged columns, thickness measurements shall be made at 12 locations around the column at each end of a 12-inch (305mm) length. | | PE/EIT; RA; SFSI | |
| Hollow structural section and pipe columns. | IBC 1705.14.4.9 | PE/EIT; RA; SFSI | |
| At hollow structural section and pipe columns, thickness measurements shall be made at a minimum of four locations around the column at each end of a 12-inch (305mm) length. | | PE/EIT; RA; SFSI | |
| Density. | IBC 1705.14.5 | PE/EIT; RA; SFSI | |
| The density of the sprayed fire-resistant material shall not be less than the density specified in the approved fire-resistance design. Density of the sprayed fire- resistant material shall be determined in accordance with ASTM E 605. The test samples for determining the density of the sprayed fire-resistant materials shall be as follows: | | PE/EIT; RA; SFSI | |
| 1. From each floor, roof and wall assembly at the rate of not less than one sample for every 2,500 square feet (232 m ²) or portion thereof of the sprayed area in each story. | | PE/EIT; RA; SFSI | |
| 2. From beams, girders, trusses and columns at the rate of not less than one sample for each type of structural member for each 2,500 square feet (232 m^2) of floor area or portion thereof in each story. | | PE/EIT; RA; SFSI | |
| Bond strength. | IBC 1705.14.6 | PE/EIT; RA; SFSI | |

Project: Date Prepared:

| The cohesive/adhesive bond strength of the cured sprayed fire-resistant material applied to floor, roof and wall assemblies and structural members shall not be less than 150 pounds per square foot (psf) (7.18 kN/m ²). The cohesive/adhesive bond strength shall be determined in accordance with the field test specified in ASTM E 736 by testing in-place samples of the sprayed fire-resistant material selected in accordance with Sections 1705.14.6.1 through 1705.14.6.3. | | PE/EIT; RA; SFSI | |
|--|-----------------|------------------|--|
| Floor, roof and wall assemblies. | IBC 1705.14.6.1 | PE/EIT; RA; SFSI | |
| The test samples for determining the cohesive/adhesive bond strength of the sprayed fire-resistant materials shall be selected from each floor, roof and wall assembly at the rate of not less than one sample for every 2,500 square feet (232 m^2) of the sprayed area in each story or portion thereof. | | PE/EIT; RA; SFSI | |
| Structural members. | IBC 1705.14.6.2 | PE/EIT; RA; SFSI | |
| The test samples for determining the cohesive/adhesive bond strength of the sprayed fire-resistant materials shall be selected from beams, girders, trusses, columns and other structural members at the rate of not less than one sample for each type of structural framing member for each 2,500 square feet (232 m ²) of floor area or portion thereof in each story. | | PE/EIT; RA; SFSI | |
| Primer, paint and encapsulant bond tests. | IBC 1705.14.6.3 | PE/EIT; RA; SFSI | |
| Bond tests to qualify a primer, paint or encapsulant shall be conducted when the sprayed fire resistant material is applied to a primed, painted or encapsulated surface for which acceptable bond-strengths performance between these coatings and the fire-resistant material has not been determined. A bonding agent approved by the SFRM manufacturer shall be applied to a primed, painted or encapsulated surface where the bond strengths are found to be less than required values. | | PE/EIT; RA; SFSI | |

Statement of Special Inspections – A/M/E/P FIRE-RESISTANT COATINGS

| VERIFICATION AND INSPECTION 2018 IBC Section 1705.15 | Y/N | EXTENT: CONTINUOUS; PERIODIC; SUBMITTAL | COMMENTS | AGENT | AGENT QUALIFICATION | TASK COMPLETED |
|--|-----|--|-------------|-------|------------------------|-------------------|
| Mastic and intumescent fire-resistant coatings. Special inspections and tests for mastic and intumescent fire- resistant coatings applied to structural elements and decks shall be in performed in accordance with AWCI 12-B. Special inspections and tests shall be based on the fire- resistance design as designated in the approved construction documents. | | | IBC 1705.15 | | PE/EIT; RA; SFSI | |

Statement of Special Inspections – A/M/E/P EXTERIOR INSULATION AND FINISH SYSTEM (EIFS)

| VERIFICATION AND INSPECTION 2018 IBC Section 1705.16 | Y/N | EXTENT: CONTINUOUS; PERIODIC; SUBMITTAL | COMMENTS | AGENT | AGENT QUALIFICATION | TASK COMPLETED |
|--|-----|--|---------------|-------|------------------------|-------------------|
| 1. Visual observation of the installation of EIFS systems without a water-resistive barrier or without a means of draining moisture to the exterior. | | | IBC 1705.16 | | PE/EIT; RA | |
| 2. Visual observation of the installation of EIFS systems not installed over masonry or concrete walls. | | | IBC 1705.16 | | PE/EIT; RA | |
| Visual observation of the installation of ASTM E 2570- compliant water-resistive barrier coating over a sheathing substrate. | | | IBC 1705.16.1 | | PE/EIT; RA | |

Statement of Special Inspections – A/M/E/PP FIRE-STOP

| VERIFICATION AND INSPECTION 2018 IBC Section 1705.17 | Y/N | EXTENT: CONTINUOUS; PERIODIC; SUBMITTAL | COMMENTS | AGENT | AGENT QUALIFICATION | TASK COMPLETED |
|---|-----|--|---------------|-------|------------------------|-------------------|
| Penetration firestops. | | | IBC 1705.17.1 | | PE/EIT; RA | |
| Inspections of penetration firestop systems that are tested and listed in with Sections 714.4.1.2 and 714.5.1.2 shall be conducted by an approved agency in accordance with ASTM E 2174. | | | | | PE/EIT; RA | |
| Fire-resistant joint systems. | | | IBC 1705.17.2 | | PE/EIT; RA | |
| Inspection of fire-resistant joint systems that are tested and listed in accordance with Sections 715.3 and 715.4 shall be conducted by an approved agency in accordance with ASTM E 2393. | | | | | PE/EIT; RA | |

Statement of Special Inspections – A/M/E/P SMOKE CONTROL

| VERIFICATION AND INSPECTION 2018 IBC Section 1705.18 | Y/N | EXTENT: CONTINUOUS; PERIODIC; SUBMITTAL | COMMENTS | AGENT | AGENT QUALIFICATION | TASK COMPLETED |
|---|-----|--|---------------|-------|------------------------|-------------------|
| Smoke control systems shall be tested by a special inspector. | | | IBC 1705.18 | | | |
| The test scope shall be as follows: | | | IBC 1705.18.1 | | PE/EIT; RA | |
| 1. During erection of ductwork and prior to concealment for the purposes of leakage testing and recording of device location. | | | | | PE/EIT; RA | |

Statement of Special Inspections – A/M/E/P (Continued) smoke control

| 2. Prior to occupancy and after sufficient completion for the purposes of pressure difference testing, flow measurements, and detection and control verification. | | | PE/EIT; RA | |
|--|--|---------------|------------|--|
| Qualifications. | | IBC 1705.18.2 | | |
| Approved agencies for smoke control testing shall have expertise in fire protection engineering, mechanical engineering and certification as air balancers. | | | PE/EIT; RA | |

Final Report of Special Inspections – A/M/E/P

[Note that all Special Inspector's Final Reports must be received prior to final inspections by the City of Tulsa.]

| Project: | | | |
|---|--|---|--|
| Location: | | | |
| Owner: | | | |
| Owner's Address: | | | |
| Engineer/Architect of | | | |
| Record: | | | |
| | (name) | (firm) | |
| I, as the Registered Design I and hereby submit this final record of those reports. Respectfully submitted, Registered Design Professio | Professional in Responsible documentation that Special nal in Responsible Charge | Charge for this project, acknowledge Inspections identified for this project | receipt of all required interim and final reports, t have been administered, based upon the |
| (Type or print name) | | | |
| (Firm Name) | | | |
| Signature | | Date | Licensed Professional Seal |

A/P # :

Special Inspector's Final Report – A/M/E/P

| Project: | | | |
|--|---|--|---|
| Special Inspector or Agent: | | | |
| Designation: | (name) | (firm) | |
| To the best of my information in the <i>Sta</i> Inspector/Agent in the <i>Sta</i> been reported and resolved of this final report. | ation, knowledge and belief, the S tement of Special Inspections sub- I. The interim reports submitted pr | special Inspections or testing requestion in the perfinited for permit, have been perfior to this final report form a basing the perform a basing the perform a basing the performance of the performance o | uired for this project, and designated for this formed and all discovered discrepancies have is for and are to be considered an integral part |
| Respectfully submitted, Special Inspector: | | | |
| (Type or print name) | | | |
| Signature | | Date | Licensed Professional Seal or |

A/P # :

Certification Number