

Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 1 of 34

Issued 2/11/2020

Addendum #1

Please note the following changes which have been made for clarification to this Invitation for Sealed Bid. **This addendum must be listed as Addendum #1 on Form #6** of the bid package as verification that you have received and are aware of the information contained herein.

QUESTIONS/CLARIFICATION/CHANGES:

CHANGE:

The due date for submitting bids was extended to March 4th, 2020

On page 27, Section Arrow Board/Message Board. Numbers 1-4 should read:

- 1. Arrow board shall be a type C minimum, 15 or 25-lamp LED truck mounted model.
- 2. Arrow board shall be DOT approved.
- 3. Arrow board shall be mounted on the rear frame extension.
- 4. Arrow board shall be powered by separate battery and solar powered charging system.

TULS

(THE REST OF THIS PAGE INTENTIONALLY LEFT BLANK)



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 2 of 34

NOTICE is hereby given that the CITY OF TULSA, OKLAHOMA will receive sealed Bids for the following:

BID # IFB20-601B

DESCRIPTION: 33,000 GVW Truck (Commodity Code(s): 550-42; 072-08)

You are invited to submit a Bid to supply the Goods and/or Services specified above. Invitations for Bid (IFB) will be posted on the City's website at www.cityoftulsapurchasing.org or a hardcopy may be obtained at:

City of Tulsa-Purchasing Division 175 East 2nd Street, Suite 865

Tulsa Oklahoma 74103

Bids must be received no later than 5:00 PM (CST) on Wednesday, March 4th, 2020, and delivered to:

City Clerk's Office

175 East 2nd Street, Suite 260

Use this checklist to ensure you have properly read and completed all Forms.

Tulsa Oklahoma 74103

Bids must be sealed and either mailed or delivered. No faxed or emailed Bids will be considered. Bids received after the stated date and time will not be accepted and will be returned to the Bidder unopened.

The Bid Packet consists of (1) this Notice of Invitation for Bid, (2) the Summary Sheet, (3) Form #1, (4) Form #2, (5) Form #3, (6) Form #4, (7) Form #5, (8) Form #6, (9) the Instructions, Terms and Conditions for Bidders, (10) Special Requirements, (11) Technical Specifications and (12) Exhibit A.

 Notice of Invitation for Bid
 Summary Sheet
 Form #1: Bidder Information Sheet. Must be completed.
 Form #2: Purchase Agreement. Complete legal name in first paragraph and Notice provision in Section 17.i. Original signature required.
 Form #3: Interest Affidavit. Original signature and notarization required.
 Form #4: Non-Collusion Affidavit. Original signature and notarization required.
 Form #5: Affidavit of Claimant. Original signature and notarization required.
 Form #6: Acknowledgment of Receipt of Addenda/Amendments. Must be completed and signed.
 Instructions, Terms and Conditions for Bidders
 Special Requirements (Offer Period; Insurance and Bonding; References)
 Technical Specifications
 Exhibit A: Bid Form including Delivery and Pricing. This is your Bid. It must be completed, or your Bid will be rejected. Brochures and/or specification literature clearly describing the unit(s) and verifying that the unit(s) meet or exceed the requirements of this specification
Warranty documentation should be provided with the hid proposal

IMPORTANT NOTE: Write the Bid Number, Bid Description (as listed above), and Bid Opening Date on the lower



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 3 of 34

left corner of the outside of your Bid envelope. You must return the entire completed Bid Packet.

SUMMARY SHEET

Project Buyer

If you have any questions or need additional information, contact the assigned Project Buyer:

Rich Gonter, Purchasing Services Coordinator

rgonter@cityoftulsa.org

Include IFB20-601B on the subject line

Bidder's Notice of Intent to Submit a Bid

Email the Project Buyer indicating your intent to Bid. Include IFB20-601B on the subject line of the email. You will receive an email response verifying your notice of intent to bid was received. This same procedure should be followed to request clarification, in writing, of any point in the IFB. Bidders are encouraged to contact the Project Buyer by email if there is anything in these specifications that prevents you from submitting a Bid or completing the Bid Packet.

Questions and concerns must be received no later than ten (10) days prior to the Bid Packet due date.

Issuing of Addenda

If you received the notice of this IFB from the City as a result of being registered to sell the commodity code(s) on this Bid, you should also receive notice of any addenda issued. If you are not registered with the City to sell the commodities listed herein, you must register as a supplier on the City of Tulsa Purchasing website (www.cityoftulsapurchasing.org) to receive notice of any addenda, or to receive notice of any future IFBs.

Pre-Bid Conference If a pre-Bid conference will be held for this IFB, information on that conference will be inserted below: Time Location Attendance at the Pre-Bid Conference is required to submit a Bid; however, Bidders may make arrangements to attend via teleconference in some cases (contact the Project Buyer for details). Attendance is not required to submit a Bid.

Bid Packet Submission

The City requires two completed Bid packets: 1 Original and 1 Copy. Each must be clearly labeled on the front sheet indicating "Original" or "Copy". If a copy on electronic media is also required, the line below will be checked. Electronic Copy also required.

Responses to this Invitation for Bid must be made on the forms listed on page 1. The entire completed Bid Packet must be returned, or your Bid may be rejected. Do not take exception to any portion of this Bid Packet. Do not make any entries except where required. Do not insert any other documents into the Bid Packet.

Bid Opening

All Bid openings are public and take place at 8:30 a.m. Thursday, the day after Bids are due. The Bid openings are held in the City of Tulsa Council Meeting Room, 175 East 2nd Street, 2nd Floor, Tulsa, Oklahoma.



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 4 of 34

FORM #1 BIDDER INFORMATION SHEET

dder's Exact Legal Name: ust be Bidder's company name as reflected on its c	organizational documents, filed with the state in which bidder is organized; not simply a DBA
ate of Organization:	* * * * * * * * * * * * * * * * * * *
dder's Type of Legal Entity: (check on () Sole Proprietorship () Partnership () Corporation () Limited Partnership	() Limited Liability Company () Limited Liability Partnership () Other:
dder's Address:	18 198 1**
Street	City State Zip Code
dder's Website Address:	Email Address:
ame:	Legal or Alternate Sales Contact: Name:
reet:	Street:
ty:	City:
ate:	State:
	Phone:
none:	
hone:	Fax:



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 5 of 34

FORM #2 (Page 1 of 4) PURCHASE AGREEMENT

INSTRUCTIONS: This document **must** be properly signed and returned or your Bid will be **rejected**. This form constitutes your offer and if accepted by the City of Tulsa will constitute the Purchase Agreement under which you are obligated to perform. Your signature on this document indicates you have read and understand these terms and agree to be bound by them.

THIS PURCHASE AGREEMENT is between the CITY OF TULSA, OKLAHOMA, a municipal corporation, 175 East 2nd Street, Tulsa, Oklahoma, 74103-3827 (the "City") and:

(Bidder's company name as reflected on its organizational documents, filed with the state in which bidder is organized; not simply a DBA) (the "Seller").

WITNESSETH:

WHEREAS, the City has approved certain specifications and advertised for or solicited Bids on the following goods or services:

IFB20-601B: 33,000 GVW Truck

WHEREAS, Seller desires to provide such Goods and/or Services to City, acknowledges that this document constitutes Seller's offer to provide the Goods and/or Services specified below, and further acknowledges that if executed by the City's Mayor, this document will become the Purchase Agreement for such Goods and/or Services.

NOW, THEREFORE, for and in consideration of the terms, covenants and conditions hereinafter set forth, the parties hereto agree as follows:

- 1. **Documents Comprising the Agreement.** The Bid Packet includes the Notice of Invitation to Bid, the Summary Sheet, Form #1, Form #2, Form #3, Form #4, Form #5, Form #6, the Instructions, Terms and Conditions for Bidders, the Special Requirements, the Technical Specifications, Exhibit A and any addenda or amendments to the Bid Packet. The Bid Packet is incorporated herein by this reference. In the event of conflicting or ambiguous language between this Purchase Agreement and any of the other Bid Packet documents, the parties shall be governed first according to this Purchase Agreement and second according to the remainder of the documents included in the Bid Packet. Seller may submit as part of its Bid additional materials or information to support the Bid. Additional materials or information submitted by Seller which are not ambiguous, and which do not conflict with this Purchase Agreement or the other Bid Packet documents are incorporated herein by this reference.
- 2. **Purchase and Sale.** Seller agrees to sell City the Goods and/or Services for the price and upon the delivery terms set forth in Exhibit A hereto. City agrees to pay Seller the price as set forth in Exhibit A based on (a) the quantity actually purchased in the case of goods or services priced by unit, or (b) the total price for a stated quantity of goods or services, upon (i) delivery of the Goods and/or Services to the City, (ii) the City's Acceptance thereof, and (iii) Seller's submission and City's approval of a verified claim for the amount due. City shall not pay any late charges or fees.
- 3. Irrevocable Offer. Seller understands and acknowledges that its signature on this Agreement constitutes an irrevocable offer to provide the Goods and/or Services. There is no contract unless and until City's Mayor/Mayor Pro Tem executes this Agreement accepting Seller's Bid. No City officer, employee or agent except the Mayor (or Mayor Pro Tem) has the authority to award contracts or legally obligate the City to any contract. Seller shall not provide any Goods and/or Services to City pursuant to this Agreement before this Agreement is executed by City. If Seller provides any Goods and/or Services to City pursuant to this Agreement before this Agreement is executed by City, such Goods and/or Services are provided at Seller's risk and City shall have no obligation to pay for any such Goods and/or Services.
- 4. **Term.** The term of this Agreement shall be effective commencing on the date of execution of this Agreement by the Mayor/Mayor Pro Tem of the City of Tulsa and terminating one year from that date. Seller understands and acknowledges that any future contracts or renewals are neither automatic nor implied by this Agreement. The continuing purchase by City of the Goods and/or Services set forth in this Agreement is subject to City's needs and to City's annual appropriation of sufficient funds in City's fiscal year (July 1st to June 30th) in which such Goods and/or Services are purchased. In the event City does not appropriate or budget sufficient funds to perform this Agreement, this Agreement shall be null and void without further action by City.
- Warranties. Seller shall assure that the Goods and/or Services purchased hereunder are covered by all available and applicable manufacturers' warranties for such Goods and/or Services. Seller expressly agrees that it will be responsible for performing all warranty obligations set forth in the Technical Specifications for the Goods and/or Services covered in this Agreement. Seller also warrants that the Goods and/or Services will conform to the Technical Specifications and Special Requirements, and further warrants that the Goods and/or Services shall be of good materials and workmanship and free from defects for either a minimum of one (1) year from the date of Acceptance or installation by City, whichever is later, or as **specified in the Technical Specifications**, whichever is later. In no event shall Seller be allowed to disclaim or otherwise limit the express warranties set forth herein.
- 6. Warranty Remedies. City shall notify Seller if any of the Goods and/or Services fails to meet the warranties set forth above, and Seller shall promptly correct, repair or replace such Goods and/or Services at Seller's sole expense. Notwithstanding the foregoing, if such Goods and/or Services shall be determined by City to be defective or non-conforming within the first thirty (30) days after the date of Acceptance by City, then City at its option shall be entitled to a complete refund of the purchase price and, in the case of Goods, shall promptly return such Goods to Seller. Seller shall pay all expenses related to the return of such Goods to Seller.



Invitation For Bid IFB20-601B: ADDENDUM 1 33,000 GVW Truck

Streets and Stormwater Dept. Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 6 of 34

FORM #2 (Page 2 of 4) PURCHASE AGREEMENT

- 7. Seller Bears Risk. The risk of loss or damage shall be borne by Seller at all times until the Acceptance of the Goods or Services by City.
- 8. **No Indemnification by City.** Seller understands and acknowledges that City is a municipal corporation that is funded by its taxpayers to operate for the benefit of its citizens. Accordingly, and pursuant to Oklahoma law, City shall not indemnify nor hold Seller harmless for loss, damage, expense or liability arising from or related to this Agreement, including any attorneys' fees and costs. In addition, Seller shall not limit its liability to City for actual loss or direct damages for any claim based on a material breach of this Agreement and the documents incorporated herein. City reserves the right to pursue all legal and equitable remedies to which it may be entitled.
- 9. **Indemnification by Seller.** Seller agrees to indemnify, defend, and save harmless City and its officers, employees and agents from all suits and actions of any nature brought against them due to the use of patented appliances, products or processes provided by Seller hereunder. Seller shall pay all royalties and charges incident to such patents.
- 10. **No Insurance by City.** If City is leasing Goods herein, City shall not be required to obtain insurance for Seller's property. Seller shall be solely responsible for any insurance it deems necessary. City is self-insured for its own negligence, subject to the limits of the Governmental Tort Claims Act (51 O.S. § 151 et seq.).
- 11. **No Confidentiality.** Seller understands and acknowledges that City is subject to the Oklahoma Open Records Act (51 O.S. §24A.1 et seq.) and therefore cannot assure the confidentiality of contract terms or other information provided by Seller pursuant to this Agreement that would be inconsistent with City's compliance with its statutory requirements thereunder.
- 12. **Non-Responsive Bids.** Seller understands and acknowledges that if it adds terms and conditions to its Bid that are different from the terms set forth herein that its Bid may be rejected as non-responsive. Furthermore, if City accepts Seller's Bid and awards a contract to Seller based on such Bid, City shall not be bound to any exceptions, changes or additions made by Seller, and any terms and conditions added by Seller which are not expressly agreed to by City in writing will be void and of no force and effect and the parties will be governed according to the document precedence set forth in Section 1 above.
- 13. **Compliance with Laws.** Seller shall be responsible for complying with all applicable federal, state and local laws, regulations and standards. Seller is responsible for any costs of such compliance. Seller certifies that it and all of its subcontractors to be used in the performance of this Purchase Agreement are in compliance with 25 O.S. Sec. 1313 and participate in the Status Verification System. The Status Verification System is defined in 25 O.S. Sec. 1312 and includes but is not limited to the free Employee Verification Program (E-Verify) available at www.dhs.gov/E-Verify.
- 14. **Termination.** City, by written notice, may terminate this Agreement, in whole or in part, when such action is in the best interest of City. If this Agreement is so terminated, City shall be liable only for payment for Goods accepted and Services rendered prior to the effective date of termination. City's right to terminate this Agreement is cumulative to any other rights and remedies provided by law or by this Agreement.
- 15. **Price Changes.** The parties understand and agree that the variables in Seller's cost of performance may fluctuate, but any change in Seller's cost of performance will not alter its obligations under this Agreement, nor excuse performance or delay on Seller's part. If the IFB provides that Seller may include a price escalation provision in its Bid, Seller's price escalation provision will be evaluated by City as part of Seller's Bid price when awarding the Bid.
- Right to Audit. The parties agree that Seller's books, records, documents, accounting procedures, practices, price lists or any other items related to the Goods and/or Services provided hereunder are subject to inspection, examination, and copying by City or its designees. Seller is required to retain all records related to this Agreement for the duration of the term of this Agreement and a period of three years following completion and/or termination of the Agreement. If an audit, litigation or other action involving such records begins before the end of the three year period, the records shall be maintained for three years after the date that all issues arising out of the action are resolved or until the end of the three year retention period, whichever is later.
- 17. **Notice.** Any notice, demand, or request required by or made pursuant to this Agreement shall be deemed properly made if personally delivered in writing or deposited in the United States mail, postage prepaid, to the addresses specified below.

To Seller:		
To CITY:	City Clerk	
	CITY OF TULSA, OKLAHOMA	
	175 E. 2 nd Street, Suite 260	
	Tulsa, Oklahoma 74103	
With a copy to:	Name, Buyer	
	175 E. 2 nd Street, 5 th Floor	
	Tulsa, OK 74103	

18. **Relationship of Parties**. The Seller is, and shall remain at all times, an independent contractor with respect to activities and conduct while engaged in the performance of services for the City under this Agreement. No employees, subcontractors or agents of the Seller shall be deemed to be employees of the City for any purpose whatsoever, and none shall be eligible to participate in any benefit program provided by the City for its employees. The Seller shall be solely responsible for the payment of all employee wages and salaries, taxes, withholding

i.



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 7 of 34

FORM #2 (Page 3 of 4) PURCHASE AGREEMENT

payments, fringe benefits, insurance premiums, continuing education courses, materials or related expenses on behalf of its employees, subcontractors, and agents. Nothing in this Agreement shall be construed to create a partnership, joint venture, or agency relationship among the parties. No party shall have any right, power or authority to act as a legal representative of another party, and no party shall have any power to obligate or bind another party, or to make any representations, express or implied, on behalf of or in the name of the other in any manner or for any purpose whatsoever.

- 19. **Third Parties.** This Agreement is between City and Seller and creates no right unto or duties to any other person. No person is or shall be deemed a third-party beneficiary of this Agreement.
- Time of Essence. City and Seller agree that time is deemed to be of the essence with respect to this Agreement.
- 21. **Binding Effect.** This Agreement shall be binding upon City and Seller and their respective successors, heirs, legal representatives and permitted assigns.
- 22. Headings. The headings used herein are for convenience only and shall not be used in interpreting this Agreement
- 23. **Severability Provision.** If any term or provision herein is determined to be illegal or unenforceable, the remainder of this Agreement will not be affected thereby. It is the intention of the parties that if any provision is held to be illegal, invalid or unenforceable, there will be added in lieu thereof a provision as similar in terms to such provision as is possible to be legal, valid and enforceable.
- 24. **Governing Law and Venue.** This Agreement is executed in and shall be governed by and construed in accordance with the laws of the State of Oklahoma without regard to its choice of law principles, which shall be the forum for any lawsuits arising under this Agreement or incident thereto. The parties stipulate that venue is proper in a court of competent jurisdiction in Tulsa County, Oklahoma and each party waives any objection to such venue. City does not and will not agree to binding arbitration of any disputes.
- 25. **No Waiver.** A waiver of any breach of any provision of this Agreement shall not constitute or operate as a waiver of any other provision, nor shall any failure to enforce any provision hereof operate as a waiver of the enforcement of such provision or any other provision.
- 26. **Entire Agreement/No Assignment.** This Agreement and any documents incorporated herein constitute the entire agreement of the parties and supersede any and all prior agreements, oral or otherwise. This Agreement may only be modified or amended in a writing signed by both parties. Notwithstanding anything to the contrary stated herein or in the attachments to this Agreement, no future agreements, revisions or modifications that may be required under this Agreement are effective or enforceable unless such terms, revisions or modifications have been reduced to writing and signed by City and Seller. Seller may not assign this Agreement or use subcontractors to provide the Goods and/or Services without City's prior written consent. Seller shall not be entitled to any claim for extras of any kind or nature.
- 27. **Multiple Counterparts.** This Agreement may be executed in several counterparts, each of which shall be deemed an original, but which together shall constitute one and the same instrument.
- 28. Interpretive Matters and Definitions. The following interpretive matters shall be applicable to this Agreement:
 - 28.1 Unless the context otherwise requires: (a) all references to Sections are to Sections of or to this Agreement; (b) each term defined in this Agreement has the meaning assigned to it; (c) "or" is disjunctive but not necessarily exclusive; (d) words in a singular include the plural and vice versa. All references to "\$" or to dollar amounts shall be in lawful currency of the United States of America;
 - 28.2 No provision of this Agreement will be interpreted in favor of, or against, any of the parties hereto by reason of the extent to which such party or its counsel participated in the drafting thereof or by reason of the extent to which any such provision is inconsistent with any prior draft hereof or thereof;
 - 28.3 Any reference to any applicable laws shall be deemed to refer to all rules and regulations promulgated thereunder and judicial interpretations thereof, unless the context requires otherwise;
 - 28.4 The word "including" means "including, without limitation" and does not limit the preceding words or terms; and
 - 28.5 All words used in this Agreement shall be construed to be of such gender, number or tense as circumstances require.
- 29. **Equal Employment Opportunity.** Each bidder agrees to comply with all applicable laws regarding equal employment opportunity and nondiscrimination.
- 30. Authority to Bind. The undersigned individual states that s/he has authority to bind Seller to this Agreement, that s/he has read and understands the terms of this Agreement, and that Seller agrees to be bound by this Agreement and its incorporated documents.



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 8 of 34

FORM #2 (Page 4 of 4) PURCHASE AGREEMENT

IMPORTANT NOTE: This document must be signed by the proper person as set forth in Instructions, Terms and Conditions for Bidders, paragraph 4. FAILURE TO SUBMIT PROPERLY AUTHORIZED SIGNATURE MAY RESULT IN YOUR BID BEING REJECTED AS NONRESPONSIVE.

IN WITNESS WHEREOF, this Agreement has been executed in multiple copies on the dates set forth below to be effective during the period recited above. Seller Company Name: Sign Here ▶ ATTEST: **Printed Name** Title: Corporate Secretary Date: Company Name/Address [Please Print] Address City State Zip Code Telephone Number Fax Number **Email Address** CITY OF TULSA, OKLAHOMA, a municipal corporation, ATTEST: Mayor City Clerk TULS APPROVED: Assistant City Attorney



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 9 of 34

FORM #3

INTEREST AFFIDAVIT

STATE OF)				
)ss. COUNTY OF)				
I,	urther states that no or more in the Bidde the following officers	officer or employee er's business or su and/or employees	of the City of Tuch a percentate of the City of	ge that constitutes a
	By:Signature		A A W	
Subscribed and sworn to before me this	Title:day of	, 20		
Notary Public				
My Commission Expires:				
Notary Commission Number:				
County & State Where Notarized:				

The Affidavit must be signed by an authorized agent and notarized



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 10 of 34

FORM #4

NON-COLLUSION AFFIDAVIT

(Required by Oklahoma law, 74 O.S. §85.22-85.25)

STATE OF)
COUNTY OF_)ss.)
I,	, of lawful age, being first duly sworn, state that:
(Seller'	s Authorized Agent)
1.	I am the authorized agent of Seller herein for the purposes of certifying facts pertaining to the existence of collusion between and among Bidders and municipal officials or employees, as well as facts pertaining to the giving or offering of things of value to government personnel in return for special consideration in the letting of any contract pursuant to the Bid to which this statement is attached.
2.	I am fully aware of the facts and circumstances surrounding the making of Seller's Bid to which this statement is attached, and I have been personally and directly involved in the proceedings leading to the submission of such Bid; and
3.	 Neither the Seller nor anyone subject to the Seller's direction or control has been a party: a. to any collusion among Bidders in restraint of freedom of competition by agreement to Bid at a fixed price or to refrain from Bidding, b. to any collusion with any municipal official or employee as to quantity, quality, or price in the prospective contract, or as to any other terms of such prospective contract, nor c. in any discussions between Bidders and any municipal official concerning exchange of money or other thing of value for special consideration in the letting of a contract.
	By: Signature
	Title:
Subscribed and	sworn to before me thisday of, 20
Notary Public	
My Commission	Expires:
Notary Commis	sion Number:
County & State	Where Notarized:

The Affidavit must be signed by an authorized agent and notarized



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 11 of 34

FORM #5

AFFIDAVIT OF CLAIMANT

STATE OF)	
)ss.	
COUNTY OF)	
with the City of Tulsa will be true and correct. Affiant further supplied in accordance with the plans, specifications, orders further states that (s)he has made no payment directly or incany public trust where the City of Tulsa is a beneficiary, of more than the control of t	n on oath, says that all invoices to be submitted pursuant to this agreement states that the work, services or material furnished will be completed or , requests and/or contract furnished or executed by the affiant. Affiant directly to any elected official, officer or employee of the City of Tulsa or of loney or any other thing of value to obtain payment of the invoice or procure is submitted. Affiant further certifies that (s)he has complied with all
	Company:
	Remit to Address:
	City, State Zip:
	Phone:
	Name (print):
	Signature:
	Title:
Subscribed and sworn to before me this day of	, 20
Notary Public	
My commission expires:	

The Affidavit must be signed by an authorized agent and notarized

County and State where notarized:_____



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 12 of 34

FORM #6

ACKNOWLEDGMENT OF RECEIPT OF ADDENDA/AMENDMENTS

corporated into the Bid Packet and will become a part of a st Date and Title/Number of all addenda or amendments:	
**	RY 1
* *	5 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
/ * */	* * *
/ * * 18	TU98 IXX
7	× ×
	Sign Here ▶
	Printed Name:
	Title:
	Date:



Invitation For Bid IFB20-601B: ADDENDUM 1 33,000 GVW Truck

Streets and Stormwater Dept.

Page 13 of 34

City of Tulsa,

Oklahoma

Issued: January 30, 2020
INSTRUCTIONS, TERMS AND CONDITIONS FOR BIDDERS

1. **PURCHASING AUTHORITY.** City issues this Invitation For Bid pursuant to Tulsa City Charter, Art. XII, §14 and Tulsa Revised Ordinances, Title 6, Ch. 4, the provisions of which are incorporated herein.

- DEFINITIONS. The following terms have the following meanings when used in the documents comprising this Bid Packet.
 A. "Acceptance" with respect to a Bid shall mean the City's selection of a Bid, and award of a contract to the Bidder/Seller.
 - **B.** "Acceptance" with respect to delivery of Goods and/or Services provided under a Purchase Agreement shall mean City's written acknowledgement that Seller has satisfactorily provided such Goods and/or Services as required.
 - **C.** "Addenda" "Addendum" or "Amendment(s)" shall mean a clarification, revision, addition, or deletion to this Invitation for Bid by City which shall become a part of the agreement between the parties.
 - **D.** "Authorized Agent" means an agent who is legally authorized to bind the Seller under the law of the State in which the Seller is legally organized. An Authorized Agent must sign all documents in the Bid Packet on behalf of the Seller. Under Oklahoma law, the Authorized Agent for each of the following types of entities is as stated below:
 - o **Corporations** the president, vice president, board chair or board vice chair can sign; others can sign if they have and provide the City with (i) a corporate resolution giving them authority to bind the Seller, <u>and</u> (ii) a recent corporate secretary's certificate indicating the authority is still valid.
 - o General Partnerships any partner can sign to bind all partners.
 - o **Limited Partnerships** the general partner must sign.
 - o Individuals no additional authorization is required, but signatures must be witnessed and notarized.
 - Sole Proprietorship the owner can sign. Any other person can sign if s/he provides a recent Power of Attorney, signed
 by the owner, authorizing him/her to bind the sole proprietorship.
 - o **Limited Liability Company (LLC)** The manager as named in the Operating Agreement can sign. Any person authorized by the Operating Agreement or a member can sign providing the person submits a copy of the authorization with a certificate of the members indicating the authorization is still valid.

Entities organized in States other than Oklahoma must follow the law of the State in which they are organized.

- **E.** "Bid" means the Seller's offer to provide the requested Goods and/or Services set forth in Exhibit A and any additional materials or information the Seller chooses to submit to support the Bid.
- **F.** "Bidder" means the legal entity which submits a Bid for consideration by City in accordance with the Invitation For Bid.
- **G.** "Bid Packet" consists of the following documents (1) the Notice of Invitation for Bid, (2) the Summary Sheet, (3) Form #1, (4) Form #2, (5) Form #3, (6) Form #4, (7) Form #5, (8) Form #6, (9) the Instructions, Terms and Conditions for Bidders, (10) Special Requirements, (11)Technical Specifications, and (12) Exhibit A.
- H. "Bid Submission Date" shall mean the last date by which the City will accept Bids for an Invitation For Bid.
- I. "City" shall mean the City of Tulsa, Oklahoma.
- J. "Days" shall mean calendar days unless specified otherwise.
- **K.** "Primary Seller" shall mean the Seller whose Bid City selected as the principal supplier of the Goods and/or Services required under this Agreement.
- **L.** "**Project Buyer**" shall mean the City's employee assigned to serve as the contact person for Bidders/Sellers responding to Invitations for Bid or completing contracts herein.
- **M.** "Purchasing Division or Office" shall mean the City of Tulsa's Purchasing Division, located at 175 East 2nd Street, Suite 865, Tulsa, Oklahoma 74103
- **N.** "Secondary Seller" shall mean the Seller whose Bid City selected as a back-up supplier in the event the Primary Seller is unable to provide all the Goods and/or Services required.



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 14 of 34

- O. "Seller" shall mean the Bidder whose Bid City selected and awarded a contract.
- **P.** "You" or "Your" shall mean the Bidder responding to this Invitation For Bid or the Seller whose Bid the City selected and awarded a contract.
- Q. "Website" shall mean the City of Tulsa's website for the Purchasing Division: www.cityoftulsapurchasing.org.
- 3. QUESTIONS REGARDING INVITATION FOR BID. Questions regarding any portion of this Invitation for Bid must be submitted in writing (sent by mail, fax or email) to the Project Buyer indicated on the Summary Sheet herein. You should submit questions as early as possible and preferably before the pre-Bid conference. Questions and concerns must be received no later than ten (10) days prior to the Bid Packet due date. Any oral responses to questions before the contract is awarded are not binding on City. At City's discretion, any information or clarification made to you may be communicated to other Bidders that notified City of their intent to Bid if appropriate to ensure fairness in the process for all Bidders. You must not discuss questions regarding the Invitation for Bid with anyone other than the Project Buyer or other Purchasing Division staff or your Bid may be disqualified, any contract recommendation or Acceptance may be rescinded, or any contract may be terminated and delivered Goods returned at your expense and City refunded any payments made.
- **4. ORAL STATEMENTS.** No oral statements by any person shall modify or otherwise affect the provisions of this Invitation for Bid and/or any contract resulting therefrom. All modifications, addenda or amendments must be made in writing by City's Purchasing Division.
- 5. **EXAMINATION BY BIDDERS.** You must examine the specifications, drawings, schedules, special instructions and the documents in this Bid Packet prior to submitting any Bid. Failure to examine such documents and any errors made in the preparation of such Bid are at your own risk.
- 6. ADDENDA OR AMENDMENTS TO INVITATIONS FOR BID. City may addend or amend its Invitation For Bid at any time before the Bid Submission Date, and any such addenda or amendments shall become a part of this Agreement. City will attempt to send a notification (by fax or email) of any addenda or amendments to those Bidders who have responded to the City's Project Buyer of their intent to respond to the Invitation for Bid. However, it is your responsibility to inquire about any addenda or amendments, which will be available from the City's Purchasing Division and its website. You must acknowledge receipt of any addenda or amendments by signing and returning the Acknowledgment of Receipt of Addenda/Amendments form and attaching it to this Invitation for Bid with your Bid. City may reject any Bid that fails to acknowledge any addenda or amendments.
- 7. SPECIFICATIONS/DESCRIPTIVE TERMS/SUBSTITUTIONS. Unless the term "no substitute" is used, the City's references to a brand name, manufacturer, make, or catalogue designation in describing an item in this Bid Packet does not restrict you to that brand or model, etc. The City may make such references to indicate the type, character, quality and/or performance equivalent of the item desired. However, you are required to furnish the exact item described in your Bid unless a proposed substitution is clearly noted and described in the Bid.

The parties recognize that technology may change during the period Bids are solicited and subsequent contracts are performed. Therefore, City may at its option accept changes or substitutions to the specifications for Goods of equal or better capabilities at no additional cost to City. In the case of existing contracts, you shall give City 30 days advance notice in writing of any such proposed changes or substitutions. City shall determine whether such items are acceptable as well as any proposed substitute.

All Goods shall be new unless otherwise so stated in the Bid. Any unsolicited alternate Bid, or any changes, insertions, or omissions to the terms and conditions, specifications, or any other requirements of this Bid, may be considered non-responsive and the Bid rejected.

- **8. PRICES/DISCOUNTS.** Prices shall be stated in the units and quantity specified in the Bid Packet documents. In case of discrepancy in computing the Bid amount, you guarantee unit prices to be correct and such unit prices will govern. Prices shall include transportation, delivery, packing and container charges, prepaid by you to the destination specified in the Specifications. Discounts for prompt payment will not be considered in Bid evaluations, unless otherwise specified. However, offered discounts for prompt payment will be taken if payment is made within the discount period.
- **9. DELIVERY.** All prices quoted shall be based on delivery F.O.B. Tulsa, Oklahoma or to any other points as may be designated in the Technical Specifications, with all charges prepaid by Seller to the actual point of delivery. Bids must state the number of days required for delivery under normal conditions.
- **10. TAXES.** City is exempt from federal excise and state sales taxes and such taxes shall not be included in the Bid prices.



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 15 of 34

- 11. BID SUBMISSION. The Bid Packet forms must be prepared in the name of Bidder and properly executed by an Authorized Agent with full knowledge and acceptance of all provisions, in ink and notarized. Bids may not be changed or withdrawn after the deadline for submitting Bids (the "Bid Submission Date"). A Bid is an irrevocable offer and when accepted by City (as evidenced by City's execution of the Purchase Agreement) shall constitute a firm contract.
 - A. <u>BIDS MUST BE SUBMITTED ONLY ON THE BID PACKET FORMS AND SIGNED BY AN AUTHORIZED AGENT.</u>
 THE ENTIRE BID PACKET MUST BE RETURNED AS RECEIVED WITH ALL FORMS COMPLETED. YOU MAY ATTACH, AFTER EXHIBIT A, ANY DOCUMENTS NECESSARY TO COMPLETELY AND ACCURATELY RESPOND TO THE REQUEST. BIDS MUST BE IN STRICT CONFORMANCE WITH ALL INSTRUCTIONS, FORMS. AND SPECIFICATIONS CONTAINED IN THIS BID PACKET.
 - B. Sealed Bids may be either mailed or delivered, but must be received at:

City of Tulsa - Office of City Clerk

175 East 2nd Street, Suite 260

Tulsa, Oklahoma 74103

- **C.** Bids will be accepted at the above address from 8:00 a.m. to 5:00 p.m., Monday thru Friday except for City holidays. City is not responsible for the failure of Bids to be received by the City Clerk's Office prior to the due date and time.
- D. Late Bids will be rejected. The Purchasing Agent, in his sole discretion, may make exceptions only for the following reasons:
 - 1. City Hall closed for business for part or all of the day on the date the response was due;
 - 2. If the City deems it appropriate due to large-scale disruptions in the transportation industry that may have prevented delivery as required.
 - 3. If documented weather conditions caused the late delivery. You must provide documentation of such weather to the satisfaction of the Purchasing Agent.
- E. City will not accept faxed Bids, nor will City accept Bids faxed to the City Clerk, Purchasing Division or Office, or any other City office or employee.
- **F.** City is not responsible for any of your costs in preparing the Bid response, attending a pre-Bid conference, or any other costs you incur, regardless of whether the Bid is submitted, accepted or rejected.
- **G.** All Bids must be securely sealed and plainly marked with the Bid Number, Bid Title, and Bid Opening Date on the lower left corner of the outside of the Bid envelope. Your name and address must also be clearly indicated on the envelope.
- H. If submitting multiple options ("Option(s)") to the Invitation for Bid, each will be considered separately requiring each response to be complete and accurate. Each Option must be clearly marked as Option 1 of 3, Option 2 of 3, etc.
- I. The number of copies you must submit is listed on the Summary Sheet in the front of the Bid Packet. However, at a minimum, there will be (1) an original, clearly labeled as such in 1" red letters on the Bid Packet cover page, and (2) a copy for City's Purchasing Division, clearly labeled as such in 1" red letters on the Bid Packet cover page. If binders are used, they must also be labeled.
- J. Multiple boxes or envelopes are permissible but must not weigh more than 50 pounds. Each box must be labeled as instructed herein and numbered (i.e., Box 1 of 3; Box 2 of 3). The original must be in Box #1.
- K. The original and all copies (either paper or electronic) must be identical in all respects. Bids must be completed and submitted in ink or typewritten. Bids written in pencil will be rejected. Any corrections to the Bids must be initialed in ink.

12. BID REJECTION OR WITHDRAWL.

- A. City may reject any or all Bids, in whole or in part.
- B. A Bid may be rejected if it contains additional terms, conditions, or agreements that modify the requirements of this Invitation for Bid or attempts to limit Bidder's liability to the City.
- C. A Bid may be rejected if Bidder is currently in default to City on any other contract or has an outstanding indebtedness of any kind to City.
- D. City reserves the right to waive any formalities or minor irregularities, defects, or errors in Bids.
- E. Bid withdrawal may only be accomplished by an Authorized Agent requesting the withdrawal in person at the City Clerk's office before the City's close of business on the Bid Submission Date.
- **BID RESULTS.** A tabulation of Bids received will be made available on the City's Purchasing Division website generally within 5 working days after the Bid Opening Date. After a contract award is recommended to the Mayor, a copy of the Bid summary will be available in the City Clerk's Office. Bid results are not provided in response to telephone or email inquiries.
- **PURCHASE ORDER.** In the event that the successful Bid is for an amount less than One Hundred Thousand Dollars (\$100,000), and it is determined by the City to be in the best interests of the City, the City, in its sole discretion, may issue a Purchase Order rather than execute the Purchase Agreement to purchase the Goods. If a Purchase Order is issued, however, the terms of the Bid Packet documents, including the Purchase Agreement, will govern the transaction and be enforceable by the City and Bidder/Seller.



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 16 of 34

- CONTRACT AWARD. If a contract is awarded, it will be awarded to the Bidder that City determines is the lowest secure 15. Bidder meeting specifications. Such Bid analysis will consider price and other factors, such as Bidder qualifications and financial ability to perform the contract, as well as operating costs, delivery time, maintenance requirements, performance data, history of contract relations with City, and guarantees of materials and equipment, as applicable. A complete list of the factors that are considered is set forth in Tulsa Revised Ordinances, Title 6, Ch. 4, §406E. Unless otherwise noted, City reserves the right to award a contract by item, one or more groups of items, or all the items in the Bid, whichever is in City's best interest.
- 16. IRS FORM W-9. If City selects your Bid and awards a contract to you, you will have ten (10) days from notification of the award to provide City with your complete IRS Form W-9.
- 17. NOTICE TO PROCEED. If City accepts your Bid and executes the Purchase Agreement, you shall not commence work until authorized to do so by the Purchasing Agent or his representative. Receipt of a Purchase Order from the City is notice to proceed.
- PAYMENTS. Invoices should be e-mailed to City of Tulsa Accounts Payable at: 18.

apinvoices@cityoftulsa.org

Payment will be made Net 30 days after receipt of a properly submitted invoice or the City's Acceptance of the Goods and/or Services, whichever is later, unless City decides to take advantage of any prompt payment discount included in the Bid.



THE REST OF THIS PAGE LEFT INTENTIONALLY BLANK

TULS



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 17 of 34

SPECIAL REQUIREMENTS

1.	Irrevocable Offer Period.	You understand	and acknowled	dge that t	he offer submitte	d as your	Bid is firm	and irrevocat	le from the
Ci	ty's close of business on the	Bid Submission	Date until	<u>365</u> d	ays after the Bid	Opening	Date.		

- 2. General Liability/Indemnification. You shall hold City harmless for any loss, damage or claims arising from or related to your performance of the Purchase Agreement. You must exercise all reasonable and customary precautions to prevent any harm or loss to all persons and property related to the Purchase Agreement. You agree to indemnify and hold the City harmless from all claims, demands, causes of action or suits of whatever nature arising out of the Goods, Services, labor, or materials furnished by you or your subcontractors under the provisions of the Bid Packet documents.
- 3. Liens. Pursuant to City's Charter (Art. XII, §5), no lien of any kind shall exist against any property of City. Seller shall deliver all goods to City free and clear of liens. Delivery by Seller to City of goods which are subject to liens under the Purchase Agreement shall be a material breach of the Purchase Agreement and all damages and costs incurred by City as a result of the existence of such liens shall be paid to City by Seller. At City's option, City may return such goods to Seller and Seller shall pay the cost of returning such goods and reimburse City for any payments made for such goods.

4. Insurance	. If checked "Yes," the following insurance is required :	Yes:	No: X
--------------	--	------	-------

Seller and its subcontractors must obtain at Seller's expense and keep in effect during the term of the Purchase Agreement, including any renewal periods, policies of General Liability insurance in the minimum amounts set forth below and Workers' Compensation insurance in the statutory limits required by law.

Personal injury, each person	\$ 175,000.00
Property damage, each person	\$ 25,000.00
Auto Liability, each occurrence	\$ 1,000,000.00
Personal injury and property damage, each occurrence	\$ 1,000,000.00
Workers' Compensation	(Statutory limits)

SELLER'S INSURER MUST BE AUTHORIZED TO TRANSACT BUSINESS IN THE STATE OF OKLAHOMA.

You will have 10 days after notification that your Bid was selected for contract award by City to provide proof of such coverage by providing the assigned Project Buyer shown on the Summary Sheet of this Bid Packet with a Certificate of Insurance. The Certificate of Insurance must be completed with the following information:

- A. Your name
- B. Insurer's name and address
- C. Policy number
- D. Liability coverage and amounts
- E. Commencement and expiration dates
- F. Signature of authorized agent of insurer
- G. Invitation for Bid number

The Seller shall not cause any required insurance policy to be cancelled or to permit it to lapse. It is the responsibility of Seller to notify City of any change in coverage or insurer by providing City with an updated Certificate of Liability Insurance. Failure of Seller to comply with the insurance requirements herein may be deemed a breach of the Purchase Agreement. Further, a Seller who fails to keep required insurance policies in effect may be deemed to be ineligible to bid on future projects, ineligible to respond to invitations for bid, and/or ineligible to engage in any new purchase agreements

5.	Bonding. A.		is checked "Yes," the Bid Bond is required:
		Yes:	No: X
	B.	Performance Bond.	If the box is checked "Yes," the Performance Bond is required:
		Yes:	No: X



Issued: January 30, 2020


City of Tulsa, Oklahoma

Page 18 of 34

õ.	References.	If the box is	checked	"Yes,"	References are	required:
----	-------------	---------------	---------	--------	----------------	-----------

Yes:	No:	Y
res:	NO:	Л

For each reference, the following information must be included: Company Name, Contact Name, Address, Phone Number, E-Mail Address, and the nature of their relationship with the Bidder.





Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 19 of 34

TECHNICAL SPECIFICATIONS

SCOPE:

It is the intent during the contract period, as nearly as possible, to purchase all the requirements for a 33,000 gvw truck with crash attenuator with message board, bid from the firm(s) to which the contract is awarded.

All vehicles bid shall be new and the latest production model. Brochures and/or specification literature clearly describing the unit(s) and verifying that the unit(s) meet or exceed the requirements of this specification should accompany each bid proposal. Warranty and delivery information should be provided with the bid proposal. Any Manufacturer's name and model called out in this bid is intended to set the quality and design of equipment desired and is not meant to limit bidding on products of equal quality. Any exceptions to or deviations from the specifications set forth in the bid should be clearly described in the bidder's proposal. During a standard warranty period or for any extended warranty no deductibles, upcharges, overtime, mileage, freight or charges for parts and service shall be charged to the City of Tulsa pertaining to warranty repairs.

For the purposes of bid evaluations, all options will be considered in the overall bid award.

SPECIFICATIONS:

In Section 2 (Bidder's Proposal Column); The bidder shall respond to each minimum requirement (section 1) in the space provided under Section 2 whenever asked to "describe", the description may include details such as size, capacities, dimensions, materials used in construction, etc. A full and complete description is required to reasonably evaluate the bid, so all pertinent information is required. When referring to attached literature as a means of not fully describing items, misinterpretations by the evaluator of the bid may occur and consequently not having the bid awarded. Your ability to present the City with enough information to reasonably understand the item being bid and whether it meets the specifications stated relies on the written information provided.

You are requested to describe your proposal in the Bidders column, you may not respond in the space provided as to whether you meet the specifications by responding with terms as "yes", "Meets", "same as", "complies" or "similar" terms. If these terms are utilized, it may result in your bid being considered as Non-Compliant and being rejected.

You must include descriptive manufacturer's literature verifying the information you provided in the bidder's proposal section. Failure to provide such literature may result in your bid being considered as Non-Compliant, and possibly being rejected.

If your bid is an alternate approach and does not fully meet the specifications, completely describe your alternate approach.

The manufacturer shall warrant each vehicle and related parts to be of good material and workmanship and to promptly replace any part or parts which by reason of defective materials or workmanship shall fail under normal use, free of negligence or accident, for a minimum of one (1) year from the date of delivery, unless otherwise stated. In addition, if such failures take place outside the dealer's service area, which shall be defined as Tulsa city limits, the seller will be responsible for reimbursing the nearest manufacturer's authorized dealer in the city of Tulsa for services rendered under this warranty.

The seller shall respond within 72 hours, of notification by the City of Tulsa, on when, where and how a warranty issue will be resolved. In the event there is no response within 72 hours, or if the response is not acceptable to the City of Tulsa; the City will provide or arrange for repairs. The seller shall be responsible for reimbursing the nearest manufacturer's authorized dealer in the city of Tulsa for services rendered under this warranty.

The seller shall have the option to authorize the City of Tulsa to perform minor warranty replacement and repairs and then reimburse the City for its labor and parts utilized to enact the repair. The reimbursement for labor will be the same rate as that of the actual work performed. Standard warranty information is to be supplied with the bid.



Name:

Invitation For Bid IFB20-601B: ADDENDUM 1 **33,000 GVW Truck** Streets and Stormwater Dept.

Oklahoma Page 20 of 34 Issued: January 30, 2020

City of Tulsa,

DELIVERY REQUIREMENTS:

Unless otherwise agreed to in writing; Seller shall transport the vehicles to and from the Seller's location for mounting of
equipment and accessories with no additional charges to the City. Seller shall bear the cost of all transportation
associated with warranty repairs. If Sellers location is outside of Tulsa County, Seller shall supply the name of the local
factory authorized repair facility. The factory authorized warranty repair facility shall be contacted for verification prior to
awarding the bid. This information shall be part of the bid evaluation process. Failure to comply will affect the award of bid.

/ * . * ^ ^ * . * . * . *
The Seller shall deliver all vehicles fully assembled and operational with all items such as mounting brackets, fluids such
as oil and fuel, batteries, etc. installed upon delivery. No crated or non-operational equipment requiring assembly or
adjustments of any kind shall be accepted. Seller will be required to operate the equipment and demonstrate all features
and operational modes to the City of Tulsa personnel.

Absolutely no items over 500lbs. may be directly shipped to the City of Tulsa requiring the City personnel to unload from the shipping truck or trailer. The City of Tulsa carries no responsibility for any damages incurred during an unloading occurrence. The City of Tulsa does not have unloading docks or the proper equipment to assist in this area. All unloading shall be the responsibility of the seller and/or shipping entity.

An MSO (Manufacturer's Statement of Origin) and an Oklahoma Application of title shall be provided at delivery. The City of Tulsa is required to license (tag) all vehicles and equipment.

TESTS AND ACCEPTABILITY OF MATERIAL:

All items included in the bid are subject to a performance demonstration within 30 days of the bid date by the bidder(s) at the discretion of the City of Tulsa. A like item of the type bid that contains all the safety concerns, horsepower ratings, accessories, dimensions or other features as deemed appropriate by the City of Tulsa may be required to be demonstrated to the City of Tulsa personnel prior to award of the bid to establish if the item meets the requirements & specifications of the City of Tulsa. These demonstrations may be held in direct competition with other bidders whom bid the same items and equipment.

Section 1 Item 1	Specifications (Minimum)	Section 2 Bidders Proposal
Equipment	This specification is for a new current year model 33,000 gvw cab chassis with crash attenuator and message board.	Describe: Make: Model:
Gross Vehicle Weight	33,000 lb. GVW minimum.	<u>Describe:</u>
Cab to Axle	 Cab to axle: 126-inches to138-inches. Cab to end of frame: 208-inches 	<u>Describe:</u> 1 2



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 21 of 34

		Describe:
	1. Style: 2-door conventional chassis cab.	1
	2. Seat (s): bench type with seat belts for 3-	2
	people.	
	3. Seat covering heavy-duty vinyl.	3
	4. Sun visors: (1) LH and (1) RH.	4
	5. Arm rests: (1) LH and (1) RH.	5
	6. Interior lighting: Dome light with door	6
	activated switch.	- X X
	7. Windows to have factory tint throughout.	7
	8. Windshield wipers: Electric 2 speed,	8
	intermittent with dual washer nozzles.	* * X
/	9. Mirrors:	9
/	A. Interior; wide angle day/night type.	_A
	B. Exterior: To be power remote controlled.	В
7	Equipped with integrated blind spot mirror.	*
-	10. Air conditioning: Factory installed through	_10
	dash type.	
7	11. Gauges: Full gauge package.	11
Cab	12. 12-Volt power port and USB charger.	12
100	13. Full head liner.	13
1 4	14. Manufacturer's standard full, non-carpeted	14
	one-piece rubber type floor covering.	
\ -	15. Factory installed AM/FM radio.	15
\.	16. Daytime running lights.	16
	17. Power windows.	17
	18. Power door locks.	18
	19. Cruise control.	19
	20. Backup camera.	20
	21. Four (4) additional switches for add on	21
	electrical equipment. Mounted with-in easy	
	reach of the driver. Two (2) switches to be	3,
	wired to battery voltage, and the other two (2)	
	to be wired to the ignition.	
	to so times to the ignition	
		Describe
	1 Engines Discol negative & Committee Brade and	Describe:
	Engine: Diesel powered, Cummins Preferred. Displacements 6.7 Litera minimum.	
	2. Displacement: 6.7 Liters minimum.	2



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 22 of 34

	3. Horsepower: 330 HP minimum.	3
Engine	Emissions: 2017 Green House Gasses compliant.	4
	Air cleaner: dry type, dual replaceable	5
	elements.	
	6. Oil filter: full flow, spin-on type.	6
	7. Fuel filter: in-line type with water/fuel separator.	7
	8. Engine hour meter: to be included in gauge	8
	package.	**************************************
	110-volt block heater: to be included.	9
-	**/ 5-Y	Describe:
/	Type: automatic with overdrive, six (6) speed,	1
/	minimum, Allison preferred.	
Transmission	PTO provision: must be included.	2
Transmission	Fluid cooler: to be included.	3
1 4	4. Limited slip differential.	4
- 1		Describe:
	1. 14,000 lb. Front axle approx.	1
Front Axle and Suspension	Taper leaf springs to match the rated axle.	
Odspension	2. Taper lear springs to materrate rated axie.	-
		Describe:
\ .	1. 19,000 lb. Rear axle approx.	Describe.
Rear Axle and Suspension	Air suspension to match the ratted axle.	2
Suspension	2. All suspension to match the ratted axie.	2
		Describes
	11.1	Describe:
Brakes	Air brakes with traction control and ABS.	
	14.	/ \ \ /
		Describe:
Steering	Type: power steering with tilt and telescoping	
Clocking	steering column if available.	
		Describe:
	Battery: 800 CCA minimum	1
Florida	2. Alternator: 175-Amp minimum.	2
	Main battery cut-off switch located in the cab	3
Electrical	next to the driver's seat.	
	4. Battery heater pad to be installed and wired to	4
	a plug located just below the driver's door.	
	Heater pad to be 120-Volts, 200-Watts with a	



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 23 of 34

	preset heater to maintain the batteries at 80	
	degrees Fahrenheit.	
	3	
		Describe:
		<u>bescribe.</u>
	Manufacturer's standard dual rear wheels and	1
Tires and Wheels	tires.	
rifes and wheels	Tread: all season on front and rear.	2
	3. Full size spare in all season tread.	3
	1 x x + 2 3 3	* × *
	THE RY A	Describe:
	Front bumper: Manufacturer's standard with tow	<u> </u>
Bumpers		
/	hooks.	
/	4	\+ + \
	1849	Describe:
· ·	Manufacturer's (bumper to bumper) warranty	1
- L	shall be in effect for a minimum period of two	4
7	(2) years, unlimited miles, whichever comes	3
- 1	first, from the in-service date to be determined	X-
	by the City of Tulsa. Standard manufacturer	
	warranty information (powertrain, bumper	
	to bumper, and rust) must be supplied with	A A A I S
Warranty	your bid.	
vvarianty	2. Manufacturer's warranty shall be in effect for a	2
\	minimum period of three (3) years or 100,000	
	miles for the powertrain.	
	3. Five (5) years or 100,000 miles on rust.	3
V	4. Tires and dealer add-on items are exempted	4
	from this warranty but must be covered by the	
	manufacturer's standard warranty and serviced	
	by the local authorized dealer for services	
	rendered under this warranty.	
	rendered under this warranty.	D. II
		Describe:
Truck Options	1. Extended warranty for five (5) years 150,000	1
	miles on: (Items listed are for reference and	
	should not be limited to. Provide a complete	,
	list of what is covered).	
	A. Engine, engine electronics, turbo and	_A
	injectors.	
	B. Exhaust After-treatment	В
	C. Transmission.	C
	J. 11411011110010111	_ -



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 24 of 34

	D. Chassis electronics, including wiring	_D
	harnesses. (Provide complete information	
	on what is covered).	
		Describe:
	Body shall be a platform with bulkhead, integrated concrete ballast (not visible), arrow-board and attenuator. Must meet the following characteristics.	1
		2
	1. Length: 15-feet	2
	2. Width 96-inches.	
	Body must be a minimum of 3/16-inch plate steel with pockets and rub rail.	3
/	4. Bulkhead shall be manufactured from a 3/16-	4
	inch plate steel and be 57-inches tall and 96-	_ \
	inches wide and be welded to the body.	8 1
D 1	Four (4) 3-inch square posts to be evenly spaced	×
Body	on bulkhead to provide additional stiffness and	*
- 1	strength. Outside posts shall be mitered with 3-	*
	inch square post along the top of the bulkhead for	
	additional strength and stiffness.	A A A
	Stake pockets shall be mounted to the exterior	5
	of the body and be approximately 2-inchs wide	A A A S
	and 4-inches long with ½-inch diameter bolts	
1	(and heavy-duty latch) for securing the racks.	1 1 1 1 1
\	Racks must be secured to body to prevent them	701
	from coming free in the event of an impact.	77/21
	Stake pockets shall be protected with rub rails	6
	running the length of the body. Rub rails shall	
	be covered by conspicuity (reflective) tape in	
	the form of safety striping, with alternative red	
	and silver or white reflecting coloring around	
	the entire body.	
	7. Body shall be equipped with (NHTSA FMVSS	7
	108) compliant LED lighting package with	
	rubber grommeted lights.	
	8. Body shall be affixed to chassis with no les	8
	than six (6) 3-inch C-channel shear plates;	
	welded to the body and bolted to the truck	
Body continued	frame with grade 8 bolts.	
	Body shall be affixed to the chassis with no less	9
	than six (6) standard body j-clips and tie r rods.	



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 25 of 34

ballast shall be added to internal body channel between long sills such that it does not obstruct the bed of the truck or present a trip hazard, nor will it become a free projectile in the event of an impact. 11. Body shall be modularly designed for the addition/elimination of auxiliary components, including: body racks, and side man-buckets (man pods). 12. Body shall be black in color. 13. Deck shall be coated with non-slip, black rubberized coating-work surface. 1. TMA shall be equipped with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be capable by utilizing existing stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer and include all truck and hallast.		10. If necessary to meet weight requirements,	10
the bed of the truck or present a trip hazard, nor will it become a free projectile in the event of an impact. 11. Body shall be modularly designed for the addition/elimination of auxiliary components, including; body racks, and side man-buckets (man pods). 12. Body shall be black in color. 13. Deck shall be coated with non-slip, black rubberized coating-work surface. 11. TMA shall be equipped with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall be capable of storing standard 4- foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer		ballast shall be added to internal body channel	
nor will it become a free projectile in the event of an impact. 11. Body shall be modularly designed for the addition/elimination of auxiliary components, including; body racks, and side man-buckets (man pods). 12. Body shall be black in color. 13. Deck shall be coated with non-slip, black rubberized coating-work surface. 1. TMA shall be equipped with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be botted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer 1. Engineering certification. A. Certification shall be stamped by engineer		between long sills such that it does not obstruct	
of an impact. 11. Body shall be modularly designed for the addition/elimination of auxiliary components, including; body racks, and side man-buckets (man pods). 12. Body shall be black in color. 13. Deck shall be coated with non-slip, black rubberized coating-work surface. 1. TMA shall be equipped with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer A		the bed of the truck or present a trip hazard,	
11. Body shall be modularly designed for the addition/elimination of auxiliary components, including; body racks, and side man-buckets (man pods). 12. Body shall be black in color. 13. Deck shall be coated with non-slip, black rubberized coating-work surface. 1. TMA shall be equipped with enclosed cage: designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer		nor will it become a free projectile in the event	
addition/elimination of auxiliary components, including; body racks, and side man-buckets (man pods). 12. Body shall be black in color. 13. Deck shall be coated with non-slip, black rubberized coating-work surface. 1. TMA shall be equipped with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be removable by utilizing existing stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts.			
including; body racks, and side man-buckets (man pods). 12. Body shall be black in color. 13. Deck shall be coated with non-slip, black rubberized coating-work surface. 1. TMA shall be equipped with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4- foot by 8-foot highway construction signs. 6. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer		11.Body shall be modularly designed for the	11
(man pods). 12. Body shall be black in color. 13. Deck shall be coated with non-slip, black rubberized coating-work surface. 1. TMA shall be equipped with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer A		addition/elimination of auxiliary components,	X X
12. Body shall be black in color. 13. Deck shall be coated with non-slip, black rubberized coating-work surface. 1. TMA shall be equipped with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be lotted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer		including; body racks, and side man-buckets	* * *
12. Body shall be black in color. 13. Deck shall be coated with non-slip, black rubberized coating-work surface. 1. TMA shall be equipped with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be lotted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer		(man pods).	1, 4, 4, 1
13. Deck shall be coated with non-slip, black rubberized coating-work surface. 1. TMA shall be equipped with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer 13			12
rubberized coating-work surface. Describe:			13
Equipment Containment Cage Equipment Containment Cage Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. Cage shall be bolted to body deck and stake pockets. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. TMA shall be equipped with enclosed cage; designed with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer			1 + +
1. TMA shall be equipped with enclosed cage; designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer A			144
designed to restrain any contents from becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer A Describe: 1. Engineering certification. A. Certification shall be stamped by engineer		18 4 9	Describe:
becoming projectiles in the event of an impact. 2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer A	7	TMA shall be equipped with enclosed cage;	1
2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer	140	designed to restrain any contents from	*
2. Cage shall have double doors to be mounted on both street and curbside of truck. 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer	, i	becoming projectiles in the event of an impact.	
Equipment Containment Cage 3. Cage doors shall be lockable. 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer A 3. 4 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets and stake pockets and set bolts.	75	2. Cage shall have double doors to be mounted	2
Equipment Containment Cage 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer A 4. Cage shall span the width of the body and fit under folded attenuator. 5. Cage shall be capable of storing standard 4-foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets and stake pockets and set bolts.		on both street and curbside of truck.	
under folded attenuator. 5. Cage shall be capable of storing standard 4- foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer A	1	Cage doors shall be lockable.	3
under folded attenuator. 5. Cage shall be capable of storing standard 4- foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer A	E	Cage shall span the width of the body and fit	4
5. Cage shall be capable of storing standard 4- foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer 5			
foot by 8-foot highway construction signs. 6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer A	- Cago		5
6. Cage shall be bolted to body deck and stake pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer A			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
pockets. 7. Cage shall be removable by utilizing existing stake pockets and set bolts. 1. Engineering certification. A. Certification shall be stamped by engineer A. Certification shall be stamped by engineer			6
7. Cage shall be removable by utilizing existing stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer A			
stake pockets and set bolts. Describe: 1. Engineering certification. A. Certification shall be stamped by engineer A			7
1. Engineering certification. A. Certification shall be stamped by engineer A. Certification shall be stamped by engineer			
Engineering certification. A. Certification shall be stamped by engineer A A A A A A B A A B A B A B A B B		stake pockets and set boits.	
Engineering certification. A. Certification shall be stamped by engineer A A A A A A B A A B A B A B A B B			- 1/ V /
A. Certification shall be stamped by engineer A		· · · · · · · · · · · · · · · · · · ·	
	Ballast		1
and include all truck and hallast			_ A
		and include all truck and ballast	
specification, pictures and vital statistics.		specification, pictures and vital statistics.	
Ballast B. Certification shall state that ballasted B		B. Certification shall state that ballasted	<u>B</u>
vehicle meets a minimum standard of		vehicle meets a minimum standard of	
20,000 lbs. +/- 1,000 lbs., and that ballast		20,000 lbs. +/- 1,000 lbs., and that ballast	
will not come free in the event of an impact.		will not come free in the event of an impact.	
Ballast shall be in sealed compartments within		2. Ballast shall be in sealed compartments within	2
the main frame of the body.		the main frame of the body.	



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 26 of 34

	A. Ballast shall be poured concrete.	A
	B. Ballast shall be distributed within	<u>B</u>
	compartments to not overload any one axle.	
	C. Ballast shall be reinforced using a minimum	C
	of three (3) pieces of "rebar" welded to the	
	body long-sills, adding additional structural	
	stability and prevent ballast from moving in	
		*
	an impact.	
	D. Ballast compartment shall be coated with	_ <u>D</u>
	industrial grade undercoating to prevent	
	corrosion.	- X - 1
	E. Ballast compartments shall be accessible	E
/	from the deck of the truck.	
/	F. Lid to ballast compartment shall be welded	_F
	shut prior to deck coating.	8 \^^\
// -/		*
-		Describe:
	The truck shall be certified by a professional	1
17	engineer P.E., stating that the truck:	- A:
	A. Meets the minimum ballast standards of	^
		^
	weighing 20,000 lbs.	
	B. Ballast is incorporated into the truck in such	_B
Engineering Certification	a manner so as to not come free in the	
1 "	event of an impact.	~ ~ ~ ~ =
	The engineer shall provide a complete	2
	document of specifications, pictures and other	~~/~/
	data related to that truck, and the document	7.7.
	shall be sealed by the engineer.	
		' - V' /
		Describe:
	1. Arrow Board shall be a type C minimum 15 or	1
	25-lamp LED truck-mounted model.	3./
	Arrow Board shall be DOT approved.	2
	3. Arrow Board shall be mounted on a rear frame	3
	extension.	
	Arrow Board shall be powered by separate	4
	battery and solar powered charging system.	
	A. Solar panel shall be mounted on or about	A
	the bulkhead or rear roof of cab to avoid	
	potential damage and allow for optimal	
	sunlight exposure for charging.	



City of Tulsa, Oklahoma

Page 27 of 34

Arrow Board/ Message Board

Issued: January 30, 2020 5. Message board shall raise and lower with vertical hydraulics to ensure arrow board lights are always visible to oncoming traffic. 6. Message board and attenuator controls are to be mounted in the cab. 7. Message board and attenuator hydraulic systems are to be linked and controlled via one (1) controller. A. Message board hydraulic systems can be separated for non-standard builds. 8. Messenger system shall be equipped with remote control box and software capable of computer programming or alteration of preset messages. 9. Messenger system shall be 6-1/2-inches high and set in a water tight display case. 10. Messenger system shall be mounted via two 10___ (2) posts on the rear of the TMA truck. Mounting shall beat such height that is below the fully extended height of the rear-mounted vertical arrow board, and above the maximum vertical height of the scorpion attenuator when fully deployed. 11. Messenger system shall be locked in place 11 utilizing antitheft lock on the vehicle, but removable by unlocking the mounting mechanism. 12. Messenger system shall come with a two (2) year manufacturer's warranty. 13. Messenger system provider shall provide one 13 (1) year technical phone support.

14

14. Messenger system provider shall provide

receipt.

system operation training for first 90-days after



Invitation For Bid IFB20-601B: ADDENDUM 1 33,000 GVW Truck

Streets and Stormwater Dept.

Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 28 of 34

		Describe
	Attenuator shall be DOT approved.	1
	2. Attenuator shall meet NCHRP report 350	2
	Test Level 3 (TL-3) requirements and new MASH	
	requirements.	
	3. Attenuator shall be modular in design to	3
	allow for partial repair or replacement of damaged	
	parts.	- X
	4. Replacement and parts shall be available	4
	for shipping within approximately 48 hours of	1 x * 1
	placing order.	1, * *
	5. No part of the attenuator shall protrude	5
	forward under the truck during impact.	
	6. Attenuator lighting shall be LED.	6
	7. When complete, truck chassis, body,	13
	ballast, arrow board, attenuator and all other	*
	equipment shall weigh 20,000 lbs. +/- 1,000 lbs.	*
	for a 62.5 mph/ 100 kphTL-3 application.	
Attenuator	8. Attenuator alone shall not exceed 2,400	8
	lbs.	9
	Material used in construction of the	
	attenuator shall not reduce the efficiency of TMA	
	and attenuator when exposed to the elements.	10
	10. Attenuator shall require minimal	
	maintenance.	
	11. Impact face of the attenuator shall display a	11
	black and yellow inverted "V" chevron pattern	
	with alternating 4-inch wide reflective striping.	
	12. Attenuator shall hydraulically lock when in the	12
	fully closed position. Hydraulic lock shall prevent	
	attenuator from swaying or rocking during	
	transport and operations.	3./
	13. Attenuator shall be constructed of aluminum	13
	parts.	
	Attenuator shall come standard with a quick	
	disconnect system, allowing for the attenuator to	
	be attached and detached from the truck quickly.	



Invitation For Bid IFB20-601B: ADDENDUM 1 **33,000 GVW Truck**

Streets and Stormwater Dept.

City of Tulsa, Oklahoma

Page 29 of 34 Issued: January 30, 2020 Describe: 1. Work lights: A. Truck shall be equipped with eight (8) LED work light system to provide full illumination of truck bed and surrounding work area for night operations. Alternate work lights; A. Truck shall be equipped with a LED light bar (32-inches approx.) attached to the bulkhead and facing the body. Truck body Lighting system shall be equipped with eight (8) additional LED work lights mounted under the body to provide full illumination of surrounding work area for night operations. 3. Two (2) 360-degree visibility flashing LED beacons mounted on top of the bulkhead. One (1) on each side. 4. Two (2) rear facing, flashing LED strobes shall be mounted on rear of the body. One (1) on each side. Describe: 1. Shall be Bluetooth compatible. 2. System shall support HFP, AVRC, A2oP and SPP. 3. System shall have an intercom range of 550 yards (between 2 devices), over 1,600 yards (for 4 devices) while within line of sight and subject to environmental conditions. 4. System shall have a frequency band of 2.4-2.4835 GHz. Headset Truck 5. Shall have an operating time up to 10 hours on Communication system full charge, continuous use around 6.5 hours. 6. System shall be capable of all-weather use. 7. Weight of control unit shall be 1.69 oz. approx. 8. Weight of single speaker headset shall be no more than 1.09 oz. 9. Weight of helmet mount shall be no more than 1.53 oz. 10 10. Allows for one (1) ear to remain open to the outside. 11. Shall be hands free.



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 30 of 34

	12. Shall be capable of continuous listening.	12
	13. Shall be able to connect to four (4) lines.	13
	` '	
		Describe:
	Size: 24-inches by 12-inches length.	1
Tool Box	Tool box shall be mounted using two (2) or	2
TOOL DOX	more brackets bolted to the frame (not welded).	X
	more practical period to the manie (net worded).	* *
	T X	Describe:
	4 Powel Pask	
	1. Barrel Rack	1
	A. Cab and chassis front axle rating shall be	_A
/	increased by 12,00 lbs. if option is elected.	- * * \
/	B. TMA shall be equipped with over cab barrel	<u>B</u>
	storage unit fabricated from 2-inch tubular	8 111
1 7	steel.	*
-	C. Barrel rack shall accommodate a minimum	<u>C</u>
	of sixty (60) 28-inch diameter highway	
- 1	barrels.	*
	D. Barrel rack shall be painted black and	D
100	yellow.	
1.0	Auxiliary power unit.	2
	A. Diesel powered.	A
	B. Mounted, as possible, under body on	В
\ '	passenger side of truck contained in	
Options	appropriately sized tool box allowing for	101
	routine maintenance and inspection without	
	removal.	
	C. Fuel supply from main fuel tank of cab	
		<u>C</u>
	chassis such that fuel supply will stop at or	
	below 20% fuel capacity in main tanks.	D
	D. Power connections to the cab chassis	_ <u>D</u>
	batteries supplying 12-volts DC power to	
	charge and maintain truck batteries.	
	E. Smart controller- automatic on/off regulated	<u>E</u>
	by battery voltage- set to power on when	
	battery voltage drops below preset levels	
	and automatically shut down when batteries	
	have received appropriate charge.	
	F. APU controller to have an engine hours	<u>F</u>
	meter.	



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 31 of 34

	G. Minimum 11.7 HP at 3,600 rpm.	G
	H. Shall include feature to assist with starting	<u>H</u>
	in cold weather.	_ 1
	I. Shall have diamond plate aluminum APU	
	cover	
	3. Full Matrix Dynamic Message Display with	3
	Integrated Radar	_
	A. Size: 36-inches x 60-inches.	_A
	B. Resolution shall be (.8 ppi).	<u>B</u>
	C. System shall be equipped with radar and	C
	driver feedback to display current speed	**
	limit and drivers speed.	**
/	D. Radar system shall provide input for speed	<u>D</u>
/	overlay on DVR recording.	
	E. Message board function shall provide fully	E
7	programable dynamic messages with alpha	*
- 1	numeric characters and graphics (arrow,	*
1	chevrons etc.) customizable with BitMap	
	editor.	
	F. Onboard GPS shall be able to determine	_F
	truck speed allowing for proper driver	
	feedback to approaching vehicle behind	
	truck.	
\ "	G. Systems sealed electronic assemblies shall	G
\	be designed to withstand truck and road	
	vibration, along with protection against	
	deicer and other harsh road chemicals and	
	contaminates.	
	H. Entire system shall be housed in a powder	<u>H</u>
	coated enclosure with clear polycarbonate	
	face.	
	System shall come with a minimum three	
	(3)-year warranty.	
		Describe:
	Warranty shall be covered by vendor and support	
Warranties	all 3 rd party manufacturer warranties on installed	
	equipment.	



streets and Stormwater Dep Issued: January 30, 2020 City of Tulsa, Oklahoma

Page 32 of 34

		Describe:			
	Seller shall provide all supporting	1			
	documentation for any installed 3 rd party				
	equipment (attenuator, arrow/message board				
	etc.)				
Documentation	Seller shall provide all approval letters from	2			
	testing agencies, certifying compliance with TL-	Y .			
	3 requirements.	- X			
	3. Seller shall provide all installation manuals and	3			
	parts diagrams with completed vehicle.	1 4 7			
	/ * * / AS-3	1 × × 1			
	**/ 3	Describe:			
Manuals	Seller shall provide 2 copies each of the truck,				
iviariuais	attenuator and parts manuals.				
	1849	8 1			
Ref: Crash Attenuator, Streets & Stormwater, FY 19-20					

THE REST OF THIS PAGE LEFT INTENTIONALLY BLANK



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 33 of 34

EXHIBIT A

BID FORM INCLUDING DELIVERY AND PRICING

	livery. If your Bid is accepted and a contract is executed, state the providing Services:	e number of days y	ou need t	o delive	r the Goods and/or t
contrac	ust be able to deliver the Goods and/or Services as specified in you of or canceling the Purchase Order, pursuing collection under any per to may be entitled in law or in equity.				
2. Pric	ing (ESTIMATED QUANTITIES FOR EVALU	JATION PURPO	SES ON	ILY)	
Item	Description	Estimate Annual QTY	Unit Cost		Extended Cost
1	33,000 gvw cab chassis with crash Attenuator and Message Board	1 or more	\$	*	\$
Optio	ns			*	
1	Barrel Rack	1 or more	\$		\$
2	Auxillary Power Unit	1 or more	\$		\$
3	Full Matrix Dynamic Message Display with Integrated Rad	1 or more	\$	2	\$
	L COST NOT TO EXCEED: osts must be included or your Bid will be disqualified)	\$	15	<u> </u>	
	s Company Nameized Signature Here ▶	OK)	5		
Autilor	LJA				
	Printed Name	•			

RETURN THIS ENTIRE BID PACKET



Issued: January 30, 2020

City of Tulsa, Oklahoma

Page 34 of 34

