

City of Tulsa, Oklahoma

Page 1 of 31

NOTICE is hereby given that the CITY OF TULSA, OKLAHOMA will receive sealed Bids for the following:

BID # IFB21-727

DESCRIPTION: Truck, 10,001-14,000 GVWR 4x4 Crew Cab (Commodity Code(s): 072-03)

You are invited to submit a Bid to supply the Goods and/or Services specified above. Invitations for Bid (IFB) will be posted on the City's website at www.cityoftulsapurchasing.org or a hardcopy may be obtained at:

City of Tulsa-Purchasing Division 175 East 2nd Street, 15th Floor Tulsa Oklahoma 74103

Bids must be received no later than 5:00 PM (CDT) on Wednesday, March 24, 2021 and delivered to:

City Clerk's Office

175 East 2nd Street, Suite 260

Tulsa Oklahoma 74103

Bids must be sealed and either mailed or delivered. No faxed or emailed Bids will be considered. Bids received after the stated date and time will not be accepted and will be returned to the Bidder unopened.

The Bid Packet consists of (1) this Notice of Invitation for Bid, (2) the Summary Sheet, (3) Form #1, (4) Form #2, (5) Form #3, (6) Form #4, (7) Form #5, (8) Form #6, (9) the Instructions, Terms and Conditions for Bidders, (10) Special Requirements, (11) Technical Specifications and (12) Exhibit A.

Use this checklist to ensure you have properly read and completed all Forms.
Notice of Invitation for Bid
Summary Sheet
Form #1: Bidder Information Sheet. Must be completed.
Form #2: Purchase Agreement. Complete legal name in first paragraph and Notice provision in Section 17.i. Original signature required.
Form #3: Interest Affidavit. Original signature and notarization required.
Form #4: Non-Collusion Affidavit. Original signature and notarization required.
Form #5: Affidavit of Claimant. Original signature and notarization required.
Form #6: Acknowledgment of Receipt of Addenda/Amendments. Must be completed and signed.
Instructions, Terms and Conditions for Bidders
Special Requirements (Offer Period; Insurance and Bonding; References)
Technical Specifications
Exhibit A: Bid Form including Delivery and Pricing. This is your Bid. It must be completed or your Bid will be rejected.

IMPORTANT NOTE: Write the Bid Number, Bid Description (as listed above), and Bid Opening Date on the lower left corner of the outside of your Bid envelope. You must return the entire <u>completed</u> Bid Packet.



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 2 of 31

SUMMARY SHEET

Project Buyer

If you have any questions or need additional information, contact the assigned Project Buyer:

Terry O. Thomas, Senior Buyer

tthomas@cityoftulsa.org

Include IFB21-727 on the subject line

Bidder's Notice of Intent to Submit a Bid

Email the Project Buyer indicating your intent to Bid. Include IFB21-727 on the subject line of the email. You will receive an email response verifying your notice of intent to bid was received. This same procedure should be followed to request clarification, in writing, of any point in the IFB. Bidders are encouraged to contact the Project Buyer by email if there is anything in these specifications that prevents you from submitting a Bid, or completing the Bid Packet.

Questions and concerns must be received no later than ten (10) days prior to the Bid Packet due date.

Issuing of Addenda

If you received the notice of this IFB from the City as a result of being registered to sell the commodity code(s) on this Bid, you should also receive notice of any addenda issued. If you are not registered with the City to sell the commodities listed herein, you must register as a supplier on the City of Tulsa Purchasing website (www.cityoftulsapurchasing.org) to receive notice of any addenda, or to receive notice of any future IFBs.

Pre-Bid Conference

If a pre-Bid conference will be held for this IFI	s, information on that conference will be inse	rted below:
---	--	-------------

Date Click here to enter a date. Time Location: Attendance at the Pre-Bid Conference is required to submit a Bid; however Bidders may make arrangements to attend via teleconference in some cases (contact the Project Buyer for details). Attendance is not required to submit a Bid. **Bid Packet Submission** The City requires two completed Bid packets: 1 Original and 1 Copy. Each must be clearly labeled on the front sheet indicating "Original" or "Copy". If a copy on electronic media is also required, the line below will be checked.

Electronic Copy also required (USB drive, CD . . .). Responses to this Invitation for Bid must be made on the forms listed on page 1. The entire completed Bid Packet must be returned or your Bid may be rejected. Do not take exception to any portion of this Bid Packet. Do

Bid Opening

All Bid openings are public and take place at 8:30 a.m. Thursday, the day after Bids are due. The Bid openings are held in the City of Tulsa Council Meeting Room, 175 East 2nd Street, 2nd Floor, Tulsa, Oklahoma.

not make any entries except where required. Do not insert any other documents into the Bid Packet.



Issued: February 25, 2021

City of Tulsa, Oklahoma Page 3 of 31

FORM #1 BIDDER INFORMATION SHEET

Must be Bidder's company name as reflected on i	its organizational documents, filed with the state in which bidder is organized; <u>not</u> simply a DBA)
tate of Organization:	
idder's Type of Legal Entity: (check () Sole Proprietorship () Partnership () Corporation () Limited Partnership	one) () Limited Liability Company () Limited Liability Partnership () Other:
dder's Address: Street	City State Zip Code
dder's Website Address:	Email Address:
*	*
les Contact:	Legal or Alternate Sales Contact:
me:	Name:
eet:	Street:
y:	City:
ite:	State:
one:	Phone:
с	Fax:
nail:	Email:



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 4 of 31

FORM #2 (Page 1 of 4) PURCHASE AGREEMENT

INSTRUCTIONS: This document **must** be properly signed and returned or your Bid will be **rejected**. This form constitutes your offer and if accepted by the City of Tulsa will constitute the Purchase Agreement under which you are obligated to perform. Your signature on this document indicates you have read and understand these terms and agree to be bound by them.

THIS PURCHASE AGREEMENT is between the CITY OF TULSA, OKLAHOMA, a municipal corporation, 175 East 2nd Street, Tulsa, Oklahoma, 74103-3827 (the "City") and:

(Bidder's company name as reflected on its organizational documents, filed with the state in which bidder is organized; not simply a DBA) (the "Seller").

WITNESSETH:

WHEREAS, the City has approved certain specifications and advertised for or solicited Bids on the following goods or services:

IFB21-727 Truck, 10,001-14,000 GVWR 4x4 Crew Cab

(the "Goods and/or Services"); and

WHEREAS, Seller desires to provide such Goods and/or Services to City, acknowledges that this document constitutes Seller's offer to provide the Goods and/or Services specified below, and further acknowledges that if executed by the City's Mayor, this document will become the Purchase Agreement for such Goods and/or Services.

NOW, THEREFORE, for and in consideration of the terms, covenants and conditions hereinafter set forth, the parties hereto agree as follows:

- 1. **Documents Comprising the Agreement.** The Bid Packet includes the Notice of Invitation to Bid, the Summary Sheet, Form #1, Form #2, Form #3, Form #4, Form #5, Form #6, the Instructions, Terms and Conditions for Bidders, the Special Requirements, the Technical Specifications, Exhibit A and any addenda or amendments to the Bid Packet. The Bid Packet is incorporated herein by this reference. In the event of conflicting or ambiguous language between this Purchase Agreement and any of the other Bid Packet documents, the parties shall be governed first according to this Purchase Agreement and second according to the remainder of the documents included in the Bid Packet. Seller may submit as part of its Bid additional materials or information to support the Bid. Additional materials or information submitted by Seller which are not ambiguous and which do not conflict with this Purchase Agreement or the other Bid Packet documents are incorporated herein by this reference.
- 2. **Purchase and Sale.** Seller agrees to sell City the Goods and/or Services for the price and upon the delivery terms set forth in Exhibit A hereto. City agrees to pay Seller the price as set forth in Exhibit A based on (a) the quantity actually purchased in the case of goods or services priced by unit, or (b) the total price for a stated quantity of goods or services, upon (i) delivery of the Goods and/or Services to the City, (ii) the City's Acceptance thereof, and (iii) Seller's submission and City's approval of a verified claim for the amount due. City shall not pay any late charges or fees.
- 3. Irrevocable Offer. Seller understands and acknowledges that its signature on this Agreement constitutes an irrevocable offer to provide the Goods and/or Services. There is no contract unless and until City's Mayor/Mayor Pro Tem executes this Agreement accepting Seller's Bid. No City officer, employee or agent except the Mayor (or Mayor Pro Tem) has the authority to award contracts or legally obligate the City to any contract. Seller shall not provide any Goods and/or Services to City pursuant to this Agreement before this Agreement is executed by City. If Seller provides any Goods and/or Services to City pursuant to this Agreement before this Agreement is executed by City, such Goods and/or Services are provided at Seller's risk and City shall have no obligation to pay for any such Goods and/or Services.
- 4. **Term.** The term of this Agreement shall be effective commencing on the date of execution of this Agreement by the Mayor/Mayor Pro Term of the City of Tulsa and terminating one year from that date. City in its sole discretion may offer Seller an opportunity to renew this Agreement for an additional one (1) year term(s). Seller understands and acknowledges that any future contracts or renewals are neither automatic nor implied by this Agreement. The continuing purchase by City of the Goods and/or Services set forth in this Agreement is subject to City's needs and to City's annual appropriation of sufficient funds in City's fiscal year (July 1st to June 30th) in which such Goods and/or Services are purchased. In the event City does not appropriate or budget sufficient funds to perform this Agreement, this Agreement shall be null and void without further action by City.
- Warranties. Seller shall assure that the Goods and/or Services purchased hereunder are covered by all available and applicable manufacturers' warranties for such Goods and/or Services. Seller expressly agrees that it will be responsible for performing all warranty obligations set forth in the Technical Specifications for the Goods and/or Services covered in this Agreement. Seller also warrants that the Goods and/or Services will conform to the Technical Specifications and Special Requirements, and further warrants that the Goods and/or Services shall be of good materials and workmanship and free from defects for either a minimum of one (1) year from the date of Acceptance or installation by City, whichever is later, or as **specified in the Technical Specifications**, whichever is later. In no event shall Seller be allowed to disclaim or otherwise limit the express warranties set forth herein.
- 6. Warranty Remedies. City shall notify Seller if any of the Goods and/or Services fails to meet the warranties set forth above, and Seller shall promptly correct, repair or replace such Goods and/or Services at Seller's sole expense. Notwithstanding the foregoing, if such Goods and/or Services shall be determined by City to be defective or non-conforming within the first thirty (30) days after the date of Acceptance by City, then City at its option shall be entitled to a complete refund of the purchase price and, in the case of Goods, shall promptly return such Goods to Seller. Seller shall pay all expenses related to the return of such Goods to Seller.



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 5 of 31

FORM #2 (Page 2 of 4) PURCHASE AGREEMENT

- 7. Seller Bears Risk. The risk of loss or damage shall be borne by Seller at all times until the Acceptance of the Goods or Services by City.
- 8. **No Indemnification by City.** Seller understands and acknowledges that City is a municipal corporation that is funded by its taxpayers to operate for the benefit of its citizens. Accordingly, and pursuant to Oklahoma law, City shall not indemnify nor hold Seller harmless for loss, damage, expense or liability arising from or related to this Agreement, including any attorneys' fees and costs. In addition, Seller shall not limit its liability to City for actual loss or direct damages for any claim based on a material breach of this Agreement and the documents incorporated herein. City reserves the right to pursue all legal and equitable remedies to which it may be entitled.
- 9. Indemnification by Seller. Seller agrees to indemnify, defend, and save harmless City and its officers, employees and agents from all suits and actions of any nature brought against them due to the use of patented appliances, products or processes provided by Seller hereunder. Seller shall pay all royalties and charges incident to such patents.
- 10. **No Insurance by City.** If City is leasing Goods herein, City shall not be required to obtain insurance for Seller's property. Seller shall be solely responsible for any insurance it deems necessary. City is self-insured for its own negligence, subject to the limits of the Governmental Tort Claims Act (51 O.S. § 151 et seq.).
- 11. **No Confidentiality.** Seller understands and acknowledges that City is subject to the Oklahoma Open Records Act (51 O.S. §24A.1 et seq.) and therefore cannot assure the confidentiality of contract terms or other information provided by Seller pursuant to this Agreement that would be inconsistent with City's compliance with its statutory requirements thereunder.
- 12. **Non-Responsive Bids.** Seller understands and acknowledges that if it adds terms and conditions to its Bid that are different from the terms set forth herein that its Bid may be rejected as non-responsive. Furthermore, if City accepts Seller's Bid and awards a contract to Seller based on such Bid, City shall not be bound to any exceptions, changes or additions made by Seller, and any terms and conditions added by Seller which are not expressly agreed to by City in writing will be void and of no force and effect and the parties will be governed according to the document precedence set forth in Section 1 above.
- 13. **Compliance with Laws.** Seller shall be responsible for complying with all applicable federal, state and local laws, regulations and standards. Seller is responsible for any costs of such compliance. Seller certifies that it and all of its subcontractors to be used in the performance of this Purchase Agreement are in compliance with 25 O.S. Sec. 1313 and participate in the Status Verification System. The Status Verification System is defined in 25 O.S. Sec. 1312 and includes but is not limited to the free Employee Verification Program (E-Verify) available at www.dhs.gov/E-Verify.
- 14. **Termination.** City, by written notice, may terminate this Agreement, in whole or in part, when such action is in the best interest of City. If this Agreement is so terminated, City shall be liable only for payment for Goods accepted and Services rendered prior to the effective date of termination. City's right to terminate this Agreement is cumulative to any other rights and remedies provided by law or by this Agreement.
- 15. **Price Changes.** The parties understand and agree that the variables in Seller's cost of performance may fluctuate, but any change in Seller's cost of performance will not alter its obligations under this Agreement, nor excuse performance or delay on Seller's part. If the IFB provides that Seller may include a price escalation provision in its Bid, Seller's price escalation provision will be evaluated by City as part of Seller's Bid price when awarding the Bid.
- Right to Audit. The parties agree that Seller's books, records, documents, accounting procedures, practices, price lists or any other items related to the Goods and/or Services provided hereunder are subject to inspection, examination, and copying by City or its designees. Seller is required to retain all records related to this Agreement for the duration of the term of this Agreement and a period of three years following completion and/or termination of the Agreement. If an audit, litigation or other action involving such records begins before the end of the three year period, the records shall be maintained for three years after the date that all issues arising out of the action are resolved or until the end of the three year retention period, whichever is later.
- 17. **Notice.** Any notice, demand, or request required by or made pursuant to this Agreement shall be deemed properly made if personally delivered in writing or deposited in the United States mail, postage prepaid, to the addresses specified below.

ı. To Seller:	CLSA U/	
To CITY:	City Clerk	
	CITY OF TULSA, OKLAHOMA	
	175 E. 2 nd Street, Suite 260	
	Tulsa, Oklahoma 74103	
With a copy to:	Terry O. Thomas, Senior Buyer	
	175 E 2 nd Street, 15 th Floor	
	Tulsa, OK 74103	

18. **Relationship of Parties**. The Seller is, and shall remain at all times, an independent contractor with respect to activities and conduct while engaged in the performance of services for the City under this Agreement. No employees, subcontractors or agents of the Seller shall be deemed to be employees of the City for any purpose whatsoever, and none shall be eligible to participate in any benefit program provided by the City for its employees. The Seller shall be solely responsible for the payment of all employee wages and salaries, taxes,



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 6 of 31

FORM #2 (Page 3 of 4) PURCHASE AGREEMENT

withholding payments, fringe benefits, insurance premiums, continuing education courses, materials or related expenses on behalf of its employees, subcontractors, and agents. Nothing in this Agreement shall be construed to create a partnership, joint venture, or agency relationship among the parties. No party shall have any right, power or authority to act as a legal representative of another party, and no party shall have any power to obligate or bind another party, or to make any representations, express or implied, on behalf of or in the name of the other in any manner or for any purpose whatsoever.

- 19. **Third Parties.** This Agreement is between City and Seller and creates no right unto or duties to any other person. No person is or shall be deemed a third party beneficiary of this Agreement.
- 20. Time of Essence. City and Seller agree that time is deemed to be of the essence with respect to this Agreement.
- 21. **Binding Effect.** This Agreement shall be binding upon City and Seller and their respective successors, heirs, legal representatives and permitted assigns.
- 22. Headings. The headings used herein are for convenience only and shall not be used in interpreting this Agreement
- 23. **Severability Provision.** If any term or provision herein is determined to be illegal or unenforceable, the remainder of this Agreement will not be affected thereby. It is the intention of the parties that if any provision is held to be illegal, invalid or unenforceable, there will be added in lieu thereof a provision as similar in terms to such provision as is possible to be legal, valid and enforceable.
- 24. **Governing Law And Venue.** This Agreement is executed in and shall be governed by and construed in accordance with the laws of the State of Oklahoma without regard to its choice of law principles, which shall be the forum for any lawsuits arising under this Agreement or incident thereto. The parties stipulate that venue is proper in a court of competent jurisdiction in Tulsa County, Oklahoma and each party waives any objection to such venue. City does not and will not agree to binding arbitration of any disputes.
- 25. **No Waiver.** A waiver of any breach of any provision of this Agreement shall not constitute or operate as a waiver of any other provision, nor shall any failure to enforce any provision hereof operate as a waiver of the enforcement of such provision or any other provision.
- 26. **Entire Agreement/No Assignment.** This Agreement and any documents incorporated herein constitute the entire agreement of the parties and supersede any and all prior agreements, oral or otherwise. This Agreement may only be modified or amended in a writing signed by both parties. Notwithstanding anything to the contrary stated herein or in the attachments to this Agreement, no future agreements, revisions or modifications that may be required under this Agreement are effective or enforceable unless such terms, revisions or modifications have been reduced to writing and signed by City and Seller. Seller may not assign this Agreement or use subcontractors to provide the Goods and/or Services without City's prior written consent. Seller shall not be entitled to any claim for extras of any kind or nature.
- 27. **Multiple Counterparts.** This Agreement may be executed in several counterparts, each of which shall be deemed an original, but which together shall constitute one and the same instrument.
- 28. Interpretive Matters and Definitions. The following interpretive matters shall be applicable to this Agreement:
 - 28.1 Unless the context otherwise requires: (a) all references to Sections are to Sections of or to this Agreement; (b) each term defined in this Agreement has the meaning assigned to it; (c) "or" is disjunctive but not necessarily exclusive; (d) words in a singular include the plural and vice versa. All references to "\$" or to dollar amounts shall be in lawful currency of the United States of America;
 - 28.2 No provision of this Agreement will be interpreted in favor of, or against, any of the parties hereto by reason of the extent to which such party or its counsel participated in the drafting thereof or by reason of the extent to which any such provision is inconsistent with any prior draft hereof or thereof;
 - 28.3 Any reference to any applicable laws shall be deemed to refer to all rules and regulations promulgated thereunder and judicial interpretations thereof, unless the context requires otherwise;
 - 28.4 The word "including" means "including, without limitation" and does not limit the preceding words or terms; and
 - 28.5 All words used in this Agreement shall be construed to be of such gender, number or tense as circumstances require.
- 29. **Equal Employment Opportunity.** Each bidder agrees to comply with all applicable laws regarding equal employment opportunity and nondiscrimination.
- 30. Authority to Bind. The undersigned individual states that s/he has authority to bind Seller to this Agreement, that s/he has read and understands the terms of this Agreement, and that Seller agrees to be bound by this Agreement and its incorporated documents.



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 7 of 31

FORM #2 (Page 4 of 4) PURCHASE AGREEMENT

IMPORTANT NOTE: This document must be signed by the proper person as set forth in Instructions, Terms and Conditions for Bidders, paragraph 4. FAILURE TO SUBMIT PROPERLY AUTHORIZED SIGNATURE MAY RESULT IN YOUR BID BEING REJECTED AS NONRESPONSIVE.

IN WITNESS WHEREOF, this Agreeited above.	reement has been executed in multiple copies on the date	es set forth below to be effective during the period
	Seller Company Name:	
	<u>Sign Here</u> ►	*
ATTEST:	Printed Name:	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
/ * */	<u>Title:</u>	**
Corporate Secretary	Date:	**
Company Name/Address [Please Print]	Address	City State Zip Code
() -	() -	
Telephone Number	CITY OF TULSA, OKLAHO a municipal corporation,	Email Address
ATTEST:	By: Mayor	72/
City Clerk	Date:	
APPROVED:	YLSA OY	
Assistant City Attorney		



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 8 of 31

FORM #3

INTEREST AFFIDAVIT

STATE OF)ss.		
COUNTY OF		***	
I,	affiant further states that no iterest or more in the Bidd es that the following officers	officer or employee of the (er's business or such a p s and/or employees of the	ercentage that constitutes a
*			- *
	By:Signature Title:		AMO D
Subscribed and sworn to before me this	sday of	, 20	
Notary Public			
My Commission Expires:			
Notary Commission Number:			
County & State Where Notarized:			

The Affidavit must be signed by an authorized agent and notarized



STATE OF _____

Invitation For Bid IFB21-727 Truck, 10,001-14,000 GVWR 4x4 Crew Cab Fire Department

Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 9 of 31

FORM #4

NON-COLLUSION AFFIDAVIT

(Required by Oklahoma law, 74 O.S. §85.22-85.25)

)ss.
COUNTY OF_	*) * * * * * * * * * * * * * * * * * *
l,(Seller's	, of lawful age, being first duly sworn, state that:
1.	I am the authorized agent of Seller herein for the purposes of certifying facts pertaining to the existence of collusion between and among Bidders and municipal officials or employees, as well as facts pertaining to the giving or offering of things of value to government personnel in return for special consideration in the letting of any contract pursuant to the Bid to which this statement is attached.
2.	I am fully aware of the facts and circumstances surrounding the making of Seller's Bid to which this statement is attached, and I have been personally and directly involved in the proceedings leading to the submission of such Bid; and
3.	 Neither the Seller nor anyone subject to the Seller's direction or control has been a party: a. to any collusion among Bidders in restraint of freedom of competition by agreement to Bid at a fixed price or to refrain from Bidding, b. to any collusion with any municipal official or employee as to quantity, quality, or price in the prospective contract, or as to any other terms of such prospective contract, nor c. in any discussions between Bidders and any municipal official concerning exchange of money or other thing of value for special consideration in the letting of a contract.
	By: Signature Title:
Subscribed and	sworn to before me thisday of, 20
Notary Public	YLSA U
My Commission	Expires:
Notary Commiss	sion Number:
County & State \	Where Notarized:

The Affidavit must be signed by an authorized agent and notarized



STATE OF _____

Invitation For Bid IFB21-727 Truck, 10,001-14,000 GVWR 4x4 Crew Cab **Fire Department**

Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 10 of 31

FORM #5

AFFIDAVIT OF CLAIMANT

)ss.		
COUNTY OF)		
The undersigned, of lawful age, being first duly states that the work, services or materials a specifications, orders or requests furnished the indirectly of money or any other thing of valupublic trust of which the City is a beneficiary to	will be completed or supplied in ac affiant. Affiant further states that (s) he to any elected official, officer or e	cordance with the contract, plans, he has made no payment directly or mployee of the City of Tulsa or any
	By:Signature	×
	Name:	
	Company:	451
	Title:	481
Subscribed and sworn to before me this	day of	, 20
Notary Public		
My Commission Expires:	4sa OS	
Notary Commission Number:		

The Affidavit must be signed by an authorized agent and notarized



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 11 of 31

FORM #6

ACKNOWLEDGMENT OF RECEIPT OF ADDENDA/AMENDMENTS

I hereby acknowledge receipt of the following addenda or amendments, and understand that such addenda or amendments are incorporated into the Bid Packet and will become a part of any resulting contract.

List Date and Title/Number of all addenda or amendments: (Write "None" if applicable).

Sign Here ▶

Printed Name:

Title:

Date:

THE REST OF THIS PAGE LEFT INTENTIONALLY BLANK



Oklahoma

Page 12 of 31

City of Tulsa,

INSTRUCTIONS, TERMS AND CONDITIONS FOR BIDDERS

- 1. **PURCHASING AUTHORITY.** City issues this Invitation For Bid pursuant to Tulsa City Charter, Art. XII, §14 and Tulsa Revised Ordinances, Title 6, Ch. 4, the provisions of which are incorporated herein.
- DEFINITIONS. The following terms have the following meanings when used in the documents comprising this Bid Packet.
 A. "Acceptance" with respect to a Bid shall mean the City's selection of a Bid, and award of a contract to the Bidder/Seller.
 - **B**. "**Acceptance**" with respect to delivery of Goods and/or Services provided under a Purchase Agreement shall mean City's written acknowledgement that Seller has satisfactorily provided such Goods and/or Services as required.
 - **C.** "Addenda" "Addendum" or "Amendment(s)" shall mean a clarification, revision, addition, or deletion to this Invitation For Bid by City which shall become a part of the agreement between the parties.
 - **D.** "Authorized Agent" means an agent who is legally authorized to bind the Seller under the law of the State in which the Seller is legally organized. An Authorized Agent must sign all documents in the Bid Packet on behalf of the Seller. Under Oklahoma law, the Authorized Agent for each of the following types of entities is as stated below:
 - Corporations the president, vice president, board chair or board vice chair can sign; others can sign if they have and provide the City with (i) a corporate resolution giving them authority to bind the Seller, <u>and</u> (ii) a recent corporate secretary's certificate indicating the authority is still valid.
 - General Partnerships any partner can sign to bind all partners.
 - Limited Partnerships the general partner must sign.
 - o Individuals no additional authorization is required, but signatures must be witnessed and notarized.
 - Sole Proprietorship the owner can sign. Any other person can sign if s/he provides a recent Power of Attorney, signed
 by the owner, authorizing him/her to bind the sole proprietorship.
 - Limited Liability Company (LLC) The manager as named in the Operating Agreement can sign. Any person
 authorized by the Operating Agreement or a member can sign providing the person submits a copy of the authorization
 with a certificate of the members indicating the authorization is still valid.

Entities organized in States other than Oklahoma must follow the law of the State in which they are organized.

- **E.** "Bid" means the Seller's offer to provide the requested Goods and/or Services set forth in Exhibit A and any additional materials or information the Seller chooses to submit to support the Bid.
- **F.** "Bidder" means the legal entity which submits a Bid for consideration by City in accordance with the Invitation For Bid.
- **G.** "Bid Packet" consists of the following documents (1) the Notice of Invitation for Bid, (2) the Summary Sheet, (3) Form #1, (4) Form #2, (5) Form #3, (6) Form #4, (7) Form #5, (8) Form #6, (9) the Instructions, Terms and Conditions for Bidders, (10) Special Requirements, (11) Technical Specifications, and (12) Exhibit A.
- H. "Bid Submission Date" shall mean the last date by which the City will accept Bids for an Invitation For Bid.
- I. "City" shall mean the City of Tulsa, Oklahoma.
- J. "Days" shall mean calendar days unless specified otherwise.
- **K.** "Primary Seller" shall mean the Seller whose Bid City selected as the principal supplier of the Goods and/or Services required under this Agreement.
- **L.** "**Project Buyer**" shall mean the City's employee assigned to serve as the contact person for Bidders/Sellers responding to Invitations For Bid or completing contracts herein.
- **M.** "Purchasing Division or Office" shall mean the City of Tulsa's Purchasing Division, located at 175 East 2nd Street, 15th Floor, Tulsa, Oklahoma 74103
- **N.** "Secondary Seller" shall mean the Seller whose Bid City selected as a back-up supplier in the event the Primary Seller is unable to provide all the Goods and/or Services required.
- O. "Seller" shall mean the Bidder whose Bid City selected and awarded a contract.
- **P.** "You" or "Your" shall mean the Bidder responding to this Invitation For Bid or the Seller whose Bid the City selected and awarded a contract.
- Q. "Website" shall mean the City of Tulsa's website for the Purchasing Division: www.cityoftulsapurchasing.org.



City of Tulsa, Oklahoma

Page 13 of 31

- 3. QUESTIONS REGARDING INVITATION FOR BID. Questions regarding any portion of this Invitation For Bid must be submitted in writing (sent by mail, fax or email) to the Project Buyer indicated on the Summary Sheet herein. You should submit questions as early as possible and preferably before the pre-Bid conference. Questions and concerns must be received no later than ten (10) days prior to the Bid Packet due date. Any oral responses to questions before the contract is awarded are not binding on City. At City's discretion, any information or clarification made to you may be communicated to other Bidders that notified City of their intent to Bid if appropriate to ensure fairness in the process for all Bidders. You must not discuss questions regarding the Invitation For Bid with anyone other than the Project Buyer or other Purchasing Division staff or your Bid may be disqualified, any contract recommendation or Acceptance may be rescinded, or any contract may be terminated and delivered Goods returned at your expense and City refunded any payments made.
- **ORAL STATEMENTS.** No oral statements by any person shall modify or otherwise affect the provisions of this Invitation For Bid and/or any contract resulting therefrom. All modifications, addenda or amendments must be made in writing by City's Purchasing Division.
- **5. EXAMINATION BY BIDDERS.** You must examine the specifications, drawings, schedules, special instructions and the documents in this Bid Packet prior to submitting any Bid. Failure to examine such documents and any errors made in the preparation of such Bid are at your own risk.
- 6. ADDENDA OR AMENDMENTS TO INVITATIONS FOR BID. City may addend or amend its Invitation For Bid at any time before the Bid Submission Date, and any such addenda or amendments shall become a part of this Agreement. City will attempt to send a notification (by fax or email) of any addenda or amendments to those Bidders who have responded to the City's Project Buyer of their intent to respond to the Invitation For Bid. However, it is your responsibility to inquire about any addenda or amendments, which will be available from the City's Purchasing Division and its website. You must acknowledge receipt of any addenda or amendments by signing and returning the Acknowledgment of Receipt of Addenda/Amendments form and attaching it to this Invitation For Bid with your Bid. City may reject any Bid that fails to acknowledge any addenda or amendments.
- 7. SPECIFICATIONS/DESCRIPTIVE TERMS/SUBSTITUTIONS. Unless the term "no substitute" is used, the City's references to a brand name, manufacturer, make, or catalogue designation in describing an item in this Bid Packet does not restrict you to that brand or model, etc. The City may make such references to indicate the type, character, quality and/or performance equivalent of the item desired. However, you are required to furnish the exact item described in your Bid unless a proposed substitution is clearly noted and described in the Bid.

The parties recognize that technology may change during the period Bids are solicited and subsequent contracts are performed. Therefore, City may at its option accept changes or substitutions to the specifications for Goods of equal or better capabilities at no additional cost to City. In the case of existing contracts, you shall give City 30 days advance notice in writing of any such proposed changes or substitutions. City shall determine whether such items are acceptable as well as any proposed substitute.

All Goods shall be new unless otherwise so stated in the Bid. Any unsolicited alternate Bid, or any changes, insertions, or omissions to the terms and conditions, specifications, or any other requirements of this Bid, may be considered non-responsive and the Bid rejected.

- 8. PRICES/DISCOUNTS. Prices shall be stated in the units and quantity specified in the Bid Packet documents. In case of discrepancy in computing the Bid amount, you guarantee unit prices to be correct and such unit prices will govern. Prices shall include transportation, delivery, packing and container charges, prepaid by you to the destination specified in the Specifications. Discounts for prompt payment will not be considered in Bid evaluations, unless otherwise specified. However, offered discounts for prompt payment will be taken if payment is made within the discount period.
- **9. DELIVERY.** All prices quoted shall be based on delivery F.O.B. Tulsa, Oklahoma or to any other points as may be designated in the Technical Specifications, with all charges prepaid by Seller to the actual point of delivery. Bids must state the number of days required for delivery under normal conditions.
- **10. TAXES.** City is exempt from federal excise and state sales taxes and such taxes shall not be included in the Bid prices.
- 11. BID SUBMISSION. The Bid Packet forms must be prepared in the name of Bidder and properly executed by an Authorized Agent with full knowledge and acceptance of all provisions, in ink and notarized. Bids may not be changed or withdrawn after the deadline for submitting Bids (the "Bid Submission Date"). A Bid is an irrevocable offer and when accepted by City (as evidenced by City's execution of the Purchase Agreement) shall constitute a firm contract.
 - A. <u>BIDS MUST BE SUBMITTED ONLY ON THE BID PACKET FORMS AND SIGNED BY AN AUTHORIZED AGENT.</u>
 THE ENTIRE BID PACKET MUST BE RETURNED AS RECEIVED WITH ALL FORMS COMPLETED. YOU MAY ATTACH, AFTER EXHIBIT A, ANY DOCUMENTS NECESSARY TO COMPLETELY AND ACCURATELY RESPOND TO THE REQUEST. BIDS MUST BE IN STRICT CONFORMANCE WITH ALL INSTRUCTIONS, FORMS, AND SPECIFICATIONS CONTAINED IN THIS BID PACKET.



City of Tulsa, Oklahoma

Page 14 of 31

B. Sealed Bids may be either mailed or delivered, but must be received at:

City of Tulsa – Office of City Clerk 175 East 2nd Street, Suite 260 Tulsa, Oklahoma 74103

- **C.** Bids will be accepted at the above address from 8:00 a.m. to 5:00 p.m., Monday thru Friday except for City holidays. City is not responsible for the failure of Bids to be received by the City Clerk's Office prior to the due date and time.
- D. Late Bids will be rejected. The Purchasing Agent, in his sole discretion, may make exceptions only for the following reasons:
 - 1. City Hall closed for business for part or all of the day on the date the response was due;
 - 2. If the City deems it appropriate due to large-scale disruptions in the transportation industry that may have prevented delivery as required.
 - If documented weather conditions caused the late delivery. You must provide documentation of such weather to the satisfaction of the Purchasing Agent.
- E. City will not accept faxed Bids, nor will City accept Bids faxed to the City Clerk, Purchasing Division or Office, or any other City office or employee.
- **F.** City is not responsible for any of your costs in preparing the Bid response, attending a pre-Bid conference, or any other costs you incur, regardless of whether the Bid is submitted, accepted or rejected.
- **G.** All Bids must be securely sealed and plainly marked with the Bid Number, Bid Title, and Bid Opening Date on the lower left corner of the outside of the Bid envelope. Your name and address must also be clearly indicated on the envelope.
- **H.** If submitting multiple options ("Option(s)") to the Invitation for Bid, each will be considered separately requiring each response to be complete and accurate. Each Option must be clearly marked as Option 1 of 3, Option 2 of 3, etc.
- I. The number of copies you must submit is listed on the Summary Sheet in the front of the Bid Packet. However, at a minimum, there will be (1) an original, clearly labeled as such in 1" red letters on the Bid Packet cover page, and (2) a copy for City's Purchasing Division, clearly labeled as such in 1" red letters on the Bid Packet cover page. If binders are used, they must also be labeled.
- **J.** Multiple boxes or envelopes are permissible, but must not weigh more than 50 pounds. Each box must be labeled as instructed herein and numbered (i.e., Box 1 of 3; Box 2 of 3). **The original must be in Box #1.**
- K. The original and all copies (either paper or electronic) must be identical in all respects. Bids must be completed and submitted in ink or typewritten. Bids written in pencil will be rejected. Any corrections to the Bids must be initialed in ink.

12. BID REJECTION OR WITHDRAWL.

- A. City may reject any or all Bids, in whole or in part.
- B. A Bid may be rejected if it contains additional terms, conditions, or agreements that modify the requirements of this Invitation For Bid or attempts to limit Bidder's liability to the City.
- **C.** A Bid may be rejected if Bidder is currently in default to City on any other contract or has an outstanding indebtedness of any kind to City.
- D. City reserves the right to waive any formalities or minor irregularities, defects, or errors in Bids.
- E. Bid withdrawal may only be accomplished by an Authorized Agent requesting the withdrawal in person at the City Clerk's office before the City's close of business on the Bid Submission Date.
- **BID RESULTS.** A tabulation of Bids received will be made available on the City's Purchasing Division website generally within 5 working days after the Bid Opening Date. After a contract award is recommended to the Mayor, a copy of the Bid summary will be available in the City Clerk's Office. Bid results are not provided in response to telephone or email inquiries.
- **PURCHASE ORDER.** In the event that the successful Bid is for an amount less than One Hundred Thousand Dollars (\$100,000), and it is determined by the City to be in the best interests of the City, the City, in its sole discretion, may issue a Purchase Order rather than execute the Purchase Agreement to purchase the Goods. If a Purchase Order is issued, however, the terms of the Bid Packet documents, including the Purchase Agreement, will govern the transaction and be enforceable by the City and Bidder/Seller.
- **15. CONTRACT AWARD.** If a contract is awarded, it will be awarded to the Bidder that City determines is the lowest secure Bidder meeting specifications. Such Bid analysis will consider price and other factors, such as Bidder qualifications and



City of Tulsa, Oklahoma

Page 15 of 31

financial ability to perform the contract, as well as operating costs, delivery time, maintenance requirements, performance data, history of contract relations with City, and guarantees of materials and equipment, as applicable. A complete list of the factors that are considered is set forth in Tulsa Revised Ordinances, Title 6, Ch. 4, §406E. Unless otherwise noted, City reserves the right to award a contract by item, one or more groups of items, or all the items in the Bid, whichever is in City's best interest.

- **16. IRS FORM W-9.** If City selects your Bid and awards a contract to you, you will have ten (10) days from notification of the award to provide City with your complete IRS Form W-9.
- 17. NOTICE TO PROCEED. If City accepts your Bid and executes the Purchase Agreement, you shall not commence work until authorized to do so by the Purchasing Agent or his representative. Receipt of a Purchase Order from the City is notice to proceed.
- 18. PAYMENTS. Invoices should be e-mailed to City of Tulsa Accounts Payable at:

apinvoices@cityoftulsa.org

Payment will be made Net 30 days after receipt of a properly submitted invoice or the City's Acceptance of the Goods and/or Services, whichever is later, unless City decides to take advantage of any prompt payment discount included in the Bid.



THE REST OF THIS PAGE LEFT INTENTIONALLY BLANK

ULSF



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 16 of 31

SPECIAL REQUIREMENTS

1.	irrevocable Offer Period.	You under	rstand and ackn	owledge that	the oπer subm	itted as your Bid i	s firm and irrevo	cable from the
Cit	ty's close of business on the	Bid Subm	ission Date until	365	days after the E	Bid Opening Date		
2.	General Liability/Indemni	fication.	You shall hold	City harmles	s for any loss.	damage or clain	ns arising from	or related to v

- performance of the Purchase Agreement. You must exercise all reasonable and customary precautions to prevent any harm or loss to all persons and property related to the Purchase Agreement. You agree to indemnify and hold the City harmless from all claims, demands, causes of action or suits of whatever nature arising out of the Goods, Services, labor, or materials furnished by you or your subcontractors under the provisions of the Bid Packet documents.
- 3. Liens. Pursuant to City's Charter (Art. XII, §5), no lien of any kind shall exist against any property of City. Bidder shall deliver all goods to City free and clear of liens. Delivery by Seller to City of goods which are subject to liens under the Purchase Agreement shall be a material breach of the Purchase Agreement and all damages and costs incurred by City as a result of the existence of such liens shall be paid to City by Seller. At City's option, City may return such goods to Seller and Seller shall pay the cost of returning such goods and reimburse City for any payments made for such goods.
- 4. Insurance. If checked "Yes," the following insurance is required:

Seller and its subcontractors must obtain at Seller's expense and keep in effect during the term of the Purchase Agreement, including any renewal periods, policies of General Liability insurance in the minimum amounts set forth below and Workers' Compensation insurance in the statutory limits required by law.

Personal injury, each person	\$ 175,000.00
Property damage, each person	\$ 25,000.00
Auto Liability, each occurrence	\$ 1,000,000.00
Personal injury and property damage, each occurrence	\$ 1,000,000.00
Workers' Compensation	(Statutory limits)

SELLER'S INSURER MUST BE AUTHORIZED TO TRANSACT BUSINESS IN THE STATE OF OKLAHOMA.

You will have 10 days after notification that your Bid was selected for contract award by City to provide proof of such coverage by providing the assigned Project Buyer shown on the Summary Sheet of this Bid Packet with a Certificate of Insurance. The Certificate of Insurance must be completed with the following information:

- A. Your name
- Insurer's name and address
- C. Policy number
- D. Liability coverage and amounts
- E. Commencement and expiration dates
- Signature of authorized agent of insurer
- G. Invitation for Bid number

The Seller shall not cause any required insurance policy to be cancelled or to permit it to lapse. It is the responsibility of Seller to notify City of any change in coverage or insurer by providing City with an updated Certificate of Liability Insurance. Failure of Seller to comply with the insurance requirements herein may be deemed a breach of the Purchase Agreement. Further, a Seller who fails to keep required insurance policies in effect may be deemed to be ineligible to bid on future projects, ineligible to respond to invitations for bid, and/or ineligible to engage in any new purchase agreements

5.	Bonding		
	A.	Bid Bond. If the box	is checked "Yes," the Bid Bond is required:
		Yes:	No: <u>X</u>
	В.	Performance Bond.	If the box is checked "Yes," the Performance Bond is $\boldsymbol{required:}$
		Yes:	No: <u>X</u>
6.	Referen	nces. If the box is ched	cked "Yes," References are required:
		Yes: X (3)	No:



City of Tulsa, Oklahoma

Page 17 of 31

For each reference, the following information must be included: Company Name, Contact Name, Address, Phone Number, E-Mail Address, and the nature of their relationship with the Bidder.

Company Name:	
Contact Name:	
Address:	
Phone number:	
Email Address:	L * * * * * *
Relationship:	<u> </u>
Company Name:	**
Contact Name:	X X X
Address:	D. 6
Phone number:	
Email Address:	
Relationship:	187 108
Company Name:	
Contact Name:	
Address:	
Phone number:	
Email Address:	
Relationship:	751

THE REST OF THIS PAGE LEFT INTENTIONALLY BLANK



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 18 of 31

TECHNICAL SPECIFICATIONS

SCOPE:

It is the intent during the agreement period, as nearly as possible, to purchase all the requirements for the item(s) bid from the firm(s) to which the agreement is awarded.

SPECIFICATIONS:

Product must meet all specifications herein.

Four Door 4x4 Pickup Single Rear Axle 11,400 lb. GVWR Pickup, Assembled and Complete

1.00 GENERAL

- **1.01** It is the intent of these specifications to purchase one or more single rear wheel 11,400 lb. GVWR pickups, fifth wheel hitch, radios and audible visual warning equipment.
- **1.02** The successful bidder will purchase the vehicle and all listed equipment specified for the creation of an emergency command vehicle.
- 1.03 The vehicle will be delivered to the City of Tulsa Fire Department as a complete and finished emergency response vehicle except for programming for the installed radios, official decals and installation of a Knox Box.
- 1.04 The lowest bid meeting specifications will be determined upon a point evaluation process whereby each paragraph is assigned a pre-determined number of points.
- 1.05 The lowest bid meeting specifications will be determined upon a point evaluation process whereby each paragraph is awarded points for compliance. The bid amount is then divided by the total number of awarded points to determine the cost per point. The cost per point is then multiplied by the total possible points to determine a bid evaluation number. The lowest bid evaluation number will be considered the lowest bid meeting specification.
 - Bid Price / Total awarded points = Cost per point
 - Cost per point **X** Total possible points **=** Bid evaluation number
 - The lowest bid evaluation number will be considered the lowest bid meeting specification
- 1.06 The response to the bid needs to be provided separately from the specifications and should address each paragraph of the specifications. The response should include as much information and detail as possible.
- 1.07 Items or issues that are not specifically describe in the Bidders response may be considered absent, non-responsive or non-compliant to these specifications and will receive no points for the applicable paragraph.
- 1.08 The term, phrase or response of, or similar to, "meets" will be considered non-responsive.
- **1.09** Exceptions deviations, or variances, regardless of the real or perceived variance, will be provided on a separate document with disclosure and description of the exception, deviation or variance.
- 1.10 The City retains the sole right in determining compliance to the specifications where the bid response includes Bidder provided exceptions, alternative options or is otherwise subjective as compliant to these specifications.
- 1.11 The bid will include all applicable literature, details, and references to describe and demonstrate compliance to the specifications. The City will not recognize, accept for use or consider information obtained through webbased references, searches or links to various web pages. The absence of provided printed information or the use of links and references from the web will result in the applicable item or issue as non-responsive or non-compliant and will not be awarded any credit or points.



City of Tulsa, Oklahoma

Page 19 of 31

Item	Description	Points Possible	Awarded Points To be filled out by Fire Dept.
2.00	Pickup	0	
2.01	The pickup will be a new 2021-year model	10	
2.02	Crew cab with four full sized cab doors	10	
2.03	8 ft. cargo box	10	
2.04	No less than 11,400 GVWR	10	
2.05	Single rear wheel	10	
2.06	Heavy duty front suspension	10	
2.07	Four cargo box tie-downs	10	
2.08	Gasoline engine, preferably no less than 7.3-liter V8	10	
2.09	Engine to produce no less than 395 Horsepower	10	
2.10	Engine to produce no less than 450 lbft. Torque	10	
2.11	Alternator(s) capable of no less than 395 amps at 12 volts DC	10	
2.12	10 speed automatic transmission with progressive select and tow/haul mode	10	
2.13	Steering column-mounted gear shifter. No exceptions	10	
2.14	Electronic locking rear axle	10	
2.15	Four-wheel drive on-the-fly shift	10	
2.16	Skid plates for the fuel tank, transfer case and front differential	10	
2.17	Four-wheel Anti-Lock Brake System	10	
2.18	Electronic controlled traction control	10	
2.19	Electronic roll stability control	10	
2.20	Class IV trailer hitch	10	
2.21	18,000 lb. fifth wheel hitch	10	
2.22	Integrated trailer brake controller	10	
2.23	Trailer sway control	10	
2.24	Electric windows and door locks	10	
2.25	Remote keyless entry	10	
2.26	Daytime running lights	10	
2.27	Vinyl covered front seats	10	
2.28	40/20/40 front seats	10	
2.29	No center console between the front seats	10	
2.30	Rear bench seat with vinyl covering	10	
2.31	Tire pressure monitoring system	10	
2.32	Black vinyl floor covering	10	
2.33	18-inch aluminum wheels	10	
2.34	LT275/70Rx18E OWL A/T tires	10	
2.35	One identical spare wheel with mounted tire	10	
2.36	Platform running boards	10	
2.37	Front and rear mud flaps	10	
2.38	Black front and rear bumpers	10	
2.39	Black platform running boards	10	
2.40	Reverse sensing system	10	
2.41	High center stop lamp with rear facing camera that automatically engages when the transmission is placed into reverse	10	
2.42	Manual folding, power operated with heated glass exterior mirrors	10	
2.43	Exterior color race red, or equal	10	



City of Tulsa, Oklahoma

Page 20 of 31

Item	Description		Points Possible	Awarded Points To be filled out by Fire Dept.
2.44		medium earth gray, or equal	10	
2.45		-watt outlet in the cab	10	
2.46		vill be provided with an extended warranty for the engine, and drivetrain.	10	
3.00		e, Radio & Ancillary Equipment	0	
3.01	The truck will in finish.	ll be provided with a Westin Sportsman Grille Guard, black	10	
3.02		Il be provided with WeatherTech, or equal, black all- r mats for both the front and the rear seats.	10	
3.03	space below	t extends from inside the cab to the engine compartment or the cab will be provided with weatherproof bulkhead to allow the cab to be removed without cutting the provided	10	
3.04		40 series charger model #445-5262-0 will be installed in the pickup box on the driver's side affixed to the side of the	* 10	
3.05	box, on the ominimize exp	Super Auto Eject will be provided at the rear of the pickup driver's side. The Auto Eject should be positioned to posure to dirt and water and may have penetration into the rom the outside.	10	
3.06	A Kussmaul	charger will have a visual display of the battery condition the Auto Eject.	10	
3.07	The pickup b	ped will be provided with an all-weather Truck Vault with two gnum height, folding T-handle, grey interior carpet and	10	
3.08	front seats to	eld center console will be installed and secured between the provide control to all radios and controls for audible and ng systems. It will also provide physical support for a pount.	10	
3.09	The console following cor	will be 8" wide, 30" long, 10" tall enclosed console with the apponents, or equal. The list of equipment mounts is in order the front of the console working towards the rear.	10	
3.10	3.10a	Tunnel mount assembly	10	
	3.10b	30" enclosed 10" high console		
	3.10c	2" filler plate		
	3.10d 1-Piece equipment mounting bracket for Kenwood TK-7180(H)/8180(H) radio.			
	3.10e	Lighter plug outlet with 1 switch & 1 USB cut out.		
	3.10f	1-piece angled equipment mounting bracket for Motorola APX radio head		
	3.10g 1-Piece mounting bracket for Whelen 295HFS siren, or Federal Signal if used			
	3.10h Internal Cup Holder			
	3.10i	13" accessory pocket, 9-1/2" deep	1	
	3.10j	Mic clip brackets with two on driver's side and 1 on officer's side of console		
	3.10k	3 Mic Clips		



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 21 of 31

Item	Description	Points Possible	Awarded Points To be filled out by Fire Dept.	
	3.101	Two side mount arm rest		
	3.10m			
	3.10n			
	3.10o	Docking station containing internal power supply with dual pass through antenna for Dell's Latitude 12 rugged tablet		
3.11	All power en	tering the center console will be provide with an in-line fuse	10	
	at the source	e of the power supply and terminate in an enclosed terminal		
	box to supply	y multiple devices, each provided with appropriately rated		
	over current	protection.		
3.12		nclosed fuse box(es) will be located inside the center	10	
		serve as a terminal strip for the various power supplies for	X	
		supplies. The intent is to provide additional circuit	- *	
		s well as a common point for diagnosis of electrical failure.		
3.13	-	ver supplies will consist of one with constant power from the	10	
0.10	•	he other will be power that will be integrated with the	¥ 10	
2 4 4	ignition switc		10	
3.14	· · ·	round will be provided to the console that also includes a	10	
		o. The terminal strip and conductors will be sufficiently sized		
		ry the load without excess heat production.	*	
3.15		or red/white dome light mounted on the headliner slightly	10	
		front right passenger.		
3.16	Install two m	ulti-function antennas, one left and one right, on the vehicle	10	
	roof slightly b	pehind the light bar. The antennas will be item number SH-		
	TUL-006 Tul	sa Sharkee kit with 25 ft. cables available from		
	www.rokbrot	hers.com/antennas.php. No exception		
3.17		coax for the two antennas may be coiled and safely stored	10	
		nate in the center console.		
3.18		install a Motorola APX6500 7/800 MHz mid power MOBI	10	
		W1 N Astro Digital, SmartZone Operation, P25 9600 Baud		
		aud Trunking, Option GA00631 required for DVRS	K //	
		5 control head, Multikey, Remote mount control head, AES		
		cryption, 5-year SFS Comp, APX control head software,		
2.40	·	and Speaker. No exception.	10	
3.19		a head will be mounted into the center console and the	10	
0.00		mounted beneath the rear bench seat.	4.0	
3.20		a speaker will be mounted onto the rear of the center of the	10	
		rest the floor to allow installation of a Knox Box above the		
	·	e City of Tulsa Fire Department will acquire and install the		
	Knox Box Ke	ey Secure device.		
3.21	Provide and	install Kenwood TK-790 (VHF) and a Kenwood TK-890	10	
		s, or equivalent Kenwood radios, beneath the rear seat that		
	, ,	d by a common remote-control head located at the front		
		e center console. No exception		
	Portion of the	oution consolo. Has exception	<u> </u>	



City of Tulsa, Oklahoma

Description **Points** Awarded Points **Possible** To be filled out by Fire Dept. 3.22 The speaker for the Kenwood radio will be mounted onto the exterior 10 side of the center console. 3.23 Futurcom Cross-Band repeater, Simplex, Model number: Mobexcom 10 DVR VHF, Part number 7V083X01-02. No exception 4.00 **Audible Visual Warning Equipment** 0 4.01 All audible visual equipment will be manufactured by Whelen or Federal 10 4.02 10 An electronic siren will be provided. The siren will produce 200 watts of output and produce a sound production of no less than wail, yelp, hi/low, horn and Public Address (PA). The siren control will also include a multifunction switch to select warning lights and siren. Position 1 will engage lower level warning lights, Position 2 will engage lower and upper level warning lights, and Position 3 will engage all warning lights and enable the siren. 4.03 Two, 100-watt electronic siren speakers will be installed onto the front 10 grill guard. The speakers will be suspended below the flat horizontal part of the grill guard. 4.04 A low frequency siren will be provided and designed to be interfaced 10 with the electronic siren 4.05 Two low frequency siren speakers will be installed behind the front 10 fender and grill area or on the lateral side of the front grill guard. 4.06 Two, one each side, inboard of the vertical uprights of the grill guard 10 and mounted on top of the horizontal part of the grill guard, Federal Signal 6x4 LED Traffic Clearing Light red with clear lens or Whelen M6 red with clear lens. 4.07 Two, one each side mounted onto the outboard face of the grill guard 10 facing to the side, Federal Signal FireRay FR4C-RB red/blue with clear lens or Whelen M4J red/blue. Two, one each side on the upper part of the front fender near the Ford 10 4.08 emblems, Federal Signal MicroPulse Ultra red with clear lens or Whelen ION™ DUO™ X12D red/clear. 4.09 The pickup will be provided with a permanent mounted light bar from 10 Federal Signal or Whelen. Both light bars will utilize LED lamps. Incandescent or strobe lamps are not acceptable. 4.10 The roof mounted light bar will be provided with an Opticom emitter that 10 will be automatically engaged with the siren mounted light control is switched to Position 3 but will be disabled when the transmission is placed into park. 4.11 The roof mounted light bar will be provided with take down and both left 10 and right alley lights.



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 23 of 31

Item	Description	Points Possible	Awarded Points To be filled out by Fire Dept.
4.12	The roof mounted light bar will be provided with a feature that produces a directional signal left, right or split that is selected from the siren control or separate light control. The preferred color for the directional light is amber.	10	
4.13	The roof mounted light bar will be a Federal Signal Valor model VALR51-3651251 or equal, or a Whelen Freedom IV model F4NOVLED light bar. The light bars will be red with clear lens and preferably amber with clear lens for the directional light component.	10	
4.14	Two, one each side of the rear fenders slightly above center in height and near the rear of the bed, Federal Signal FireRay FR4C-RB red/blue with clear lens or Whelen M4J red/blue.	10	
4.15	Two, one each side of the upper rear corner of the cap, side facing, Federal Signal FireRay FR4C-RB red/blue with clear lens or Whelen M4J red/blue.	10	
4.16	Two, one each side of the tailgate rear facing, Federal Signal FireRay FR4C-RB red/blue with clear lens or Whelen M4J red/blue.	10	
4.17	Two, one each side, on or near the roof of the cap, rear facing, Federal Signal MicroPulse red/clear or Whelen ION™ DUO™ X12D red/clear	10	
4.18	A license plate bracket with Federal Signal MicroPulse red/blue or Whelen TL1J red/blue lights.	10	
4.19	One Whelen P36HHS hand-held combination spot/flood light with 12- ft cigar cord and magnet.	10	
4.20	Headlight wig wag flashing lights.	10	
4.21	White flashing lights for both the left and right taillight assemblies.	10	
5.00	Stripes and Markings	0	
5.01	The sides of the truck will be provided with reflective blue and gold stripes.	10	
5.02	The stripes will be created using 3M Scotchlite 680CR reflective material. No exception	10	
5.03	The stripes on the side of the truck will be positioned on the lower part of the cab and body forming a straight line of $\frac{1}{2}$ " blue, $\frac{1}{2}$ " blank, 4" gold, $\frac{1}{2}$ " blank and $\frac{1}{2}$ " blue.	10	
5.04	The side facing black stripes will be extend nearly bumper to bumper, timed to fit and positioned to provide a pleasing appearance.	10	
5.05	The tailgate will be provided a reflective chevron of red and lime yellow. The chevron will be in stripes of 45° with the point located at the top center portion of the tailgate that is being covered.	10	
5.06	The reflective chevron stripes will be in 4" widths.	10	
5.07	The reflective material will be 3M Scotchlite 1172 red and 3M diamond grade DG3 fluorescent lime green sheet 4083 or equal.	10	
5.08	The City of Tulsa Fire Department will provide the decals and signage for the vehicle(s).	10	
Total	Points	420	



City of Tulsa, Oklahoma

Page 24 of 31

DELIVERY REQUIREMENTS:

All items and products will be delivered to the City of Tulsa Fire Department, 1790 Newblock Park Drive, Tulsa, OK 74127.

BIDDERS RESPONSE TO SPECIFICATIONS:

Item	Description	Bidder's Response
2.00	Pickup	X * * *
2.01	The pickup will be a new 2021-year model	* * *
2.02	Crew cab with four full sized cab doors	* * * * * * * * * * * * * * * * * * *
2.03	8 ft. cargo box	**
2.04	No less than 11,400 GVWR	Jos XX
2.05	Single rear wheel	*
2.06	Heavy duty front suspension	*
2.07	Four cargo box tie-downs	*
2.08	Gasoline engine, preferably no less than 7.3-liter V8	
2.09	Engine to produce no less than 395 Horsepower	
2.10	Engine to produce no less than 450 lbft. Torque	
2.11	Alternator(s) capable of no less than 395 amps at 12 volts DC	
2.12	10 speed automatic transmission with progressive select and tow/haul mode	W/9/
2.13	Steering column-mounted gear shifter. No exceptions	
2.14	Electronic locking rear axle	
2.15	Four-wheel drive on-the-fly shift	
2.16	Skid plates for the fuel tank, transfer case and front differential	AU
2.17	Four-wheel Anti-Lock Brake System	
2.18	Electronic controlled traction control	
2.19	Electronic roll stability control	
2.20	Class IV trailer hitch	
2.21	18,000 lb. fifth wheel hitch	



City of Tulsa, Oklahoma

Page 25 of 31

Item	Description	Bidder's Response
2.22	Integrated trailer brake controller	
2.23	Trailer sway control	
2.24	Electric windows and door locks	
2.25	Remote keyless entry	
2.26	Daytime running lights	
2.27	Vinyl covered front seats	*
2.28	40/20/40 front seats	* * * * *
2.29	No center console between the front seats	2
2.30	Rear bench seat with vinyl covering	**
2.31	Tire pressure monitoring system	Toe **
2.32	Black vinyl floor covering	*
2.33	18-inch aluminum wheels	*
2.34	LT275/70Rx18E OWL A/T tires	*
2.35	One identical spare wheel with mounted tire	
2.36	Platform running boards	
2.37	Front and rear mud flaps	
2.38	Black front and rear bumpers	V 151
2.39	Black platform running boards	1 /9/
2.40	Reverse sensing system	
2.41	High center stop lamp with rear facing camera that automatically engages when the transmission is placed into reverse	
2.42	Manual folding, power operated with heated glass exterior mirrors	
2.43	Exterior color race red, or equal	A
2.44	Interior color medium earth gray, or equal	
2.45	110-volt 400-watt outlet in the cab	
2.46	The pickup will be provided with an extended warranty for the engine, transmission and drivetrain.	
3.00	Center Console, Radio & Ancillary Equipment	
3.01	The truck will be provided with a Westin Sportsman Grille Guard, black in finish.	



City of Tulsa, Oklahoma Page 26 of 31

3.02 The truck will be provided with WeatherTech, or equal, black all- weather floor mats for both the front and the rear seats. 3.03 All wiring that extends from inside the cab to the engine compartment or space below the cab will be provided with weatherproof bulkhead connections to allow the cab to be removed without cutting the provided wiring. 3.04 A Kussmaul 40 series charger model #445-5262-0 will be installed in the rear of the pickup box on the driver's side affixed to the side of the Truck Vault. 3.05 A Kussmaul Super Auto Eject will be provided at the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working towards the rear.	
front and the rear seats. 3.03 All wiring that extends from inside the cab to the engine compartment or space below the cab will be provided with weatherproof bulkhead connections to allow the cab to be removed without cutting the provided wiring. 3.04 A Kussmaul 40 series charger model #445-5262-0 will be installed in the rear of the pickup box on the driver's side affixed to the side of the Truck Vault. 3.05 A Kussmaul Super Auto Eject will be provided at the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
3.03 All wiring that extends from inside the cab to the engine compartment or space below the cab will be provided with weatherproof bulkhead connections to allow the cab to be removed without cutting the provided wiring. 3.04 A Kussmaul 40 series charger model #445-5262-0 will be installed in the rear of the pickup box on the driver's side affixed to the side of the Truck Vault. 3.05 A Kussmaul Super Auto Eject will be provided at the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
engine compartment or space below the cab will be provided with weatherproof bulkhead connections to allow the cab to be removed without cutting the provided wiring. 3.04 A Kussmaul 40 series charger model #445-5262-0 will be installed in the rear of the pickup box on the driver's side affixed to the side of the Truck Vault. 3.05 A Kussmaul Super Auto Eject will be provided at the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
provided with weatherproof bulkhead connections to allow the cab to be removed without cutting the provided wiring. 3.04 A Kussmaul 40 series charger model #445-5262-0 will be installed in the rear of the pickup box on the driver's side affixed to the side of the Truck Vault. 3.05 A Kussmaul Super Auto Eject will be provided at the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
to allow the cab to be removed without cutting the provided wiring. 3.04 A Kussmaul 40 series charger model #445-5262-0 will be installed in the rear of the pickup box on the driver's side affixed to the side of the Truck Vault. 3.05 A Kussmaul Super Auto Eject will be provided at the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
provided wiring. 3.04 A Kussmaul 40 series charger model #445-5262-0 will be installed in the rear of the pickup box on the driver's side affixed to the side of the Truck Vault. 3.05 A Kussmaul Super Auto Eject will be provided at the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
 3.04 A Kussmaul 40 series charger model #445-5262-0 will be installed in the rear of the pickup box on the driver's side affixed to the side of the Truck Vault. 3.05 A Kussmaul Super Auto Eject will be provided at the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working 	
will be installed in the rear of the pickup box on the driver's side affixed to the side of the Truck Vault. 3.05 A Kussmaul Super Auto Eject will be provided at the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
driver's side affixed to the side of the Truck Vault. 3.05 A Kussmaul Super Auto Eject will be provided at the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
3.05 A Kussmaul Super Auto Eject will be provided at the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
the rear of the pickup box, on the driver's side. The Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
Auto Eject should be positioned to minimize exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
exposure to dirt and water and may have penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
penetration into the pickup box from the outside. 3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
3.06 A Kussmaul charger will have a visual display of the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
the battery condition located near the Auto Eject. 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
 3.07 The pickup bed will be provided with an all-weather Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working 	
Truck Vault with two drawers, magnum height, folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
folding T-handle, grey interior carpet and black exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
exterior. 3.08 A Havis Shield center console will be installed and secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
secured between the front seats to provide control to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
to all radios and controls for audible and visual warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
warning systems. It will also provide physical support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
support for a computer mount. 3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
3.09 The console will be 8" wide, 30" long, 10" tall enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
enclosed console with the following components, or equal. The list of equipment mounts is in order beginning at the front of the console working	
equal. The list of equipment mounts is in order beginning at the front of the console working	
beginning at the front of the console working	
lowards the real.	
3.10 3.10a Tunnel mount assembly	
3.10 3.10a Turiller mount assembly	
3.10b 30" enclosed 10" high console	
3.10c 2" filler plate	
3.10d 1-Piece equipment mounting bracket for	
Kenwood TK- 7180(H)/8180(H) radio.	
3.10e Lighter plug outlet with 1 switch & 1 USB	
cut out. 3.10f 1-piece angled equipment mounting	
bracket for Motorola APX radio head	
3.10g 1-Piece mounting bracket for Whelen	
295HFS siren, or Federal Signal if used	
3.10h Internal Cup Holder	
3.7.5.1 Internal cap i folder	
3.10i 13" accessory pocket, 9-1/2" deep	
3.10j Mic clip brackets with two on driver's side	
and 1 on officer's side of console	
3.10k 3 Mic Clips	



City of Tulsa, Oklahoma

Page 27 of 31

Item	Description		Bidder's Response
	3.101	Two side mount arm rest	
	3.10m	Telescoping pole, side mount for computer	
	3.10n	Slide out locking swing arm with motion adapter	
	3.10o	Docking station containing internal power	
		supply with dual pass through antenna for Dell's Latitude 12 rugged tablet	* *
3.11	All now	er entering the center console will be	
0.11		with an in-line fuse at the source of the	T X X
		supply and terminate in an enclosed	X X
	termina	I box to supply multiple devices, each d with appropriately rated over current	3 ** * * * * * * * * * * * * * * * * *
	protecti	on.	**\
3.12		ore enclosed fuse box(es) will be located	~ ++
		ne center console and serve as a terminal	
		the various power supplies for all the	100 XX
	1 '	supplies. The intent is to provide additional	38
		rotection as well as a common point for sist of electrical failure.	2
3.13		power supplies will consist of one with	
		nt power from the battery and the other will	*
		er that will be integrated with the ignition	
	switch.		
3.14		non ground will be provided to the console	
		o includes a terminal strip. The terminal	
		d conductors will be sufficiently sized to	
	product	arry the load without excess heat ion.	1
3.15	A 6" du	al color red/white dome light mounted on	
	the hea	dliner slightly ahead of the front right	/ () /
	passen		
3.16		wo multi-function antennas, one left and one	
	l. •	the vehicle roof slightly behind the light	
		e antennas will be item number SH-TUL-	
		sa Sharkee kit with 25 ft. cables available	
	exception	vw.rokbrothers.com/antennas.php. <mark>No</mark>	
3.17		enna coax for the two antennas may be	V 0,
0.17		and safely stored but will terminate in the	
	center	•	
3.18		and install a Motorola APX6500 7/800 MHz	
	mid pov	ver MOBI M25URS9PW1 N Astro Digital,	
		one Operation, P25 9600 Baud and 3600	
		runking, Option GA00631 required for	
		operation, 05 control head, Multikey,	
		e mount control head, AES and DVP	
		ion, 5-year SFS Comp, APX control head	
	sonwar	e, Microphone and Speaker. No exception.	



City of Tulsa, Oklahoma

Page 28 of 31

Item	Description	Bidder's Response
3.19	The Motorola head will be mounted into the center	
	console and the radio will be mounted beneath the	
	rear bench seat.	
3.20	The Motorola speaker will be mounted onto the	
	rear of the center of the console nearest the floor to	
	allow installation of a Knox Box above the speaker.	
	The City of Tulsa Fire Department will acquire and	
	install the Knox Box Key Secure device.	X X
3.21	Provide and install Kenwood TK-790 (VHF) and a	* * *
	Kenwood TK-890 (UFH) radios, or equivalent	* * *
	Kenwood radios, beneath the rear seat that are	X X
	controlled by a common remote-control head	*
	located at the front portion of the center console.	\$ * * * \
	No exception	\ + \ \
3.22	The speaker for the Kenwood radio will be	
	mounted onto the exterior side of the center	7.3 /××/
	console.	**
3.23	Futurcom Cross-Band repeater, Simplex, Model	198 []
	number: Mobexcom DVR VHF, Part number	*
	7V083X01-02. No exception	
4.00	Audible Visual Warning Equipment	*
4.01	All audible visual equipment will be manufactured	X
	by Whelen or Federal Signal.	
4.02	An electronic siren will be provided. The siren will	
	produce 200 watts of output and produce a sound	
	production of no less than wail, yelp, hi/low, horn	
	and Public Address (PA). The siren control will also	
	include a multifunction switch to select warning	
	lights and siren. Position 1 will engage lower level	
	warning lights, Position 2 will engage lower and	
	upper level warning lights, and Position 3 will	
	engage all warning lights and enable the siren.	
4.03	Two, 100-watt electronic siren speakers will be	
	installed onto the front grill guard. The speakers will	
	be suspended below the flat horizontal part of the	
	grill guard.	
4.04	A low frequency siren will be provided and	
	designed to be interfaced with the electronic siren	
4.05	Two low frequency siren speakers will be installed	A
	behind the front fender and grill area or on the	
	lateral side of the front grill guard.	
4.06	Two, one each side, inboard of the vertical uprights	
	of the grill guard and mounted on top of the	
	horizontal part of the grill guard, Federal Signal 6x4	
	LED Traffic Clearing Light red with clear lens or	
	Whelen M6 red with clear lens.	
	behind the front fender and grill area or on the lateral side of the front grill guard. Two, one each side, inboard of the vertical uprights of the grill guard and mounted on top of the horizontal part of the grill guard, Federal Signal 6x4 LED Traffic Clearing Light red with clear lens or	



City of Tulsa, Oklahoma

Page 29 of 31

Item	Description	Bidder's Response
4.07	Two, one each side mounted onto the outboard	
	face of the grill guard facing to the side, Federal	
	Signal FireRay FR4C-RB red/blue with clear lens	
	or Whelen M4J red/blue.	
4.08	Two, one each side on the upper part of the front	
	fender near the Ford emblems, Federal Signal	
	MicroPulse Ultra red with clear lens or Whelen	
	ION™ DUO™ X12D red/clear.	* *
4.09	The pickup will be provided with a permanent	XXX
	mounted light bar from Federal Signal or Whelen.	* * * * * * * * * * * * * * * * * * *
	Both light bars will utilize LED lamps. Incandescent	X X
	or strobe lamps are not acceptable.	*
4.10	The roof mounted light bar will be provided with an	
	Opticom emitter that will be automatically engaged	V + * \
	with the siren mounted light control is switched to	
	Position 3 but will be disabled when the	7 × ×
	transmission is placed into park.	* * \
4.11	The roof mounted light bar will be provided with	1 98 1
	take down and both left and right alley lights.	*
4.12	The roof mounted light bar will be provided with a	4
	feature that produces a directional signal left, right	X
	or split that is selected from the siren control or	*
	separate light control. The preferred color for the	
	directional light is amber.	
4.13	The roof mounted light bar will be a Federal Signal	
	Valor model VALR51-3651251 or equal, or a	
	Whelen Freedom IV model F4NOVLED light bar.	
	The light bars will be red with clear lens and	
	preferably amber with clear lens for the directional	
	light component.	
4.14	Two, one each side of the rear fenders slightly	1 / () /
	above center in height and near the rear of the bed,	
	Federal Signal FireRay FR4C-RB red/blue with	
4.45	clear lens or Whelen M4J red/blue.	
4.15	Two, one each side of the upper rear corner of the	
	cap, side facing, Federal Signal FireRay FR4C-RB red/blue with clear lens or Whelen M4J red/blue.	
4.46		
4.16	Two, one each side of the tailgate rear facing,	A ()'/
	Federal Signal FireRay FR4C-RB red/blue with clear lens or Whelen M4J red/blue.	A
1 17		
4.17	Two, one each side, on or near the roof of the cap,	
	rear facing, Federal Signal MicroPulse red/clear or Whelen ION™ DUO™ X12D red/clear	
1 10		
4.18	A license plate bracket with Federal Signal MicroPulse red/blue or Whelen TL1J red/blue	
1 10	lights.	
4.19	One Whelen P36HHS hand-held combination	
4.00	spot/flood light with 12- ft cigar cord and magnet.	
4.20	Headlight wig wag flashing lights.	



City of Tulsa, Oklahoma

Page 30 of 31

Item	Description	Bidder's Response
4.21	White flashing lights for both the left and right taillight assemblies.	
5.00	Stripes and Markings	
5.01	The sides of the truck will be provided with reflective blue and gold stripes.	
5.02	The stripes will be created using 3M Scotchlite 680CR reflective material. No exception	
5.03	The stripes on the side of the truck will be positioned on the lower part of the cab and body forming a straight line of ½" blue, ½" blank, 4" gold, ½" blank and ½" blue.	
5.04	The side facing black stripes will be extend nearly bumper to bumper, timed to fit and positioned to provide a pleasing appearance.	2 ***
5.05	The tailgate will be provided a reflective chevron of red and lime yellow. The chevron will be in stripes of 45° with the point located at the top center portion of the tailgate that is being covered.	** **
5.06	The reflective chevron stripes will be in 4" widths.	X
5.07	The reflective material will be 3M Scotchlite 1172 red and 3M diamond grade DG3 fluorescent lime green sheet 4083 or equal.	*
5.08	The City of Tulsa Fire Department will provide the decals and signage for the vehicle(s).	

THE REST OF THIS PAGE LEFT INTENTIONALLY BLANK



Issued: February 25, 2021

City of Tulsa, Oklahoma

Page 31 of 31

EXHIBIT A BID FORM INCLUDING DELIVERY AND PRICING

1.	Delivery.	If your Bid	is accepted ar	nd an Agreer	nent is execu	ed, state the	number of	f days yoเ	u need to	deliver the	Goods	and/or to
be	gin providir	ng Services:										

You must be able to deliver the Goods and/or Services as specified in your Bid. Failure to do so may result in City terminating your Agreement or canceling the Purchase Order, pursuing collection under any performance bond, as well as seeking any other damages to which it may be entitled in law or in equity.

2. Pricing

(ESTIMATED QUANTITIES FOR EVALUATION PURPOSES ONLY)

Item	Description	Estimated Annual QTY	Unit Cost	Extended Cost
1	Four Door 4x4 Pickup Single Rear Axle 11,400 lb. GVWR Pickup, Assembled and Complete	2 or more	**	
TOTAL COST NOT TO EXCEED: (All costs must be included or your Bid will be disqualified)		\$	*	

RETURN THIS ENTIRE BID PACKET