



City of Tulsa Purchasing Department
175 E. 2nd Street 15th Floor
Tulsa, OK 74103

TAC 077H
Motor Oil, Lubricants & Greases
Asset Management Department
Bid Opening: 05-13-2021

Buyer: Darin Johnson
darinjohnson@cityoftulsa.org
Please contact if you have any questions

1. **Delivery.** If your Bid is accepted and a contract is executed, state the number of days you need to deliver the Goods and/or to begin providing Services:

You must be able to deliver the Goods and/or Services as specified in your Bid. Failure to do so may result in City terminating your contract or canceling the Purchase Order, pursuing collection under any performance bond, as well as seeking any other damages to which it may be entitled in law or in equity.

2. **Pricing**

(Estimated quantities for evaluation purposes only)
Any Brand names listed in the descriptions below can be bid as acceptable equivalents

				Timmons Oil Company, Inc.		
ITEM	ITEM DESCRIPTION	UOM	ESTIMATED ANNUAL USAGE	UNIT COST	EXTENDED COST	MANUFACTURER / PRODUCT NUMBER
1	Motor oil, single grade, heavy duty Diesel/Gasoline. Approved for API service , CF, CF-2, and SL/SJ. Minimum total base #9, with less than 1.5% sulfated ash. SAE30	12 qt. case	8 cases	\$38.73	\$309.84	DA Reliant 30 Case of 12 Qts
2	Motor oil, multi-grade, heavy duty Diesel/Gasoline. Approved for API Service CG-4, CF-4, CF, SG, CH-4, CI-4, SL, and SJ. Minimum total base #11, with less than 1.5% sulfated ash. SAE 15W40	12 qt. case	115 cases	\$32.76	\$3,767.40	DA Reliant Prem 15*40 Case of 4 Gals \$43.68/Case of 4 Gals
3	Motor oil, multi-grade, heavy duty Diesel/Gasoline. Approved for API Service CG-4, CF-4, CF, SG, CH-4, CI-4, SL, and SJ. Minimum total base #11, with less than 1.5% sulfated ash. SAE 15W40	55 Gallon drums	4 Drums	\$529.10	\$2,116.40	DA Reliant Prem 15/40 Drum
4	Motor oil, multi-grade light duty Diesel and Gasoline. Approved for API Service SM. API Cert. Mark ILSA GF-3(5w20, 5w30,10w30). Must meet Ford WSS-M2C153-H. Must be energy conserving II. SAE 5W20	12 qt. case	40 cases	\$29.84	\$1,193.60	DA Penn Grade Syn Blend 5W20 Case of 12 Qts
5	Motor oil, multi-grade light duty Diesel and Gasoline.Approved for API Service SM. API Cert. Mark ILSA GF-3(5w20, 5w30, 10w30). Must meet Ford WSS-M2C153-H. Must be energy conserving II. SAE 5w20	Quarts in bulk	5400 quarts	\$1.50	\$8,100.00	DA Penn Grade Syn Blend 5W20 Case of 12 Qts \$6.00/Gal
5A	Motor oil, multi-grade light duty Diesel and Gasoline, SAE 5W30 SN Plus Apl, must meet Ford WSS-M2C153-H. Must meet Ford Specifications WSS-M2C946-B1	Quarts in bulk	5500 quarts	\$1.50	\$8,250.00	DA Penn Grade Syn Blend 5w30 Bulk \$6.00/Gal
5B	Motor oil, multi-grade SAE 5W20 SN Plus API, must meet Ford Specifications WSS-M2C945-B1	12 qt. case	75 cases	\$29.84	\$2,238.00	DA PennGrade Syn Blend 5w20 Case of 12 Qts
6	Motor oil, multi-grade light duty Diesel and Gasoline.Approved for API Service SJ, SL, SM. API Cert. Mark ILSAC (5w30, 10w30). Must be energy conserving II. SAE 5w30	12 qt. case	36 cases	\$29.84	\$1,074.24	DA PennGrade Syn Blend 5w30 case of 12 Qts
7	Motor oil, multi-grade light duty Diesel and Gasoline.Approved for API Service SJ, SL, SM. API Cert. Mark ILSAC (5w30, 10w30). Must be energy conserving II. SAE 5w30	Quarts in bulk	2500 quarts	\$1.50	\$3,750.00	DA Penn Grade Syn Blend 5w30 Bulk \$6.00/Gal
8	Motor oil, multi-grade light duty Diesel and Gasoline.Approved for API Service SJ, SL. API Cert. Mark ILSAC. Must be energy conserving II. SAE 10w30	12 qt. case	88 cases	\$29.84	\$2,625.92	DA PennGrade Syn Blend 10w30 Case of 12 Qts
8A	SAE 10W30 Super Dity Diesel Motor Oil must meet Ford Specifications WSS-M2C171-F1	12 qt Case	200	\$31.59	\$6,318.00	DA Reliant Prem 10w30 Case of 4 Gals \$42.12/Case of 4 Gals
9	Motor oil, multi-grade light duty Diesel and Gasoline.Approved for API Service SJ, SL. API Cert. Mark ILSAC (5w30, 10w30). Must be energy conserving II. SAE 10w30	55 gallon drum	1 drum	\$382.53	\$382.53	DA PennGrade Syn Blend 10w30 Drum
10	Motor oil, multi-grade diesel. Approved for API service CJ-4. Must meet chemical restrictions of less than 1.0% ash, 0.4% sulphur, 0.12% phosphorus. SAE 15W40	1 quart container	1380 quarts	\$2.73	\$3,767.40	DA Reliant Prem 15w40 Case of 4 Gals 43.68/Case of 4 Gals
11	Motor oil, multi-grade diesel. Approved for API service CJ-4. Must meet chemical restrictions of less than 1.0% ash, 0.4% sulphur, 0.12% phosphorus. SAE 15W40	55 gallon drum	2 drums	\$529.10	\$1,058.20	DA Reliant Prem 15w40 Drum
12	Motor oil, multi-grade diesel. Approved for API service CJ-4. Must meet chemical restrictions of less than 1.0% ash, 0.4% sulphur, 0.12% phosphorus. SAE 15W40	Quarts in bulk	37000 quarts	\$2.06	\$76,220.00	DA Reliant Prem 15w40 Bulk \$8.24/Gal
12A	Motor Oil, multi-garde, SAE 5W30 SN Plus API (Specification) WSS-M2C946-B1	Quarts in bulk	180 quarts	\$1.50	\$270.00	DA PennGrade Syn Blend 5w30 Bulk \$6.00/Gal
13	Hydraulic oil, anti-wear, ISO viscosity grade 32,Rust and oxidation inhibited, minimum V.I.-102,Minimum 3680 hours on ASTM-D-943, must meet Denison HF-0, Vickers M-2950-S(5), Cincinnati Milacron P-68. Hydraulic Oil, ISO 32	5 gallon can	8 cans	\$38.68	\$309.44	DA Presurflo 32 Bucket
14	Hydraulic oil, anti-wear, ISO viscosity grade 32,Rust and oxidation inhibited, minimum V.I.-102,Minimum 2000 hours on ASTM-D-943, must meet Denison HF-0, Vickers M-2950-S(5), Cincinnati Milacron P-68. Hydraulic Oil, ISO 32, ASTM Grade 150.	55 gallon drum	4 drums	\$371.80	\$1,487.20	DA Presurflo 32 Bulk
15	Hydraulic oil, anti-wear, ISO viscosity grade 32,Rust and oxidation inhibited, minimum V.I.-102,Minimum 2000 hours on ASTM-D-943, must meet Denison HF-0, Vickers M-2950-S(5), Cincinnati Milacron P-68. Hydraulic Oil, ISO 32	Quarts in bulk	8200 quarts	\$1.35	\$11,070.00	DA Presurflo 32 Bulk



City of Tulsa Purchasing Department
175 E. 2nd Street 15th Floor
Tulsa, OK 74103

TAC 077H
Motor Oil, Lubricants & Greases
Asset Management Department
Bid Opening: 05-13-2021

Buyer: Darin Johnson
darinjohnson@cityoftulsa.org
Please contact if you have any questions

1. **Delivery.** If your Bid is accepted and a contract is executed, state the number of days you need to deliver the Goods and/or to begin providing Services:

You must be able to deliver the Goods and/or Services as specified in your Bid. Failure to do so may result in City terminating your contract or canceling the Purchase Order, pursuing collection under any performance bond, as well as seeking any other damages to which it may be entitled in law or in equity.

2. **Pricing**

(Estimated quantities for evaluation purposes only)
Any Brand names listed in the descriptions below can be bid as acceptable equivalents

				Timmons Oil Company, Inc.		
ITEM	ITEM DESCRIPTION	UOM	ESTIMATED ANNUAL USAGE	UNIT COST	EXTENDED COST	MANUFACTURER / PRODUCT NUMBER
16	Hydraulic oil, anti-wear, ISO viscosity grade 46, Rust and oxidation inhibited, minimum V.I.-100, Must meet Denison HF-0, Vickers M-2590-S(5), Cincinnati Milacron P-70. Viscosity Index 100. Hydraulic Oil, ISO46	5 gallon can	16 cans	\$39.65	\$634.40	DA Presurflo 46 Bucket
17	Hydraulic oil, anti-wear, ISO viscosity grade 46, Rust and oxidation inhibited, minimum V.I.-100, Minimum 2000 hours on ASTM-D-943, must meet Denison HF-0, Vickers M-2590-S(5), Cincinnati Milacron P-70. Hydraulic Oil, ISO46	55 gallon drum	5 drums	\$382.53	\$1,912.65	DA Presurflo 46 Drum
18	Hydraulic oil, anti-wear, ISO viscosity grade 68, Rust and oxidation inhibited, minimum V.I.-95, Minimum 2000 hours on ASTM-D-943, must meet Denison HF-0, Vickers M-2590-S(5), Cincinnati Milacron P-69. Viscosity index 9.5, Hydraulic Oil, ISO68	5 gallon can	4 cans	\$40.63	\$162.52	DA Presurflo 68 Bucket
19	Hydraulic oil, anti-wear, ISO viscosity grade 68, Rust and oxidation inhibited, minimum V.I.-95, Minimum 2000 hours on ASTM-D-943, must meet Denison HF-0, Vickers M-2590-S(5), Cincinnati Milacron P-69. Hydraulic Oil, ISO68	55 gallon drum	2 drums	\$393.25	\$786.50	DA Presurflo 68 Drum
20	Automatic transmission fluid. Meets latest requirements for transmissions manufactured by General Motors, Ford, Chrysler Corporation as well as requirements for Allison C-3/C-4 Torque Converters. Fluid is Dexron III, Mercon and/or Ford type H. Must meet licensing requirements and performance Requirements of: Ford Mercon, GM Dexron III, and Allison C-3/C-4. Auto. Trans. Fluid, Dexron III/Mercon/Ford Type H, and c-3/C-4	12 qt. case	40 cases	\$36.66	\$1,466.40	DA Auto Trans G3 Case of 12 Quarts
21	Automatic transmission fluid. Meets latest requirements for transmissions manufactured by General Motors, Ford, Chrysler Corporation as well as requirements for Allison C-3/C-4 Torque Converters. Fluid is Dexron III, Mercon and/or Ford type H. Must meet licensing requirements and performance Requirements of: Ford Mercon, GM Dexron III, and Allison C-3/C-4. Auto. Trans. Fluid, Dexron III/Mercon/Ford Type H, and C-3/C-4.	55 gallon	1 drum	\$529.10	\$529.10	DA Auto Trans G3 Drumm
22	Automatic transmission fluid. Meets latest requirements for transmissions manufactured by General Motors, Ford, Chrysler Corporation as well as requirements for Allison C-3/C-4 Torque Converters. Fluid is Dexron III, Mercon and/or Ford type H. Must meet licensing requirements and performance Requirements of: Ford Mercon, GM Dexron III, and Allison C-3/C-4. Auto. Trans. Fluid, Dexron III/Mercon/Ford Type H, and C-3/C-4.	Quarts in bulk	400 quarts	\$2.06	\$824.00	DA Auto Trans G3 Bulk \$8.24/Gal
23	Auto. Trans. Fluid. Mercon V. Must meet licensing and performance requirements of Ford Mercon V and Allison C-4.	12 qt case	25 cases	\$55.65	\$1,391.25	DA Auto Trans Super LV Case of 12 Quarts
24	Auto. Trans. Fluid. Mercon V. Must meet licensing and performance requirements of Ford Mercon V and Allison C-4.	55 gallon drum	1 drum	\$890.18	\$890.18	DA Auto Trans Super Plus Drum
25	Auto. Trans. Fluid. Mercon V. Must meet licensing and performance requirements of Ford Mercon V and Allison C-4.	Quarts in bulk	600 quarts	\$3.71	\$2,226.00	DA Auto Trans Super Plus Bulk
26	Auto. Trans. Fluid. Type TES-295. Must meet Allison C-4 and ZF Transmissions-Allison TES295 specifications. MUST HAVE WRITTEN PROOF THAT USE OF PRODUCT QUOTED WILL NOT VOID MANUFACTURER'S WARRANTY.	55 Gallon Drum	10 Drums	\$890.18	\$8,901.80	DA Auto Trans Super Plus Drum
27	Tractor fluid, all purpose. Fluid shall be Tractor specially Formulated to meet service requirements for tractors Of various manufactures where the use of a combination hydraulic/transmission fluid is specified. The base oil and additives shall be selected to result in a product that will comply with the following manufacturer's specifications: John Deere JDM J20C, Quatrol, Ford New Holland M2C86-B, M2C134-D, J1 Case MS1204, MS1205, MS1207, Massey Ferguson M1127A&B, M1129A, White Q-1766 GM/Allison C3/C4, Caterpillar To-2. Universal Tractor Trans./Hydraulic Fluid	5 gallon Bucket	5 Buckets	\$37.05	\$185.25	DA Hydra Trans 100 Bucket



City of Tulsa Purchasing Department
175 E. 2nd Street 15th Floor
Tulsa, OK 74103

TAC 077H
Motor Oil, Lubricants & Greases
Asset Management Department
Bid Opening: 05-13-2021

Buyer: Darin Johnson
darinjohnson@cityoftulsa.org
Please contact if you have any questions

1. **Delivery.** If your Bid is accepted and a contract is executed, state the number of days you need to deliver the Goods and/or to begin providing Services:

You must be able to deliver the Goods and/or Services as specified in your Bid. Failure to do so may result in City terminating your contract or canceling the Purchase Order, pursuing collection under any performance bond, as well as seeking any other damages to which it may be entitled in law or in equity.

2. **Pricing**

(Estimated quantities for evaluation purposes only)
Any Brand names listed in the descriptions below can be bid as acceptable equivalents

				Timmons Oil Company, Inc.		
ITEM	ITEM DESCRIPTION	UOM	ESTIMATED ANNUAL USAGE	UNIT COST	EXTENDED COST	MANUFACTURER / PRODUCT NUMBER
29	Kerosene – 1-K Contains 0.04 percent sulfur by weight and is designed for use in portable kerosene heaters.ASTM Standard D-3699	55 gallon drum	4 drums	\$245.70	\$982.80	Kerosene Drum
30	Multi-purpose gear lubricant. Must meet API Service Classification: GL-5 and MT-1. 80w90	Quarts in bulk	550 Quarts	\$2.54	\$1,397.00	DA Gear Tec 80/90 Bulk \$10.16/gal
30A	Multi-purpose gear lubricant. Must meet API Service Classification: GL-5 and MT-1 80w90	5 gallon Bucket	15 Gallon Buckets	\$56.88	\$853.20	DA Gear Tec 80/90 Bucket
30B	High Temperature 4 x 4 front axle and wheel bearing grease WSS-M1C267-A7	Tubes	200	\$2.70	\$540.00	DA Magnaplex NLGI 2 50 Tube Case
30C	SAE 80W90 Premieum Rear Axle Lubricant WSP-M2C197-A	Quarts	200	\$3.61	\$722.00	Starfire 80/90 Case of 6 Quarts \$21.66/case
31	Multi-purpose gear lubricant. Must meet API Service Classification: GL-5 and MT-1. 85w140	5 gallon can	2 cans	\$59.15	\$118.30	DA Gear Tec 85/140 Bucket
32	Multi-purpose gear lubricant. Must meet API Service Classification:GL-5 and MT-1. 85w140	64 quart drum	2 drums	\$255.84	\$511.68	DA Gear Tec 85/140 Keg
33	Synthetic Gear Oil. ISO VG 220. High Temperature thermal/oxidation resistance. High viscosity Index and absence of wax. Certified GC-LB	5 gallon pail	10 pails	\$114.66	\$1,146.60	DA GearSyn EP 220 Bucket
34	Grease. Multi-purpose, wheel bearing. NLGI #2 Timken OK load, ASTM D 2509, lb. – 55. Temp. Range 0 to 250 degree F.	14 oz tubes	1000 tubes	\$2.70	\$2,700.00	DA Magnaplex NLGI 2 50 Tube Case
35	Grease. Multi-purpose, wheel bearing. NLGI consistency #2 Timken OK load, ASTM D 2509, lb. – 55. Temp. Range 0 to 250 degree F.	5 gallon can	1 can	\$101.47	\$101.47	DA Magnaplex NLGI 2 Bucket
36	Antifreeze, Glycol, Low Silicate, must be 100% concentrate. Must meet or exceed all ASTM & SAE Standards.	1 gallon jug	1026 jugs	\$8.70	\$8,926.20	Prestone Prime Green Concentrate Case of 6 Gals \$52.20/case
37	Antifreeze, Glycol, Low Silicate, must be 100% concentrate, Must meet or exceed all ASTM & SAE Standards.	55 gallon drum	5 drums	\$478.34	\$2,391.70	Prestone Prime Green Concentrate Drum
37A	Antifreeze, Glycol, Low Silicate, Ready to use. Must meet or exceed all ASTM & SAE Standards.	1 Gallon Jug	500 Jugs	\$6.10	\$3,050.00	Prestone Prime Green 50/50 case of 6 gals \$36.60/case
38	Antifreeze, Glycol, Low Silicate, must be 100% concentrate. Must meet or exceed all ASTM & SAE Standards.	Quarts in bulk	1100 quarts	\$2.11	\$2,321.00	Prestone Prime Green Concentrate Bulk \$8.44/gal
39	Antifreeze, Extended life, must meet performance specs for: ASTM D-3306, ASTM D-4340, GM 1825M, GM6277M, Chrysler MS7170, FORD WSS-M97B44-D, and SAE J1034.	1 gallon jug	36 1-gallon jugs	\$7.05	\$253.80	Prestone Prime Green 50/50 case of 6 gals \$42.30/case
40	Aerial Hydraulic Fluid. All weather, multi-viscosity, antiwear. Designed for use in aerial buckets, mobile hydraulic ystems, etc. A fluid with dielectric (insulating) properties is required. Foam resistant and oxidation inhibited. Must meet ASTM D877, at 25KV or better. Min. VI of 140.	5 gallon	4 cans	\$48.82	\$195.28	DA Presurflo MV 32 Bucket
TOTAL EXTENDED COST: (All costs must be included and all items must be bid or your bid will be disqualified)			\$180,429.25			
Delivery:			2 Business Days			
Comment:			Correction - Total Extended Cost reflects total from Unit Cost			