

## Design Engineering MEMORANDUM

DATE:

August 5, 2021

TO:

Paul Zachary, Engineering Services Department Director

FROM:

Henry Som de Cerff, Design Manager

**SUBJECT:** 

Standards and Specifications for approval to include in Division II of meter cans

Carson 1520; Carson 1730; DFW Plastics, Inc DFW1800A.18.1; and Pencell

Plastics for 5/8" – 3/4" and 1" meter cans.

The Specification Review Committee recommends and asks the Engineering Services Department Director to approve the following:

1. Approval to include in Division II of meter cans Carson 1520; Carson 1730; DFW Plastics, Inc DFW1800A.18.1; and Pencell Plastics for 5/8" – 3/4" and 1" meter cans.

Please call me at (918) 596-7355 if you have any questions.

Thank you.

APPROVED:

Paul Zachary, Director

Date

18.11.21

Cc: Engineering Services Department Specification Review Committee

## **CARSON**® Spec Grade

### COVER

Style:

Flush

Material:

HDPE

Model:

15" x 20"

Weight:

3 lbs

Std. Fasteners:

3/8" Hex Bolt

Options:

Logos and Special Markings

Surface:

Skid Resistant & Marked

Performance:

Pedestrian, ASTM C857, WUC 3.6

Cover comes standard with permanent markings for manufacturer and model size.

#### BODY

Material:

HDPE

Model:

15" x 20"

Weight:

18" Depth: 12 lbs

Flared

Wall Type: Mouseholes:

Performance:

Pedestrian, ASTM C857, WUC 3.6

### **EXTENSION**



HDPE

Weight:


4 lbs


### LOAD RATING / NOTES




LIGHT DUTY PEDESTRIAN / GREENBELT

For use in non-vehicular traffic situations only. Weights and dimensions may vary slightly. Actual load rating is determined by the box and cover combination.







Detail

## CARSON® Spec Grade

#### **COVER OPTIONS**

HDPE, T-Cover Solid

HDPE, T-Cover with Plastic Reader Door

HDPE, T-Cover with Cast Iron Reader Door

HDPE, Flush Solid

HDPE, Flush with Plastic Reader Door


HDPE, Flush with Cast Iron Reader Door

HDPE, Flush Hinged


### **COLOR OPTIONS**

Cover: Black, Green, Tan, Purple Body: Black, Green, Tan, Purple

Extension: Black




T-Cover Solid



Flush Solid



Hinged Cover






Hex Head Bolt (A) Penta Head Bolt (B) Penta Head Coil Thread Bolt (B) Oldcastle Vandal Resistant Bolt (C) Captive Bolt Retainer



Standard Thread







Drop-N-Lock (T-Cover only)

## 


Coil Thread

## **Bolt Retainer** (for standard thread)

### ADD ON OPTIONS

AMR Friendly Solutions Touch Read Hole

Drop-N-Lock™



All information contained on this sheet is current at the time of publication. Oldcastle reserves the right to discontinue or update product information without notice.

Revision 11/80/18 @ 2018 Gideastle Infrastructure



## **CARSON**® Spec Grade

#### COVER

Style:

Flush

Material:

HDPE

Model:

17" x 30"

Weight:

10 lbs

Std. Fasteners:

3/8" Hex Bolt

Options:

Logos and Special Markings Skid Resistant & Marked

Surface: Performance:

Pedestrian, ASTM C857, WUC 3.6

Cover comes standard with permanent markings for manufacturer and model size.

### **BODY**

Material:

HDPE

Model:

17" x 30"

Weight:

12" Depth: 19 lbs

15" Depth: 24 lbs

18" Depth: 26 lbs

Wall Type:


Flared


Mouseholes:

0

Performance:

Pedestrian, ASTM C857, WUC 3.6






А	В	С	D	Е	F	G
12"	33-1/2"	20-5/8"	39-3/8"	26-1/2"	35-7/8"	23"
15"	33-1/2"	20-5/8"	40-1/4"	27-3/8"	36-5/8"	23-3/4"

## **LOAD RATING / NOTES**



PEDESTRIAN / GREENBELT

For use in non-vehicular traffic situations only. Weights and dimensions may vary slightly. Actual load rating is determined by the box and cover combination.



## **CARSON**<sup>®</sup> Spec Grade

#### **COVER OPTIONS**

HDPE, T-Cover Solid

HDPE, Flush Solid

HDPE, Flush with Plastic Reader Door HDPE, Flush with Cast Iron Reader Door





Flush Solid

Cover: Black, Green, Gray, Tan, Purple



Reader Door Detail

## **COLOR OPTIONS**

Body: Black, Green, Gray, Tan, Purple

## **FASTENER OPTIONS**

Hex Head Bolt (A) Penta Head Bolt (B) Penta Head Coil Thread Bolt (B) Oldcastle Vandal Resistant Bolt (C) Captive Bolt Retainer Drop-N-Lock™



Standard Thread

Coil Thread




**Bolt Retainer** (for standard thread)











Drop-N-Lock (T-Cover only)

## ADD ON OPTIONS

AMR Friendly Solutions Touch Read Hole

EMS Marker Racking Provision



L Bolt Detail





EMS Marker




WARNING: Cancer - www.P65Warnings.ca.gov









Assemblies									
DESCRIPTION	DEPTH	TIER	DESIGN / TEST LOAD	WEIGHT	PALLET QTY	PART NO. 050			
Box & HDPE Cover	12"	N/A	N/A / 5,000	10	120	PE1015H***			

## Box & HDPE Cover

Covers										
DESCRIPTION	TIER	DESIGN / TEST LOAD #	WEIGHT#	MATERIAL	PART NO.					
Bolt Down	N/A	N/A / 5,000	3	HDPE	PE1015P***					
Non Bolt Down	N/A	N/A / 5,000	3	HDPE	PE1015PLI***					


Replace \*\*\* with logo code found on page 194 For AMR/AMI options see page 197

#### Boxes

DESCRIPTION	DEPTH	TIER	DESIGN / TEST LOAD #	WEIGHT#	PALLET QTY	PART NO.
Green Open Bottom	12"	N/A	N/A / 5,000	7	120	PE1015GSI***

Page 171 | 2019







## **Dimensions / Data**

11" X 18" PenCell PE







Assemblies					l purezoty l	PART NO.
DESCRIPTION	DEPTH 12"	TIER N/A	DESIGN / TEST LOAD N/A / 3,000	WEIGHT 12	PALLET QTY 120	PE1118H***
Box & HDPE Cover			What the same			DADTNO

PART NO. MATERIAL WEIGHT# DESIGN / TEST LOAD # TIER PE1118P\*\*\* DESCRIPTION HDPE N/A / 3,000 N/A PE1118PLI\*\*\* **Bolt Down** HDPE N/A / 3,000 N/A Non Bolt Down

Replace \*\*\* with logo code found on page 194 For AMR/AMI options see page 197

Boxes						PART NO.
DESCRIPTION	DEPTH		DESIGN / TEST LOAD # N/A / 3,000	WEIGHT#	PALLET QTY	PE1118GSI
Green Open Bottom	12"	N/A	M/A/ 3,000	1		



Page 172 | 2019

