


Best Management Practices for Food Handling Establishments

Fats, Oils and Grease: What a Pain in the Drain!


In the Beginning...





Then came...





Currently:



- Cities, like Tulsa, have permits to discharge wastewater
- Permit outlines pollutant discharge limits and requirements





Southside Wastewater Treatment Plant

Sanitary Sewer Overflows



Sanitary Sewer Overflows are a violation of the City's permit!



Sanitary Sewer Overflows



Environmental and Public Health Hazards







Causes Damage to Homes and Businesses





What causes SSOs?




fats, Oils, and Grease!



Where does it come from?







Fat Deposits









The Problem:



- If excess SSOs occur, cities can be ordered by the EPA or state environmental agency to correct the problems, plus incur fines for each SSO occurrence.
 - 2008 Consent Order- \$248,000 fine
- Cities recover costs through:
 - City enforcement fines plus cleaning costs
 - Fine up to \$1,000 per occurrence per day
 - Increases utility bills
 City maintenance costs are passed on to
 UTILITY RATE PAYERS

Best Management Practices



- A set of Pollution Prevention practices
- Purpose:
 - Stay in compliance
 - Reduces health and environmental hazards
 - Reduce operating costs
- How? SOURCE CONTROL

BMP Program Requirements



Employee Training

- Employees must know the reasons for BMP
- Must know about the grease trap
- Must know the specific practices in BMP



- Instructional Signs in the Kitchen (some provided by the City)
 - Signs must be easy to understand
 - Must be in a language workers understand



Kitchen BMPs



- Before Soaking or rinsing:
- Scrape & dry wipe plates, trays, utensils, & pots/pans
- NC- studies show75-93% of O&G is generated from dish and ware washing







- Floor drains must have screens and/or have traps
 - Cleaned regularly



- NOT over/into drains
- Waste cooking oil must be recycled
 - Stored in a covered container







Kitchen BMPs



- Cleaning Schedule for greasy areas
 - i.e.- fryers, vents, grills, etc.
 - minimize soaps/degreasers



- Clean up spills immediately into trash
 - THD- okay to use Kitty Litter








Extra Suggestions...



- Use disposable mop heads to clean greaseladen areas
- Use pan liners or parchment paper to reduce baked on greasy residue
- Lay down kitty litter, flour, baking soda, or oil pads around fryers to help protect against spills and splatter
- Minimize or eliminate food grinders or garbage disposals
- Give employees incentives to follow BMPs

Grease Interceptor





Don't Neglect Your Interceptor!




- Maintenance is the key
- Regular pumping schedule prevents problems
- Neglect brings higher maintenance costs and possible fines!!





What is this?





Interceptor Maintenance



- Thoroughly inspect traps when pumped
 - Pumper must have a City of Tulsa Permit
 - Ensure trap is completely pumped out
 - Ensure baffles, down runners, etc. are in place
 - Ensure walls/baffles are scraped clean







Mainfests



- Sign manifest and obtain copy from the pumper
- A log of inspections & maintenance is required

All records must be kept on site!

			PUBLIC WORKS 4818 South E	CITY OF TULSA PUBLIC WORKS DEPARTMENT 4818 South Elwood Avenue Tulsa, OK 74107 918-591-4378			Grease Hauler Manifest Number: 25 Book ID: — —	
COMPANY (Grease Hat ADDRESS					DRIVER (Printed Name) PHONE #:			
GENERATOR INFORMATION				DISPOSAL FACILITY INFORMATION				
Name:				Name:				
Address:				Address:				
City/State/Zip Code:				City/State/Zip Code:				
Telephone:				Disposal Site Permit Number:				
Waste -	- Type: Quantity:		Quantity:	Type of Site:				
Load Pick Up -		Time:	Date:	Telephone:				
Generator (printed):				Receiving Agent (Printed):				
Generator Signature:				Discharge -	Time:		Date:	
I certify that I have examined the information provided and to the best of my knowledge and belief, it is true, accurate and complete. I understand that there are significant penalties for any misrepresentation, concealment of material information, or submitting false information, including the possibility of fine and imprisonment for knowing violations. DRIVER SIGNATURE DATE				SIGNATURE OF DISPOSAL FACILITY RECEIVING AGENT REMARKS:				
COPY DIS			Facility PINK – Retained By Hauler B	LUE – Returned to	Generato	r after disposal GREE	N – Vehicle Manifest Book	

Sampling



71:9/10

1358

Suggestion- sample to determine pumping frequency

- Representative sample
 - effluent clean out of your grease interceptor
 - building clean out
 - sometimes from the sewer line in the downstream manhole
- **If you don't have any of these options, we may require you to put in a sampling port.
- Oil & Grease limit = 100mg/L
- Notice of Violation- sample cost recovery

Outside BMPs



During site visits we look for stormwater violations



Positive Recognition



- BMP Certificate
- PACE Membership
- Web Page Listing



www.cityoftulsa.org/PACE





Sewers Need a No Fat Diet!