

4/12/23

Invitation For Bid TAC 501H

Addendum #1

Please note the following changes which have been made for clarification to this Invitation for Sealed Bid. **This addendum must be listed as Addendum #1 on the** Exhibit A – Delivery & Pricing under the heading “Addenda” of the bid package as verification that you have received and are aware of the information contained herein.

QUESTIONS/CLARIFICATION/CHANGES:

CHANGES

Under SPECIFICATIONS, ITEM 3, ENGINE, #2 DISPLACEMENT

Replaced “12 liters minimum” with “11.9 liters minimum.”

Invitation for Bid (IFB)

TAC 501H

Supplies or Services Requested: Heavy Duty Truck Chassis

Department: Citywide

NIGP Commodity Code(s):
072-07

Solicitation Schedule

EVENT	DATE
IFB Issue Date	4/6/2023
Pre-Bid Conference <i>Location</i>	No Pre-Bid Conference
Deadline for Questions <i>Submitted to assigned buyer via email.</i>	4/17/2023 <i>10 Days prior to IFB due date</i>
Bid Submission Date <i>Either mailed or delivered to City Clerk address. Bids are open the day after the due date.</i>	4/26/2023

If You have any questions or need additional information, contact the Assigned Buyer:

Julie Miller | jamiller@cityoftulsa.org

*All questions should be emailed with **TAC 501H** on the subject line.*

Submit Bids (sealed) to:

City of Tulsa – City Clerk's Office
175 E. 2ND St., Suite 260
Tulsa, OK 74103

*Bids (2 total: 1 original, 1 copy) must be sealed and either mailed or delivered. Write the Bid Number, Supplies or Service requested (as listed above), and Bid Opening Date on the lower left corner of the outside of Your Bid envelope. Feel free to use included packing slip. No faxed or emailed Bids will be considered. Barring certain circumstances (Section III-5), Bids received after the stated date and time **will not be accepted and will be returned to the Bidder unopened.***



Tulsa
CITY OF
A New Kind of Energy.

I. STATEMENT OF PURPOSE:

1. Overview and Goals

The goal of this IFB is to secure a source to purchase Medium Duty Trucks to be used by various departments of the City of Tulsa.

2. Term of Contract

The City intends to award a one-year annual contract. The City may offer the Seller the opportunity for additional one-year terms. The City also reserves the right to make multiple or partial awards. To do business with the City, You must agree to the terms and conditions of the City's standard Purchase Agreement, indicated by Your Authorized Agent's signature on the Purchase Agreement.

Capitalized terms used in this IFB and not defined in the Purchase Agreement shall have the meanings as ascribed to them in Title 6, Chapter 4 of the [Tulsa Revised Ordinances](#).

The entire Invitation for Bid (IFB), including any additional information submitted by Bidder and Accepted by City will be included as part of the Agreement between Seller and City. **All sheets of this IFB (including Sections I-V) must be submitted.**

Authorized Agent

Several parts of the Bid (Affidavits, Purchase Agreement) must be signed by an “**Authorized Agent**.” An Authorized Agent means an agent who is legally authorized to bind the Seller under the law of the state in which the Seller is legally organized. For instance, under Oklahoma law, the Authorized Agent for each of the following types of entities is as stated below:

- **Corporations** – the president, vice president, board chair or board vice chair can sign; others can sign if they have and provide the City with (i) a corporate resolution giving them authority to bind the Seller, and (ii) a recent corporate secretary's certificate indicating the authority is still valid.
- **General Partnerships** – any partner can sign to bind all partners.
- **Limited Partnerships** – the general partner must sign.
- **Individuals** – no additional authorization is required, but signatures must be witnessed and notarized.
- **Sole Proprietorship** – the owner can sign. Any other person can sign if s/he provides a recent Power of Attorney, signed by the owner, authorizing him/her to bind the sole proprietorship.
- **Limited Liability Company (LLC)** – The manager as named in the Operating Agreement can sign. Any person authorized by the Operating Agreement or a member can sign providing the person submits a copy of the authorization with a certificate of the members indicating the authorization is still valid.

Entities organized in states other than Oklahoma must follow the law of the state in which they are organized.

II. SCOPE OF SERVICES AND SPECIFICATIONS

1. Scope of Services

The City is requesting Bids for Medium Duty Trucks for use by various departments.

Delivery Requirements

All prices quoted shall be based on delivery F.O.B. Tulsa, Oklahoma or to any other points as may be designated in the Specifications, with all charges prepaid by Seller to the actual point of delivery. Bids must state the number of Days required for delivery under normal conditions.

Absolutely no items over 500lbs. may be directly shipped to the City requiring the City personnel to unload from the shipping truck or trailer. The City carries no responsibility for any damages incurred during an unloading occurrence. All unloading shall be the responsibility of the Seller and/or shipping entity.

2. Specifications

In Section 2 of the Table below (Bidder's Proposal Column), the Bidder shall respond to each Specifications (Minimum) Column in the space provided under Section 2. Whenever asked to "describe", the description may include details such as size, capacities, dimensions, materials used in construction, etc. A full and complete description is required to reasonably evaluate the Bid, so all pertinent information is required. When referring to attached literature as a means of not fully describing items, misinterpretations by the evaluator of the Bid may occur. Your ability to present the City with enough information to reasonably understand the item being bid and whether it meets the Specifications stated herein relies on the written information provided.

You are requested to describe Your proposed equipment in the Bidder's Proposal Column, **in terms** that correspond with the minimal specifications shown. **You may not answer** in the space provided as to whether You meet the Specifications by responding with terms as **"yes", "meets", "same as", "complies" or "similar" terms**. If these terms are utilized, it shall result in **Your Bid being considered as non-responsive and being rejected**.

You must include descriptive manufacturer's literature verifying the information You provided in the Bidder's Proposal Column with Your submission. Failure to provide such literature shall result in Your Bid being considered as non-responsive and being rejected. If Your Bid is an alternate approach and does not fully meet the Specifications, completely describe Your alternate approach.

Seller shall ensure that each vehicle and related parts are warranted by the manufacturer to be of good material and workmanship and that manufacturer promptly replace any part or parts which by reason of defective materials or workmanship shall fail under normal use, free of negligence or accident, for a minimum of one (1) year from the date of delivery, unless otherwise stated. In addition, if such failures take place outside the dealer's service area, which shall be defined as Tulsa city limits, the Seller will be responsible for reimbursing the nearest manufacturer's authorized dealer in the city of Tulsa for services rendered under this warranty.

The Seller shall respond within 72 hours of notification by the City of Tulsa, on when, where and how a warranty issue will be resolved. In the event there is no response within 72 hours, or if the response

is not acceptable to the City of Tulsa; the City will provide or arrange for repairs. The Seller shall be responsible for reimbursing the nearest manufacturer's authorized dealer in the city of Tulsa for services rendered under this warranty.

The Seller shall have the option to authorize the City of Tulsa to perform minor warranty replacement and repairs and then reimburse the City for its labor and parts utilized to enact the repair. The reimbursement for labor will be the same rate as that of the actual work performed. Standard warranty information is to be supplied with the Bid.

Item #1

33,000 lb. Gross Vehicle Weight (GVW) Dual rear wheels, 2-door conventional chassis cab.

Section 1 Item 1	Specifications (Minimum)	Section 2 Bidder's Proposal
Equipment	This Specification is for a new current year model 33,000 lb. GVW. Dual rear wheel, 2-door conventional, cab chassis with air ride cab, utilized for installing service bodies.	Describe: Make: _____ Model _____ _____ _____
Gross Vehicle Weight	33,000 lb. GVW	Describe: GVW _____
Cab to Axle	120-inch Cab to axle, clear frame from back of cab to front of rear wheels.	Describe: _____ _____ _____
Cab	<ol style="list-style-type: none"> 1. Style: 2- door conventional cab chassis with air ride cab. 2. Seat(s): Air ride driver's seat and air ride companion seat with high visibility seat belts, orange preferred. 3. Seat covering: Heavy duty vinyl. 4. Sun visors: One (1) LH and One (1) RH. 5. Door arm rests: One (1) LH and one (1) RH. 6. Interior lighting: Dome light with door activated switch. 7. Windshield Wipers: Electric 2-speed with intermittent and dual washer nozzles. 8. Mirrors: Exterior, remote control, heated, breakaway type. 7-inch X 15 inch approx. with large 7-inch convex mirrors mounted on both sides. 9. Front fender mounted 7-inch convex mirrors, both sides. 	Describe: 1. _____ 2. _____ _____ 3. _____ 4. _____ 5. _____ _____ 6. _____ _____ 7. _____ 8. _____ _____ 9. _____ _____ _____ _____

	<p>10. Air conditioning: Factory installed through-dash type with electronic diagnostic and protection system.</p> <p>11. Gauges: Full gauge package with factory audible alarms and warning lights.</p> <ul style="list-style-type: none"> a. Transmission temp gauge and warning light. b. Tachometer. c. Oil pressure gauge. d. Air pressure gauge. e. Speedometer. f. Hour Meter wired to the ECM. g. Coolant temp gauge. <p>Include the following:</p> <p>12. 12-volt, power port, and USB charging port (can be part of the radio).</p> <p>13. Full headliner.</p> <p>14. Full rubber floor covering.</p> <p>15. Factory installed AM/FM weather radio.</p> <p>16. Factory tinted glass through-out.</p> <p>17. Tilting hood.</p> <p>18. Interior and exterior grab handles to aid easier entry into cab, mounted on both sides.</p> <p>19. Dual air horns.</p> <p>20. Five (5) auxiliary switches located within easy access to the driver, mounted in dash located in cab to accommodate body and accessory connections.</p>	<p>10 _____</p> <p>_____</p> <p>_____</p> <p>11 _____</p> <p>_____</p> <p>a _____</p> <p>_____</p> <p>b _____</p> <p>c _____</p> <p>d _____</p> <p>e _____</p> <p>f _____</p> <p>g _____</p> <p>12 _____</p> <p>_____</p> <p>13 _____</p> <p>14 _____</p> <p>15 _____</p> <p>16 _____</p> <p>17 _____</p> <p>18 _____</p> <p>_____</p> <p>19 _____</p> <p>20 _____</p> <p>_____</p> <p>_____</p>
Engine	<p>1. Diesel powered: Manufacturer and Model. Cummins ISL9 preferred.</p> <p>2. Displacement: 8.8 Liters minimum</p> <p>3. Horsepower: 325 hp. Minimum.</p> <p>4. Torque: 950 @ 1,400 rpm. Minimum.</p> <p>5. Emissions: DPF/SCR/DEF type. Must meet 2021 Greenhouse emission standards.</p> <p>6. Air cleaner: Dry type, dual, replaceable elements.</p> <p>7. Oil filter: Spin-on type.</p> <p>8. Fuel filter: cartridge or in line-type.</p> <p>9. 110 Volt, 1,250-Watt block heater, to be labeled and mounted under the driver's door.</p> <p>10. Water separator: In-line, Racor or equal with heater and warning light, with drain valve. Water Fuel separator shall be mounted under the hood.</p> <p>11. Exhaust system: Horizontal with vertical turn out tailpipe at the top, mounted to the side of the cab so as not to interfere with dump and service body installation. The</p>	<p>Describe:</p> <p>1. <u>Manufacturer</u> _____</p> <p><u>Model</u> _____</p> <p>2 _____</p> <p>3 _____</p> <p>4 _____</p> <p>5 _____</p> <p>_____</p> <p>6 _____</p> <p>_____</p> <p>7 _____</p> <p>8 _____</p> <p>9 _____</p> <p>_____</p> <p>10 _____</p> <p>_____</p> <p>11 _____</p> <p>_____</p> <p>_____</p>

	<p>City will not accept and exhaust system or other entity that requires dump body or service body to be mounted away from the cab to accommodate those items. A clean and clear top frame rail is requested as well as side frame rail to accommodate a hydraulic tank installation.</p> <p>12. Electronic overspeed protection for PTO.</p> <p>13. Electronic engine shutdown/derate system for low oil pressure, coolant temperature and coolant level.</p>	<p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>12 _____</p> <p>13 _____</p> <p>_____</p> <p>_____</p>
Transmission	<p>1. Manufacturer: Allison preferred.</p> <p>2. Model No.: 3500RDS.</p> <p>3. Type: Automatic with synthetic lube.</p> <p>4. Speed: Six (6) speeds, with overdrive.</p> <p>5. PTO provision.</p> <p>6. Fluid cooler to be included.</p>	<p>Describe:</p> <p>1 _____</p> <p>2 _____</p> <p>3 _____</p> <p>4 _____</p> <p>5 _____</p> <p>6 _____</p>
Tractive Effort	<p>State the following:</p> <p>1. 1st gear ratio:</p> <p>2. Torque converter ratio:</p> <p>3. Rear axle ratio:</p>	<p>Describe:</p> <p>1 _____</p> <p>2 _____</p> <p>3 _____</p>
Cooling System	<p>1. Radiator: Largest capacity available from the manufacturer. State size.</p> <p>2. Coolant recovery system to be included.</p> <p>3. Extended life antifreeze to be included.</p>	<p>Describe:</p> <p>1 _____</p> <p>2 _____</p> <p>3 _____</p>
Electrical System	<p>1. 12-volt system.</p> <p>2. Batteries:</p> <p>A. Quantity: As required.</p> <p>B. CCA. Total: 1,800.</p> <p>3. Main battery cut off switch, mounted in cab by the driver's seat.</p> <p>4. Alternator: 160 Amp minimum. Brushless.</p> <p>5. Include all lights and reflectors to comply with all Federal and Oklahoma state laws for 24-hour operation on all highways.</p> <p>6. All stop turn and marker lights to be LED.</p> <p>7. Must provide manufacturers separate electronic junction box for additional wiring of body attachments.</p> <p>8. Battery Tender with plug in mounted below driver's door. Kussmaul, Auto Charge 1000 Preferred.</p> <p>9. Battery heater pad to be installed and wired to the same plug in for the battery tender. Heater pad to be 120 Volt, 200 Watts with a preset heater to maintain the batteries at 80 degrees Fahrenheit.</p>	<p>Describe:</p> <p>1 _____</p> <p>2 _____</p> <p>A _____</p> <p>B _____</p> <p>3 _____</p> <p>_____</p> <p>4 _____</p> <p>5 _____</p> <p>_____</p> <p>6 _____</p> <p>7 _____</p> <p>_____</p> <p>8 _____</p> <p>_____</p> <p>9 _____</p> <p>_____</p> <p>_____</p>

Trailer Tow Package	Factory installed trailer tow package to include towing brake system with hand valves mounted in the cab and with air lines plumbed to the end of the frame for trailer connections with 7-way electrical connector.	Describe: _____ _____ _____ _____
Brake System	<ol style="list-style-type: none"> Brakes: <ol style="list-style-type: none"> Front: Disc brakes with ABS system. Rear: Drum brakes with ABS system. Bendix 4S/ 4M ABS brake system, with automatic traction control. Service brake: Dual air system. Parking brake: MGM Spring 30/30 brake chambers. Air Compressor: 15.8 cfm. Bendix 921 with DV-2 automatic air tank drains. Wabco system saver 1200 air dryer or equal. Automatic slack adjusters with travel indicators. Enhanced stability control. 	Describe: 1 _____ A _____ B _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____ 8 _____
Steering	Manufacturer's standard power steering for the truck being bid with tilting and telescoping steering column.	Describe: _____ _____
Suspension	<ol style="list-style-type: none"> Front axle: 12,000 lb. Front springs: 12,000 lb. capacity at ground, with threaded spring pin bushings. Rear springs: 23,500 lb. capacity at ground. Rear axle 21,000 lb. capacity. Rear axle speed: Single. Rear axle ratio: Governed to 65 mph. Rear axle manufacturer: The manufacturing standard. Stabilizer bar(s): required. Shocks: Front and Rear: Heavy duty, Monroe Magnum Series 70 or equivalent. Wheel Seals: Oil type on all axles. 	Describe: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____ 8 _____ 9 _____ 10 _____
Frame	<p>The City of Tulsa will not accept any frame lengthening modifications.</p> <ol style="list-style-type: none"> Section modules: 21.0 Yield strength: 120,000 lb. RBM. 2,500,000 minimum. Frame height: 50 inches maximum. Frame shall be clear frame from back of cab to front of rear wheels for mounting service body. 	Describe: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ _____ _____

Wheelbase	As required for mounting body and accessories specified in options section. State wheelbase.	Describe: _____ _____ _____
Wheels	<ol style="list-style-type: none"> 1. Front size: 22.5 X 8.25. 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25. 4. Rear type: 10-hole, hub piloted. 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange. 	Describe: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____
Tires	<p>NOTE: Tires must meet or exceed the weight rating of the front and rear axles.</p> <ol style="list-style-type: none"> 1. Front size: 11R22.5 14 ply. 2. Front, tread design: hwy. radial. 3. Rear size: 11R22.5 14 ply. 4. Rear, tread design: Mud and snow radial. 5. Spare: See options. 	Describe: _____ 1 _____ 2 _____ 3 _____ 4 _____ 5 _____
Fuel Tank(s)	<ol style="list-style-type: none"> 1. Quantity: One (1). 2. Capacity: 50 gallons. 3. Type and construction: Aluminum 4. Note: Specify if fuel tank, exhaust, air dryer, etc. are mounted in such a way as to protrude behind the cab or rearward of cab and frame. 5. State DEF tank size. DEF tank shall be mounted forward of the fuel tank for protection. 	Describe: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____
Undercoating	As per manufacturer's standard	Describe: _____
Paint	Manufacturer's standard white, base coat-clear coat paint process.	Describe: _____ _____ _____
Bumper	<ol style="list-style-type: none"> 1. Front: 3/16-inch formed steel; powder coated gray. 2. Include two (2) front tow hooks 	Describe: 1 _____ 2 _____
Options	Dimensions below are for clean and clear frame rail and cab to axle (CA). No exhaust mounting behind the cab to be installed that will interfere with the body mounting. Include any and all costs in Your bid for a clean CA	Describe: State the cab to axle requirement for Your vehicle to allow the bodies specified to be mounted. Example: if the body the City wants to mount requires an 84-inch CA and Your vehicle must utilize 24 inches of space behind the cab for exhaust pipes or CNG fuel tanks, etc. then state the total CA for Your vehicle at 108 inches. Do this for each body listed.

<p>and SCR exhaust mounting for the items below.</p> <p>Include chassis diagram detailing mounting.</p> <ol style="list-style-type: none"> 1. Contractor's dump, stake and service bodies as shown. <ol style="list-style-type: none"> A. 84-inch CA with diesel engine. B. 84-inch CA with CNG engine. C. 108-inch CA with diesel engine. D. 108- inch CA with CNG engine. E. 120-inch CA with diesel engine. F. 120-inch CA with CNG engine. G. 150-inch CA with diesel engine. H. 150-inch CA with CNG engine. 2. Crew Cab with four (4) full doors and seating with seat belts. 3. Heated windshield. 4. Pre-trip switch. 5. Espar Airtronic cab heater model D2 or equivalent. 6. Air cab blower with tire inflator. 7. 10-hole, hub piloted wheel with mounted spare. <ol style="list-style-type: none"> A. Hwy tread, radial. B. Mud and snow tread, radial. 8. 50-gallon capacity square "D" style fuel tank mounted. 9. Engine brake and exhaust system. 10. Rear air disc brakes w/ABS. 11. Center console with writing surface. 12. Two (2), person passenger seat with 2 high visibility seat belts, orange preferred. 13. Collision warning system. Vorad VS-400 or Bendix Wingman ACB or equivalent. 14. Blind spot warning system. Vorad or Bendix Blindspotter or equivalent. 15. Backup Camera with display mounted within the cab. 16. Extended warranty for five (5) years 150,000 miles on: (Items listed are for reference and should not be limited to. Provide a complete list of what is covered). <ol style="list-style-type: none"> A. Engine, engine electronics, turbo and injectors. B. Exhaust After-treatment C. Transmission. D. Chassis electronics, including wiring harnesses. (Provide complete information on what is covered). 17. 320 hp. CNG factory warrantied engine in place of a diesel engine. All other items listed in the diesel engine section 	<ol style="list-style-type: none"> 1 _____ A _____ B _____ C _____ D _____ E _____ F _____ G _____ H _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____ A _____ B _____ 8 _____ 9 _____ 10 _____ 11 _____ 12 _____ 13 _____ 14 _____ 15 _____ 16 _____ A _____ B _____ C _____ D _____ 17 _____
---	---

[illegible]

Item #2

46,000 lb. GVW Dual Rear Wheels, 2-door Conventional Cab Chassis

Section 1 Item 2		Section 2 Bidder's Proposal
	Specifications (minimum)	
Equipment	Current year model, 46,000 lb. GVW. Dual rear wheel, 2-door conventional, cab chassis with air ride cab, utilized for installing 5 cubic yard dump bodies.	Describe: Year _____ Manufacturer _____ Model _____ _____
Gross Vehicle Weight	46,000 lb. GVW	Describe: GVW _____
Cab to Axle	84-inch Cab to axle, clear frame from back of cab to front of rear wheels.	Describe: _____ _____
Cab	1. Style: 2- door conventional cab chassis with air ride cab. 2. Seat(s): Air ride driver's seat and air ride companion seat with high visibility seat belts, orange preferred. 3. Seat covering: Heavy duty vinyl. 4. Sunvisors: One (1) LH. and One (1) RH. 5. Door arm rests: One (1) LH and one (1) RH.	Describe: 1 _____ 2 _____ _____ 3 _____ 4 _____ 5 _____ _____

	<p>6. Interior lighting: Dome light with door activated switch.</p> <p>7. Windshield Wipers: Electric 2-speed with intermittent and dual washer nozzles.</p> <p>8. Mirrors: Exterior, remote control, heated, breakaway type. 7-inch X 15 inch approx. with large 7-inch convex mirrors mounted on both sides.</p> <p>9. Front fender mounted 7-inch convex mirrors, both sides.</p> <p>10. Air conditioning: Factory installed through-dash type with electronic diagnostic and protection system.</p> <p>11. Gauges: Full gauge package with factory audible alarms and warning lights.</p> <p>A. Transmission temp gauge and warning light.</p> <p>B. Tachometer.</p> <p>C. Oil pressure gauge.</p> <p>D. Air pressure gauge.</p> <p>E. Speedometer.</p> <p>F. Hour Meter wired to the ECM.</p> <p>G. Coolant temp gauge.</p> <p>Include the following:</p> <p>12. 12-volt, power port, and USB charging port (can be part of the radio).</p> <p>13. Full headliner</p> <p>14. Full rubber floor covering.</p> <p>15. Factory installed AM/FM weather radio.</p> <p>16. Factory tinted glass through-out.</p> <p>17. Tilting hood.</p> <p>18. Interior and exterior grab handles to aid easier entry into cab, mounted on both sides.</p> <p>19. Dual air horns.</p> <p>20. Five (5) auxiliary switches located within easy access to the driver, mounted in dash located in cab to accommodate body and accessory connections.</p>	<p>6 _____</p> <p>7 _____</p> <p>8 _____</p> <p>9 _____</p> <p>10 _____</p> <p>11 _____</p> <p>A _____</p> <p>B _____</p> <p>C _____</p> <p>D _____</p> <p>E _____</p> <p>F _____</p> <p>G _____</p> <p>12 _____</p> <p>13 _____</p> <p>14 _____</p> <p>15 _____</p> <p>16 _____</p> <p>17 _____</p> <p>18 _____</p> <p>19 _____</p> <p>20 _____</p>
Engine	<p>1. Diesel powered: Manufacturer and Model. Cummins ISL9 preferred.</p> <p>2. Displacement: 8.8 Liters minimum</p> <p>3. Horsepower: 370 hp. Minimum.</p> <p>4. Torque: 1250 @ 1,400 rpm. Minimum.</p> <p>5. Emissions: DPF/SCR/DEF type. Must meet 2021 Greenhouse emission standards.</p> <p>6. Air cleaner: Dry type, dual, replaceable elements.</p> <p>7. Oil filter: Spin-on type.</p>	<p>Describe:</p> <p>1. <u>Manufacturer</u></p> <p><u>Model</u></p> <p>2 _____</p> <p>3 _____</p> <p>4 _____</p> <p>5 _____</p> <p>6 _____</p> <p>7 _____</p>

	8. Fuel filter: cartridge or in line-type. 9. 110 Volt, 1,250-Watt block heater, to be labeled and mounted under the driver's door. 10. Water separator: In-line, Racor or equal with heater and warning light, with drain valve. Water Fuel separator shall be mounted under the hood. 11. Exhaust system: Horizontal with vertical turn out tailpipe at the top, mounted to the side of the cab so as not to interfere with dump and service body installation. The City of Tulsa will not accept and exhaust system or other entity that requires dump body or service body to be mounted away from the cab to accommodate those items. A clean and clear top frame rail is requested as well as side frame rail to accommodate a hydraulic tank installation. 12. Electronic overspeed protection for PTO. 13. Electronic engine shutdown/derate system for low oil pressure, coolant temperature and coolant level.	8 _____ 9 _____ _____ 10 _____ _____ _____ 11 _____ _____ _____ _____ _____ _____ 12 _____ 13 _____ _____ _____
Transmission	1. Manufacturer: Allison preferred. 2. Model No.: 3000RDS. 3. Type: Automatic with synthetic lube. 4. Speed: Six (6) speeds, with overdrive. 5. PTO provision. 6. Fluid cooler to be included.	Describe: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____
Tractive Effort	State the following: 1. 1 st gear ratio: 2. Torque converter ratio: 3. Rear axle ratio:	Describe: 1 _____ 2 _____ 3 _____
Cooling System	1. Radiator: Largest capacity available from the manufacturer. State size. 2. Coolant recovery system to be included. 3. Extended life antifreeze to be included. 4. Complete cooling system should be mounted on top of the frame rails; nothing for the cooling system should hang below the frames.	Describe: 1 _____ _____ 2 _____ 3 _____ 4 _____ _____ _____
Electrical System	1. 12-volt system. 2. Batteries: A. Quantity: As required. B. CCA. Total: 1,800. 3. Main battery cut off switch, mounted in cab by the driver's seat.	Describe: 1 _____ 2 _____ A _____ B _____ 3 _____ _____

	<p>4. Alternator: 160 Amp minimum. Brushless.</p> <p>5. Include all lights and reflectors to comply with all Federal and Oklahoma state laws for 24- hour operation on all highways.</p> <p>6. All stop turn and marker lights to be LED.</p> <p>7. Must provide manufacturers separate electronic junction box for additional wiring of body attachments.</p> <p>8. Battery Tender with plug in mounted below driver's door. Kussmaul, Auto Charge 1000 Preferred.</p> <p>9. Battery heater pad to be installed and wired to the same plug in for the battery tender. Heater pad to be 120 Volt, 200 Watts with a preset heater to maintain the batteries at 80 degrees Fahrenheit.</p>	<p>4 _____</p> <p>5 _____</p> <p>_____</p> <p>6 _____</p> <p>7 _____</p> <p>_____</p> <p>8 _____</p> <p>_____</p> <p>9 _____</p> <p>_____</p> <p>_____</p>
Trailer Tow Package	<p>Factory installed trailer tow package to include towing brake system with hand valves mounted in the cab and with air lines plumbed to the end of the frame for trailer connections with 7-way electrical connector.</p>	<p>Describe:</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>
Brake System	<p>1. Brakes:</p> <p>A. Front: Disc brakes ABS brake system.</p> <p>B. Rear: Drum brakes with ABS brake system</p> <p>2. Service brake: Dual air system, 4S/4M, with automatic traction control.</p> <p>3. Parking brake: MGM Spring 30/30 brake chambers.</p> <p>4. Air Compressor: 15.8 cfm. Bendix 921 with DV-2 automatic air tank drains.</p> <p>5. Wabco system saver 1200 air dryer or equal.</p> <p>6. Automatic slack adjusters with travel indicators.</p> <p>7. Enhanced stability control.</p>	<p>Describe:</p> <p>1 _____</p> <p>A _____</p> <p>B _____</p> <p>2 _____</p> <p>3 _____</p> <p>4 _____</p> <p>5 _____</p> <p>6 _____</p> <p>7 _____</p>
Steering	<p>Manufacturer's standard power steering with dual steering gears for the truck being bid with tilting and telescoping steering column.</p>	<p>Describe:</p> <p>_____</p> <p>_____</p> <p>_____</p>
Suspension	<p>1. Front axle: 20,000 lb. forward set axle.</p> <p>2. Front springs: 20,000 lb. capacity at ground, with threaded spring pin bushings.</p> <p>3. Rear springs: 26,000 lb. capacity at ground, vocational style suspension.</p> <p>4. Rear axle 26,000 lb. capacity. Meritor RS23161 with 12.5 mm wall thickness preferred.</p>	<p>Describe:</p> <p>1 _____</p> <p>2 _____</p> <p>3 _____</p> <p>4 _____</p> <p>_____</p>

	5. Rear axle speed: Single. 6. Rear axle ratio: Governed to 65 mph. 7. Rear axle manufacturer: Meritor preferred. 8. Auxiliary springs: Multi-leaf 4,500 lb. capacity. 9. Stabilizer bar(s): required. 10. Front and rear heavy-duty shocks, Monroe Magnum Series 70 or equivalent. 11. Wheel Seals: Oil type on all axles.	5 _____ 6 _____ 7 _____ 8 _____ 9 _____ 10 _____ 11 _____
Frame	The City of Tulsa will not accept any frame lengthening modifications. 1. Section modules: 27.3 2. Yield strength: 120,000 lb. 3. RBM. 3,200,000 minimum. 4. Clear frame from back of the cab to front of the rear wheels for mounting of tool box, 18 inches deep x 36 inches wide x 18 inches tall. The driver's side will need to be clear for the mounting of the hydraulic control system, 22 inches deep x 30 inches wide x 25 inches tall. All measurements approx.	Describe: 1 _____ 2 _____ 3 _____ 4 _____ _____ _____ _____ _____ _____
Wheelbase	As required for mounting body and accessories specified in options section. State wheelbase.	Describe: _____ _____
Wheels	1. Front size: 22.5 X 9.00. 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25. 4. Rear type: 10-hole, hub piloted. 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.	Describe: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ _____
Tires	NOTE: Tires must meet or exceed the weight rating of the front and rear axles. 1. Front size: 315/80R 22.5 20 ply. 2. Front, tread design: hwy. radial. 3. Rear size: 11R22.5 14-ply. 4. Rear, tread design: Mud and snow radial. 5. Spare: See options.	Describe: _____ _____ 1 _____ 2 _____ 3 _____ 4 _____ 5 _____
Fuel Tank(s)	1. Quantity: One (1). 2. Capacity: 50 gallons. 3. Type and construction: Aluminum 4. Note: Specify if fuel tank, exhaust, air dryer, etc. are mounted in such a way as	Describe: 1 _____ 2 _____ 3 _____ 4 _____ _____

	<p>to protrude behind the cab or rearward of cab and frame.</p> <p>5. State DEF tank size. DEF tank shall be mounted forward of the fuel tank for protection.</p>	<p>_____</p> <p>_____</p> <p>5 _____</p> <p>_____</p> <p>_____</p>
Undercoating	As per manufacturer's standard	<p>Describe:</p> <p>_____</p>
Paint	Manufacturer's standard white, base coat-clear coat paint process.	<p>Describe:</p> <p>_____</p> <p>_____</p> <p>_____</p>
Bumper	<p>1. Front: 3/16-inch formed steel, powder coated gray.</p> <p>2. Include a minimum of 1 front frame attached tow loop.</p>	<p>Describe:</p> <p>1 _____</p> <p>_____</p> <p>2 _____</p> <p>_____</p> <p>_____</p>
Options	<p>Dimensions below are for clean and clear frame rail and cab to axle (CA). No exhaust mounting behind the cab to be installed that will interfere with the body mounting. Include any and all costs in Your bid for a clean CA and SCR exhaust mounting for the items below. Include chassis diagram detailing mounting.</p> <p>1. 84-inch CA for 5 yd. dump body with a CNG engine.</p> <p>2. 120-Inch CA for 10 yd. dump body with diesel engine</p> <p>3. 120-inch CA for 10 yd. dump body with a CNG engine.</p> <p>4. Heated windshield.</p> <p>5. Pre-trip switch.</p> <p>6. Espar Airtronic cab heater model D2 or equivalent.</p> <p>7. Air cab blower with tire inflator.</p> <p>8. 10, hole, hub piloted wheel with mounted spare.</p> <p style="padding-left: 40px;">A. Hwy tread, radial.</p> <p style="padding-left: 40px;">B. Mud and snow tread, radial.</p> <p>9. 70-gallon capacity fuel tank mounted.</p> <p>10. Engine brake and exhaust system.</p> <p>11. Rear air disc brakes w/ABS.</p> <p>12. Center console with writing surface.</p> <p>13. Front bumper extension with bumper and headlight switch for snowplow. Bumper extension will be a minimum of 23 inches from the grill and be an integral frame extension. No bolt on extensions will be accepted.</p> <p>14. Cloth seats.</p>	<p>Describe:</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>1 _____</p> <p>_____</p> <p>2 _____</p> <p>_____</p> <p>3 _____</p> <p>_____</p> <p>4 _____</p> <p>5 _____</p> <p>6 _____</p> <p>_____</p> <p>7 _____</p> <p>8 _____</p> <p>_____</p> <p>A _____</p> <p>B _____</p> <p>9 _____</p> <p>10 _____</p> <p>11 _____</p> <p>12 _____</p> <p>13 _____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>14 _____</p>

<p>15. Load scale with display mounted inside the cab.</p> <p>16. Air suspension, suitable for the above GVW.</p> <p>17. Collision warning system. Vorad VS-400 or Bendix Wingman ACB or equivalent.</p> <p>18. Blind spot warning system. Vorad or Bendix Blindspotter or equivalent.</p> <p>19. Backup Camera with display mounted in the cab.</p> <p>20. Extended warranty for five (5) years 150,000 miles on: (Items listed are for reference and should not be limited to. Provide a complete list of what is covered).</p> <p style="padding-left: 40px;">A. Engine, engine electronics, turbo and injectors.</p> <p style="padding-left: 40px;">B. Exhaust After-treatment</p> <p style="padding-left: 40px;">C. Transmission.</p> <p style="padding-left: 40px;">D. Chassis electronics, including wiring harnesses. (Provide complete information on what is covered).</p> <p>21. 320 hp. CNG factory warrantied engine in place of a diesel engine. All other items listed in the diesel engine section in this Specification shall be included. The warranty shall be for a period of 2 years 100,000 miles. State what warranty is provided in terms of years and miles. State items covered, and the duration of coverage and the duration of coverage as outlined in the diesel warranty section.</p> <p style="padding-left: 40px;">A. Extended warranty for five (5) years or 200,000 miles for a CNG engine on the following: Engine, engine electronics, turbo, if installed, injectors and spark ignition.</p> <p>State nearest authorized repair station for entire truck, including the engine and transmission. The City of Tulsa shall expect the Seller to authorize and provide all warranties for the entire cab and chassis and all components installed by the manufacturer or the seller. The City of Tulsa shall not be responsible for obtaining any warranty listed above.</p>	<p>15 _____</p> <p>16 _____</p> <p>17 _____</p> <p>18 _____</p> <p>19 _____</p> <p>20 _____</p> <p>A _____</p> <p>B _____</p> <p>C _____</p> <p>D _____</p> <p>21 _____</p> <p>A _____</p>
--	--

Item #3

60,000 lb. GVW Dual Rear Wheel, 2-door conventional cab

Section 1 Item #3		Specifications (minimum)	Section 2 Bidder's Proposal
Equipment		Current year model 60,000 lb. GVW, tandem, dual rear wheels, 2-door conventional cab chassis with air ride cab utilized for installing dump body applications.	Describe: Year _____ Manufacturer _____ Model _____ _____
Gross Vehicle Weight		Minimum 60,000 lb.	Describe: _____
Cab		<ol style="list-style-type: none"> Style: 2-door conventional cab chassis with air ride cab. Seat (s): Air ride driver's seat with air ride companion seat. Both seats to have high visibility seat belts. Seat covering: Heavy duty vinyl. Sun visors: One (1) LH and one (1) RH. Arm rests: One (1) LH and one (1) RH. Interior lighting: Dome light with door activated switch. Windshield wipers: Electric 2-speed intermittent with dual washers. Mirrors: Exterior, remote control, heated breakaway type. 7-inch X 15-inch approx. with 7-inch large convex mirror mounted on each side. Front fender mounted 7-inch convex mirrors, both sides. Air conditioning: Factory installed, through-dash type, with electronic diagnostic and protection system. Gauges: Full gauge package with factory audible alarms and lights. <ol style="list-style-type: none"> Transmission temp gauge and warning light. Tachometer. Oil Pressure Gauge. Air pressure gauge. Speedometer. Hour meter wired to the ECM. Coolant temperature gauge. Battery charge indicator. <p>Include the following:</p> <ol style="list-style-type: none"> 12-volt Power point and USB charging port. 	Describe: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____ 8 _____ 9 _____ 10 _____ 11 _____ A _____ B _____ C _____ D _____ E _____ F _____ G _____ 12 _____ 13 _____

	<ol style="list-style-type: none"> 14. Full head liner. 15. Full rubber floor covering. 16. Factory installed AM/FM weather radio. 17. High heat warning light for transmission temperature. 18. Factory tinted glass throughout. 19. Tilting hood. 20. Interior and exterior grab handles mounted on both sides to aid in easier entry into cab. 21. Dual air horns. 22. Five (5) auxiliary switches within easy access to the driver, mounted in the dash to accommodate body and accessory connections. 	<ol style="list-style-type: none"> 14 _____ 15 _____ 16 _____ 17 _____ 18 _____ 19 _____ 20 _____ 21 _____ 22 _____
Engine	<ol style="list-style-type: none"> 1. Diesel powered: Manufacturer and Model. Cummins preferred. 2. Displacement: 11.9 liters minimum. 3. Horsepower: 450 hp. Minimum. 4. Torque: 1,500 @ 1,100 rpm. Minimum. 5. Emissions: DPF/SCR/DEF type. Must meet 2021 Greenhouse emission standards. 6. Air cleaner: Dry type, dual, replaceable elements. 7. Oil filter: Spin-on type. 8. Fuel filter: cartridge or in line-type. 9. 110 Volt, 1,250-Watt block heater, to be labeled and mounted under the driver's door. 10. Water separator: In-line, Racor or equal with heater and warning light, with drain valve. Water/Fuel separator to be mounted under the hood. 11. Fuel cooler shall be mounted on the inside of the frame. 12. Exhaust system: Horizontal with vertical turn out tailpipe at the top, mounted to the side of the cab that that will not interfere with dump body installation. The City of Tulsa will not accept an exhaust system or other entity that requires dump body be mounted away from the cab to accommodate those items. A clean and clear top frame rail is requested as well as side frame rail to accommodate hydraulic tank. 13. Electronic overspeed protection for PTO. 14. Electronic engine shutdown/derate system for low oil pressure, coolant temperature and coolant level. 	<p>Describe:</p> <ol style="list-style-type: none"> 1. <u>Manufacturer</u> _____ <u>Model</u> _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____ 8 _____ 9 _____ 10 _____ 11 _____ 12 _____ 13 _____ 14 _____

	15. Engine fan: Direct drive type, two speeds with residual torque device for disengaged fan speed.	15 _____ _____
Transmission	<ol style="list-style-type: none"> 1. Manufacturer: Allison preferred. 2. Model No.: 4500RDS. 3. Type: Automatic with synthetic lube. 4. Speed: Six (6) speeds with overdrive. 5. PTO provision. 6. Fluid cooler to be included. 7. XL driveshaft. 	Describe: 1 _____ 2 _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____
Tractive Effort	State the following: <ol style="list-style-type: none"> 1. 1st gear ratio: 2. Torque converter ratio: 3. Rear axle ratio. 	Describe: 1 _____ 2 _____ 3 _____
Cooling System	<ol style="list-style-type: none"> 1. Radiator: Largest capacity available from the manufacturer. State size. 2. Coolant recovery system: to be included. 3. Extended life antifreeze to be included. 	Describe: 1 _____ 2 _____ 3 _____
Electrical System	<ol style="list-style-type: none"> 1. 12-volt system. 2. Batteries: <ol style="list-style-type: none"> A. Quantity: As required. B. CCA. Total: 1,800 minimum. 3. Main battery cut off switch, mounted in cab by the driver's seat. 4. Alternator: 160-Amp minimum brushless. 5. Include all lights and reflectors to comply with all Federal and Oklahoma state laws for 24-hour operation on all highways. 6. All lights, stop, turn and marker lights to be LED. 7. Must provide manufacturers separate electronic junction box for additional wiring of body attachments. 8. Battery Tender with plug in mounted below driver's door. Kussmaul Auto Charge 1000 preferred. 9. Battery heater pad to be installed and wired to the same plug in for the battery tender. Heater pad to be 120 Volt 200 Watts with a preset heater to maintain the batteries at 80 degrees Fahrenheit. 10. Jump start stud located on battery box. 	Describe: 1 _____ 2 _____ A _____ B _____ 3 _____ 4 _____ 5 _____ 6 _____ 7 _____ 8 _____ 9 _____ 10 _____
Trailer Tow Package	Factory installed trailer tow package to include towing brake system with hand valve	Describe: _____ _____

	and with air lines plumbed to end of frame. Electrical system to be plumbed to end of frame for trailer connections with 7-way electrical connector.	_____ _____ _____ _____
Brake System	<ol style="list-style-type: none"> 1. Bendix 6S/ 6M ABS brake system. 2. Service brakes: Full air system, all axles Front: Air disc brakes with ABS. Rear: Drum brakes, 16-1/2-inch X 8-inch cam rear. 3. Parking brake: MGM 3030 brake chambers spring with release valve both rear axles. 4. Air compressor: 18.7 cfm (minimum) compressor with DV-2 automatic air tank drains. 5. Dust shields front and rear. 6. Wabco system saver 1200 model air dryer. 7. Automatic slack adjusters with travel indicators. 8. Enhanced stability control 	Describe: 1 _____ 2 _____ _____ _____ 3 _____ _____ _____ 4 _____ _____ _____ 5 _____ 6 _____ _____ 7 _____ _____ 8 _____
Suspension	<ol style="list-style-type: none"> 1. Front axle: 20,000 lb. Dana Spicer or equal. 2. Dual steering gears. 3. Front spring: 20,000 lb. capacity at ground. 4. Rear springs: 40,000 lb. capacity at ground. 5. Rear axle: 40,000 lb. with 200 wheel ends and a minimum of 11 mm. thick walls, Dana Spicer or equal with synthetic lube. 6. Rear axle speed: Single. 7. Rear axle ratio: Governed to 65 mph. 8. Rear axle: Must be an articulating type suspension equal to Hendricks HMX-400 with transverse rods. 9. State standard axle warranty. 10. Front and rear heavy-duty shocks, Monroe Magnum Series 70 or equivalent. 11. Wheel seals: Oil type on all axles. 	Describe: 1 _____ _____ 2 _____ _____ 3 _____ _____ 4 _____ _____ 5 _____ _____ 6 _____ _____ 7 _____ _____ 8 _____ _____ 9 _____ _____ 10 _____ _____ 11 _____
Frame	The City of Tulsa will not accept any frame lengthening modifications. <ol style="list-style-type: none"> 1. Section modules: 27.3 2. Yield strength: 120,000 lb. 3. RBM. 3,200,000 minimum. 4. Clear frame from back of cab to the front of the rear tandems for mounting of toolbox, 18-inches deep x 36-inches wide 	Describe: _____ _____ 1 _____ 2 _____ 3 _____ 4 _____ _____ _____ _____

	x 18-inches tall. The driver's side will need to be clear for the mounting of the hydraulic control system, 22-inches deep x 30- inches wide x 25-inches tall for dump trucks. All measurements approx.	_____ _____ _____ _____
Wheelbase and Cab to Axle Dimensions	To be compatible with equipment being bid (See Options).	Describe: _____ _____
Steering	Manufacturer's standard power steering for the truck being bid with tilting and telescoping steering column.	Describe: _____ _____
Wheels	<ol style="list-style-type: none"> 1. Front size: 22.5 X 9.00 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted. 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange. 	Describe: <ol style="list-style-type: none"> 1 _____ 2 _____ 3 _____ 4 _____ 5 _____
Tires	<p>NOTE: Tires must meet or exceed the weight rating of the front and rear axles.</p> <ol style="list-style-type: none"> 1. Front size: 315/80 R22.5, 20-ply. 2. Front, tread design: Radial, highway tread. 3. Rear size: 11R22.5, 14-ply. 4. Rear, tread design: Radial, Mud and snow. 5. Spare: See options. 	Describe: <ol style="list-style-type: none"> 1 _____ 2 _____ 3 _____ 4 _____ 5 _____
Fuel Tank (s)	<ol style="list-style-type: none"> 1. Quantity: One (1) 70-gallon tank. May be oval or round. 2. Type of construction: Aluminum. 3. State proposed DEF tank size. DEF tank shall be mounted forward of the fuel tank for protection. <p>Note: Bidder must specify if any fuel tank, exhaust air dryers, etc. are mounted in such a way as to protrude behind the cab or rearward of cab on frame.</p>	Describe: <ol style="list-style-type: none"> 1 _____ 2 _____ 3 _____ _____ _____ _____ _____ _____ _____ _____ _____ _____
Undercoating	As per manufacturer's standard	Describe: _____ _____
Paint	Manufacturer's standard white, base coat-clear coat paint process.	Describe: _____ _____ _____

Bumpers	1. Front: 3/16-inch formed steel powder coated gray. Include one (1) front, frame attached, tow loop.	Describe: _____ _____ _____
Options	1. Dimensions below are for clean and clear frame rail and cab to axle (CA). No exhaust mounting behind the cab to be installed that will interfere with the body mounting. Include any and all costs in Your bid for a clean CA and SCR exhaust mounting for the items below. Include chassis diagram detailing mounting. A. 120-inch CT for ten (10) cubic yard steel dump bed with diesel engine. B. 120-inch CT for ten (10) cubic yard steel dump bed with CNG engine. C. 126-inch CT for thirteen (13) cubic yard steel dump bed with diesel engine. D. 126-inch CT for thirteen (13) cubic yard steel dump bed with CNG engine. E. 138-inch CT for fourteen (14) cubic yard steel dump bed with diesel engine. F. 138-inch CT for fourteen (14) cubic yard steel dump bed with CNG engine. G. 144-inch CT for thirteen (13) cubic yard dump with drop axle with diesel engine. H. 144-inch CT for thirteen (13) cubic yard dump with drop axle with CNG engine. 2. Transmission, 13 speed, Eaton Ultrashift automated, with PTO provision. 3. Pusher axle: Steerable Watson-Chalin type 13.2 K single tire pusher axle with 255/70R22.5 tires. Location: At least 97-inches from center line of rear drive axle. Steerable pusher aluminum hubs. Steerable pusher S-cam 15-inches x 4-inches brakes. Steerable pusher automatic slack adjusters. Steerable pusher low maintenance hub package. NOTE: Tires must meet or exceed the weight rating of the pusher axle. 4. Heated windshield. 5. Pre-trip switch. 6. Espar Airtronic cab heater model D2 or equivalent.	Describe: 1 _____ _____ _____ _____ _____ _____ _____ A _____ B _____ C _____ _____ D _____ E _____ _____ F _____ G _____ _____ H _____ _____ 2 _____ 3 _____ _____ _____ _____ _____ _____ 4 _____ 5 _____ _____ 6 _____

7. Air cab blower and tire inflator.	7 _____
8. 10-hole, hub piloted spare tire and wheel mounted	8 _____
A.Radial, highway tread.	A _____
B.Radial Mud and Snow tread.	B _____
9. 70-gallon Square "D" type capacity fuel tank.	9 _____
10. Engine brake and exhaust brake.	10 _____
11. Rear air disc brakes w/ABS.	11 _____
12. Front bumper extension with bumper and headlight switch for snowplow. Bumper extension will be a minimum of 23-inches from the grill and be integral frame extension. No bolt on extensions accepted.	12 _____
13. Cloth seats.	13 _____
14. Center console with writing surface.	14 _____
15. Load scale with display mounted inside the cab.	15 _____
16. Air suspension, suitable for the above GVW.	16 _____
17. Driver controlled differential Lock on both axles.	17 _____
18. Collision warning system. Vorad VS-400 or Bendix Wingman ACB or equivalent.	18 _____
19. Blindspot warning System, Vorad or Bendix Blindspotter or equivalent.	19 _____
20. Backup Camera.	20 _____
21. Extended warranty of 5 years or 150,000 miles on the following: (Items listed are for reference and should not be limited to. Provide a complete list of what is covered).	21 _____
A. Engine, engine electronics, turbo and injectors.	A _____
B. Exhaust after treatment.	B _____
C. Transmission.	C _____
D. Chassis electronics, including wiring harnesses. (Provide a list of what is covered)	D _____
22. 320 HP CNG factory warrantied engine in place of a diesel engine. All other items listed in the diesel engine section in this Specification shall be included. The warranty shall be for a period of 2 years with unlimited miles. State what warranty is provided in terms of years and miles. State items covered, and the duration of coverage as outlined in diesel warranty section.	22 _____

	<p>A. Extended warranty for 5 years or 200,000 miles for a CNG Engine on the following: (Provide a complete list of what is covered) Engine, engine electronics, turbo if installed, injectors and/or spark ignition.</p> <p>State nearest authorized repair station for entire truck, including the engine and transmission. The City of Tulsa shall expect the Seller to authorize and provide all warranties for the entire cab and chassis and all components installed by the manufacturer or the seller. The City of Tulsa shall not be responsible for obtaining any warranty listed above.</p>	<p>A _____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>
--	---	---

REMAINDER OF PAGE INTENTIONALLY LEFT BLANK

III. BID SUBMISSION INSTRUCTIONS AND INFORMATION

1. **Bidder Registration:** To ensure timely updates and alerts about business opportunities with the City, interested Bidders should register as a Bidder with the City. To register, interested Bidders should complete the City's online vendor registration form ([linked here](#)). If You have any questions, email Jina Djahedian at purchasing@cityoftulsa.org or check the City's "[Selling to the City](#)" Website.
2. **Pre-Bid Conference:** If a pre-Bid conference is required, see the first page for time and location.
No Pre-Bid Conference
3. **Questions and Concerns:** As You prepare Your Bid response, You may have questions or points of clarification around this Solicitation. Any questions or comments about this Invitation for Bid must be sent via e-mail to the buyer listed on the first page "Assigned Buyer" and be received at least **10 Days prior to the Bid Submission Date**. Please include the IFB Bid number (as indicated on the title page) on all communications. Bidders may only communicate with the City through the Assigned Buyer – communication with other City staff could result in disqualification.
4. **Issuing of Addenda:** The City may addend or amend its IFB at any time before the Bid Submission Date. In addition to registering as a Bidder with the City, Bidders can check the "Purchasing Bid Opportunities & Results" page on the City Website for the latest updates ([linked here](#)). Any such amendments shall become a part of the Agreement. You must acknowledge receipt of any Addenda or Amendments by writing in the issued Addenda numbers on Exhibit A – Delivery and Pricing. City may reject any Bid that fails to acknowledge any Addenda or Amendments.
5. **Submission and Receipt of Bids:** The City requires two completed Invitation for Bids: 1 Original and 1 Copy. Each must be clearly labeled on the front sheet indicating "Original" or "Copy." Use the Bidder Checklist to ensure Your Bid includes all required components. If a copy on electronic media is also required, the box below will be checked.

☐ Electronic Copy also required.

Bids must be received no later than 5:00 PM (CST) on the Bid Submission Date (see first page) and delivered to:

**City of Tulsa - City Clerk's Office
175 East 2nd Street, Suite 260
Tulsa Oklahoma 74103**

Bids must be sealed and either mailed or delivered. The package, container, or envelope should contain both of Your completed Bids, the original and the copy. Please use the provided label on the last page of this IFB to clearly write the Bidder's legal name and Bid number on the outside of the package, container, or envelope. No faxed or emailed Bids will be considered.

Bids received after the stated date and time **will not be accepted**. The timestamp clock located at the City Clerk's Office on the second floor of City Hall at 175 East 2nd Street, Suite 260, Tulsa, Oklahoma, 74103 is the City's official bid clock for this IFB. Timeliness of Bid submittals will be determined using only this clock.

Exceptions to Timeliness Requirement

The Purchasing Agent, at his/her sole discretion, may make exceptions only for the following reasons:

- City Hall closed for business for part or all of the day on the date the response was due;
- If the Purchasing Agent deems it appropriate due to large-scale disruptions in supply chains and the transportation industry that may have prevented delivery as required;
- If documented weather conditions caused the late delivery. You must provide documentation of such weather to the satisfaction of the Purchasing Agent.

In the event that the Bid submittal is delivered after the time specified and does not meet the exceptions listed above, the Bid will not be accepted and the submittal envelope will not be opened.

The City will not be liable for delays in delivery of Bids to the City due to handling by the U.S. Postal Service, or any other type of delivery service. The City reserves the right to postpone the date and time for submittal of Bids at any time prior to the Bid Opening Date or to delay or reschedule the Bid Opening Date for its own convenience.

The City reserves the right to cancel, revise, or amend this IFB and associated bidding documents up to the time specified for receipt of Bids.

6. **Bid Opening**: All Bid openings are public and take place at 8:30 a.m. Thursday, the day after Bids are due. The Bid openings are held in the City of Tulsa Council Meeting Room, 175 East 2nd Street, 2nd Floor, Tulsa, Oklahoma.

THE REMAINDER OF THIS PAGE INTENTIONALLY LEFT BLANK.

IV. BID EVALUATION AND AWARD

1. **Bid Evaluation**: The Assigned Buyer and departmental staff will work together to determine the winning Bid. Generally speaking, the Bid award will go to the **Lowest Secure Bidder: the Supply or Service that can best meet the City's needs at the lowest cost**. In addition to price and specifications, the Buyer and departmental staff may also evaluate Bidder history and experience, delivery time, maintenance requirements, and performance data, among other factors.
2. **Bid Rejection or Withdrawal**: The City may reject any or all Bids in whole or in part. Reasons a Bid may be rejected include, but are not limited to the following:
 - A submitted Bid does not contain all the necessary materials, signatures, and/or affidavits (listed on the included checklist);
 - The Bid does not meet specifications and requirements in some material way;
 - The Bidder holds outstanding debt to the City;
 - The Bidder adds additional terms and conditions that modify IFB requirements or attempt to limit Bidder's liability to the City.

City reserves the right to waive minor deficiencies of specifications, technicalities or informalities in a Bid, provided that the best interest of the City would be served without prejudice to the rights of other Bidders. Bid withdrawal, meanwhile, may only be accomplished by having an Authorized Agent request the withdrawal in person at the City Clerk's office before the City's close of business on the Bid Submission Date.

3. **Bid Award Recommendation and Appeal**: Upon confirming the Bid recommended for selection, the Assigned Buyer will email all participating Bidders a memo announcing the recommended Bid. This email will also share the time, date, and virtual meeting link for the Standard, Specifications, and Award (SSA) committee meeting where the Bid award recommendation will be reviewed.

If approved by SSA, the award recommendation is then sent to the Mayor for the Mayor's final approval. SSA meetings are held Thursdays at 8:30am in the City of Tulsa Council Meeting Room, 175 East 2nd Street, 2nd Floor, Tulsa, Oklahoma. The meeting will be held on a given Thursday at 8:30 am, depending on when the Bid award has been determined. During this meeting, Bidders who are not recommended for award can issue an appeal and ask that the Bid award be reconsidered. Bidders who are not recommended for award can also email the Assigned Buyer prior to the SSA meeting if they have any questions or concerns regarding the award recommendation.

If/when the Bid award is approved by the SSA committee, the City will make available on the City's Purchasing Website a summary of Bids received generally within 5 working days after the Bid Opening Date. After a Bid award is recommended to the Mayor, a copy of the Bid summary will be available in the City Clerk's Office. Bid results are not provided in response to telephone or email inquiries. All Bid awards are subject to Acceptance by the City.

V. BID PROCESSING

1. **Forms, Notice to Proceed, and Irrevocability of Offer:** If the City Accepts Your Bid, You will have ten (10) Days from notification of the Acceptance to provide a completed IRS form W-9. You cannot start work until authorized to do so by the Purchasing Agent or a representative.

Bidder understands and acknowledges that the offer submitted as the Bid is firm and irrevocable from the City's close of business on the Bid Submission Date until the date the City Accepts the Bid or 365 Days after the Bid Opening Date, whichever is earlier.

2. **Purchase Order Without Contract:** If the successful Bid is less than One Hundred Thousand Dollars (\$100,000), the City, in its sole discretion, may Accept the Bid upon written approval of the Mayor rather than execute the Purchase Agreement. Instead, the City will purchase the Supplies and/or Services by issuing a purchase order. In any event, the terms of this IFB will govern the transaction and be enforceable by the City and Seller.

3. **Insurance:**

Yes: ☒

No: ☐

Seller and its subcontractors must obtain at Seller's expense and keep in effect so long as City is purchasing Supplies or Services from Seller pursuant to this Bid, policies of insurance in the minimum amounts set forth below and Workers' Compensation and Employer's Liability insurance in the statutory limits required by law.

General Liability: personal injury and property damage, each occurrence	\$1,000,000.00
Automobile Liability: Combined Single Limit (CSL), each occurrence	\$1,000,000.00
Workers' Compensation	(Statutory limits)

Seller's insurer must be authorized to transact business in the State of Oklahoma. Seller will have 10 Days after notification that its Bid was Accepted by the City to provide proof of coverage. The Certificate of Insurance must be completed with the following information:

- A. Your name
- B. Insurer's name and address
- C. Policy number
- D. Liability coverage and amounts
- E. Commencement and expiration dates
- F. Signature of authorized agent of insurer

Seller shall not cause any required insurance policy to be cancelled nor permit it to lapse. Failure of the Seller to comply with the insurance requirements may be deemed a breach of the contract.

4. **Bonding:** Yes: ☐ No: ☒

5. **Federal Funding:** Yes: ☐ No: ☒

6. References: If the box is checked "Yes," References are **required**:

Yes: ☒

No: ☐

If yes, number of references required: 2

For each reference, the following information must be included: Company Name, Contact Name, Address, Phone Number, E-Mail Address, and the supplies or services provided.

Company Name:	_____
Contact Name:	_____
Address:	_____
Phone Number:	_____
Email Address:	_____
Description of	_____
Supplies/Services Provided:	_____

Company Name:	_____
Contact Name:	_____
Address:	_____
Phone Number:	_____
Email Address:	_____
Description of	_____
Supplies/Services Provided:	_____

THE REMAINDER OF THIS PAGE INTENTIONALLY LEFT BLANK.

EXHIBIT A – DELIVERY AND PRICING

Bidder's Legal Name: _____
 (Must be Bidder's company name as reflected on its organizational documents, filed with the state in which Bidder is organized)

Delivery: If Your Bid is Accepted, state the number of Days You need to deliver the Supplies and/or to begin providing Services: _____

You must be able to deliver the Supplies and/or Services as specified in Your Bid. Failure to do so may result in City terminating the Agreement and pursuing collection under any performance bond, as well as seeking any other damages to which it may be entitled in law or in equity.

Pricing:

Item	Description	Estimated Annual QTY	Unit Cost	Extended Cost
1.	33,000 gvw Cab Chassis	1	\$ _____	\$ _____
	Options			
	1A. 84-inch CA with Diesel engine.	1	\$ _____	\$ _____
	1B. 84-inch CA with CNG engine.	1	\$ _____	\$ _____
	1C. 108-inch CA with diesel engine.	1	\$ _____	\$ _____
	1D. 108-inch CA with CNG engine.	1	\$ _____	\$ _____
	1E. 120-inch CA with diesel engine.	1	\$ _____	\$ _____
	1F. 120-inch CA with CNG engine.	1	\$ _____	\$ _____
	1G. 150-inch CA with diesel engine.	1	\$ _____	\$ _____
	1H. 150-inch CA with CNG engine.	1	\$ _____	\$ _____
	2. Crew Cab.	1	\$ _____	\$ _____
	3. Heated windshield.	1	\$ _____	\$ _____
	4. Pre-Trip switch.	1	\$ _____	\$ _____
	5. Espar Airtronic cab heater, model D2 or equivalent.	1	\$ _____	\$ _____
	6. Air cab blower with tire inflator.	1	\$ _____	\$ _____
	7A. 10-hole, hub piloted wheel with highway tread mounted spare.	1	\$ _____	\$ _____
	7B. 10-hole, hub piloted wheel with mud & snow tread mounted spare.	1	\$ _____	\$ _____

	8. 50-gallon capacity square "D" style fuel tank mounted.	1	\$ _____	\$ _____
	9. Engine brake and exhaust system.	1	\$ _____	\$ _____
	10. Rear disc brakes w/ABS.	1	\$ _____	\$ _____
	11. Center console with writing surface.	1	\$ _____	\$ _____
	12. Two (2) person passenger seat with two (2) high visibility seat belts, orange preferred.	1	\$ _____	\$ _____
	13. Collision Warning system.	1	\$ _____	\$ _____
	14. Blindspot warning system.	1	\$ _____	\$ _____
	15. Backup Camera	1	\$ _____	\$ _____
	Extended Warranty for 5 years or 150,000 miles on			
	16A. Engine, engine electronics, turbo, and injectors etc.	1	\$ _____	\$ _____
	16B. Exhaust after-treatment.	1	\$ _____	\$ _____
	16C. Transmission.	1	\$ _____	\$ _____
	16D. Chassis electronics, including wiring harness etc. (Provide complete information on what is covered).	1	\$ _____	\$ _____
	17. 320 HP CNG engine with 2-year, 100,000-mile warranty for engine.	1	\$ _____	\$ _____
	17A. Extended warranty for 5-years or 200,000-miles.	1	\$ _____	\$ _____
	Extended sub-total, Item 1(with options)		\$ _____	
Item	Description	Estimated Annual QTY	Unit Cost	Extended Cost
2.	46,000 gvw cab chassis.	1	\$ _____	\$ _____
	Options			
	1. 84-inch CA for 5 YD dump with CNG engine.	1	\$ _____	\$ _____
	2. 120-inch CA for 10 YD dump with diesel engine.	1	\$ _____	\$ _____
	3. 120-inch CA for 10 YD dump with CNG engine.	1	\$ _____	\$ _____
	4. Heated windshield.	1	\$ _____	\$ _____
	5. Pre-trip switch.	1	\$ _____	\$ _____

6. Espar Airtronic cab heater, model D2 or equivalent.	1	\$ _____	\$ _____
7. Air cab blower with tire inflator.	1	\$ _____	\$ _____
8A. 10-hole, hub piloted wheel with highway tread mounted spare.	1	\$ _____	\$ _____
8B. 10-hole, hub piloted wheel with mud & snow tread mounted spare.	1	\$ _____	\$ _____
9. 70-gallon capacity "D" style fuel tank mounted.	1	\$ _____	\$ _____
10. Engine brake and exhaust system.	1	\$ _____	\$ _____
11. Rear air disc brakes.	1	\$ _____	\$ _____
12. Center console with writing surface.	1	\$ _____	\$ _____
13. Front bumper extension with headlight switch for plow lights.	1	\$ _____	\$ _____
14. Cloth seats.	1	\$ _____	\$ _____
15. Load scale with display mounted inside cab.	1	\$ _____	\$ _____
16. Air suspension suitable for above mentioned GVW.	1	\$ _____	\$ _____
17. Collision warning system.	1	\$ _____	\$ _____
18. Blind spot warning system.	1	\$ _____	\$ _____
19. Backup Camera	1	\$ _____	\$ _____
Extended warranty for 5-years or 150,000-mile on:	1	\$ _____	\$ _____
20A. Engine, engine electronics, turbo, injectors etc.	1	\$ _____	\$ _____
20B. Exhaust after-treatment.	1	\$ _____	\$ _____
20C. Transmission.	1	\$ _____	\$ _____
20D. Chassis electronics, including wiring harness.	1	\$ _____	\$ _____
21. 320 HP CNG engine with 2-year 100,000-miles warranty for engine.	1	\$ _____	\$ _____
21A. Extended warranty for 5-year or 200,000-miles on CNG engine.	1	\$ _____	\$ _____
Extended Sub-total Item 2 (with options)		\$ _____	

Item	Description	Estimated Annual QTY	Unit Cost	Extended Cost
3.	60,000 GVW cab chassis	4	\$ _____	\$ _____
	Options			
	1A. 120-inch CT for ten (10) cubic yard dump with diesel engine.	4	\$ _____	\$ _____
	1B. 120-inch CT for ten (10) cubic yard dump with CNG engine.	4	\$ _____	\$ _____
	1C. 126-inch CT for thirteen (13) cubic yard dump with diesel engine.	4	\$ _____	\$ _____
	1D. 126-inch CT for thirteen (13) cubic yard dump with CNG engine.	4	\$ _____	\$ _____
	1E. 138-inch CT for fourteen (14) cubic yard dump with diesel engine.	4	\$ _____	\$ _____
	1F. 138-inch CT for fourteen (14) cubic yard dump with CNG engine.	4	\$ _____	\$ _____
	1G. 144-inch CT for thirteen (13) cubic yard dump with drop axle and diesel engine.	4	\$ _____	\$ _____
	1H. 144-inch CT for thirteen (13) cubic yard dump with drop axle and CNG engine.	4	\$ _____	\$ _____
	2. Transmission, 13 speed, Eaton Ultrashift	4	\$ _____	\$ _____
	3. Pusher axle 13,200 lb. with tires.	4	\$ _____	\$ _____
	4. Heated windshield.	4	\$ _____	\$ _____
	5. Pre-trip switch.	4	\$ _____	\$ _____
	6. Espar Airtronic cab heater.	4	\$ _____	\$ _____
	7. Air cab blower with tire inflator.	4	\$ _____	\$ _____
	8A. 10-hole, hub piloted wheel with highway tread mounted spare.	4	\$ _____	\$ _____
	8B. 10-hole, hub piloted wheel with mud & snow tread mounted spare	4	\$ _____	\$ _____
	9. 70-gallon square D type fuel tank.	4	\$ _____	\$ _____
	10. Engine brake and exhaust system.	4	\$ _____	\$ _____
	11. Rear air disc brakes.	4	\$ _____	\$ _____
	12. Front bumper extension with switch for plow lights.	4	\$ _____	\$ _____
	13. Cloth seats.	4	\$ _____	\$ _____

	14. Center console with writing surface.	4	\$ _____	\$ _____
	15. Load scale with display mounted in cab.	4	\$ _____	\$ _____
	16. Air suspension.	4	\$ _____	\$ _____
	17. Driver controlled differential lock on both axles.	4	\$ _____	\$ _____
	18. Collision warning system.	4	\$ _____	\$ _____
	19. Blindspot warning system.	4	\$ _____	\$ _____
	20. Backup Camera.	4	\$ _____	\$ _____
	Extended warranty for 5-years or 150,000-miles on:			
	21A. Engine, engine electronics, turbo, injectors etc.	4	\$ _____	\$ _____
	21B. Exhaust After-treatment	4	\$ _____	\$ _____
	21C. Transmission.	4	\$ _____	\$ _____
	21D. Chassis electronics, including wiring harness, etc.	4	\$ _____	\$ _____
	22. 320 HP CNG engine with 2-year or 100,000-mile warranty on engine.	4	\$ _____	\$ _____
	22A. Extended warranty for 5-years or 200,000 miles for CNG engine.	4	\$ _____	\$ _____
	Extended Sub-total Item 3 (with options)		\$ _____	
TOTAL EXTENDED COST NOT TO EXCEED: (All costs must be included, or Your Bid will be disqualified) Total of Sub-totals 1, 2, 3			\$ _____	

THE CITY DOES NOT GUARANTEE ANY SPECIFIC QUANTITY OR NUMBER OF PURCHASES, IF ANY, THAT WILL BE MADE DURING THE AGREEMENT TERM.

Annual Price Adjustment. The prices bid for any Supplies and/or Services shall not increase during the first year of the term of the Agreement. However, if You anticipate that You will not be able to maintain firm prices after the first year of the term, You may request an annual change in price using one of the following methods:

- The increase is limited to the change in the Consumer Price Index from BLS Table 1* (web link below) from the prior year
- Or the following fixed percentage: _____ %.

*Web Link: <https://www.bls.gov/news.release/cpi.t01.htm>

Addenda

The Bidder acknowledges receipt of Addenda to the IFB as follows. (Please write in each Addenda number issued, if applicable):

Addenda #

Addenda #

Addenda #

Addenda #

Addenda #

State of Organization: _____

Bidder's Type of Legal Entity: (check one)

- ☐ Sole Proprietorship ☐ Limited Partnership
☐ Partnership ☐ Limited Liability Partnership
☐ Corporation ☐ Limited Liability Limited Partnership
☐ Limited Liability Company ☐ Other: _____

Bidder's Address: _____
 Street City State Zip Code

Bidder's Website Address:

Sales Contact:

Name: _____

Title/Position: _____

Street: _____

City: _____

State: _____

Phone: _____

Email: _____

Contact for Legal Notice:

Name: _____

Title/Position: _____

Street: _____

City: _____

State: _____

Phone: _____

Email: _____

How did you learn about this business opportunity with the City of Tulsa?

- ☐ Email from Assigned Buyer
- ☐ City of Tulsa Website
- ☐ Tulsa World posting
- ☐ Purchasing search engine
- ☐ Industry colleague
- ☐ Other: _____

AFFIDAVIT
NON-COLLUSION, INTEREST, AND CLAIMANT

STATE OF _____)
COUNTY OF _____)ss.

I, _____, of lawful age, being first duly sworn, state that:
(Seller's Authorized Agent)

1. I am the Authorized Agent of Seller herein for the purposes of certifying facts pertaining to the existence of collusion between and among Bidders and municipal officials or employees, as well as facts pertaining to the giving or offering of things of value to government personnel in return for special consideration in the letting of any contract pursuant to the proposal to which this statement is attached.
2. I am fully aware of the facts and circumstances surrounding the making of Seller's Bid to which this statement is attached, and I have been personally and directly involved in the proceedings leading to the submission of such Bid; and
3. Neither the Seller nor anyone subject to the Seller's direction or control has been a party:
 - a. to any collusion among Bidders in restraint of freedom of competition by agreement to respond at a fixed price or to refrain from responding,
 - b. to any collusion with any municipal official or employee as to quantity, quality, or price in the prospective contract, or as to any other terms of such prospective contract, nor
 - c. in any discussions between Bidders and any municipal official concerning exchange of money or other thing of value for special consideration in the letting of a contract.
4. No officer or employee of the City of Tulsa either directly or indirectly owns a five percent (5%) interest or more in the Bidders business or such a percentage that constitutes a controlling interest. Affiant further states that the following officers and/or employees of the City of Tulsa own an interest in the Bidders business which is less than a controlling interest, either direct or indirect.

5. All invoices to be submitted pursuant to this agreement with the City of Tulsa will be true and correct.
6. That the work, services or material furnished will be completed or supplied in accordance with the plans, specifications, orders, requests or contract furnished or executed by the affiant. Affiant further states that (s)he has made no payment directly or indirectly to any elected official, officer or employee of the City of Tulsa or of any public trust where the City of Tulsa is a beneficiary, of money or any other thing of value to obtain payment of the invoice or procure the contract or purchase order pursuant to which an invoice is submitted. Affiant further certifies that (s)he has complied with all applicable laws regarding equal employment opportunity.

By: _____
Signature
Title: _____

Subscribed and sworn to before me this _____ day of _____, 20_____.

Notary Public

My Commission Expires: _____

Notary Commission Number: _____

The Affidavit must be signed by an Authorized Agent and notarized

PURCHASE AGREEMENT

(Page 1 of 5)

INSTRUCTIONS: Bidder must properly sign and return this document or Bid may be **rejected**. Your signature on this document indicates You have read and understand these terms and conditions and agree to be bound by them.

THIS PURCHASE AGREEMENT is between the CITY OF TULSA, OKLAHOMA, a municipal corporation, 175 East 2nd Street, Tulsa, Oklahoma, 74103-3827 (the "City") and:

(Bidder's company name as reflected on its organizational documents filed with the state in which Bidder is organized; not simply DBA and address) (the "Seller").

WITNESSETH:

WHEREAS, the City has approved certain specifications and advertised for or solicited Bids on the following supplies or services:

TAC 501H Medium Duty Trucks

(the "Supplies and/or Services").

WHEREAS, Seller submitted a Bid and desires to provide the Supplies and/or Services to City;

WHEREAS, Seller acknowledges that its signature on this Purchase Agreement constitutes an irrevocable offer to provide the Supplies and/or Services specified in the Agreement and that if Accepted by the City's Mayor, this document will become the contract for such Supplies and/or Services.

NOW, THEREFORE, for and in consideration of the terms, covenants and conditions hereinafter set forth, the parties hereto agree as follows:

1. Definitions.

- 1.1. **"Acceptance" or "Accepts"** with respect to a Bid means either (1) City's execution of the Purchase Agreement, or (2) Mayor's written approval of the Bid award recommendation and issuance of a purchase order on behalf of the City if the purchase is for an amount less than One Hundred Thousand Dollars (\$100,000) and the City determines it is in its best interests.
- 1.2. **"Acceptance"** with respect to delivery of the Supplies and/or Services shall mean City's written acknowledgment that Seller has satisfactorily provided such Supplies and/or Services as required.
- 1.3. **"Addenda" "Addendum" or Amendment(s)"** means a clarification, revision, addition, or deletion to the Invitation for Bid by City which will become a part of the agreement between the parties.
- 1.4. **"Agreement"** consists of the Invitation for Bid and the Purchase Agreement.
- 1.5. **"Bid Opening Date"** means the date the Bid is opened by the City.
- 1.6. **"Bid Submission Date"** means the date the Bid is due from Bidder to the City.
- 1.7. **"City"** means the City of Tulsa, Oklahoma.
- 1.8. **"Days"** means calendar days unless otherwise specified.
- 1.9. **"Invitation for Bid" or "IFB"** consists of the following documents: Cover page, Sections I-V, Exhibit A – Delivery and Pricing, Affidavit(s), Purchase Agreement, and Bidder Checklist.
- 1.10. **"Primary Seller"** means the Seller whose Bid City Accepts as the principal seller of the Supplies and/or Services required.
- 1.11. **"Purchasing Ordinance"** means Tulsa Revised Ordinances, Title 6, Chapter 4 et seq.
- 1.12. **"Secondary Seller"** means the Seller whose Bid City Accepts as a back-up seller in the event the Primary Seller is unable to provide all the Supplies and/or Services.
- 1.13. **"Seller"** means the Bidder whose Bid City Accepts.
- 1.14. **"Specifications"** means the technical and/or performance requirements for the Supplies or Services.
- 1.15. **"You" or "Your"** means the Bidder responding to this Invitation for Bid or the Seller whose Bid the City Accepts.
- 1.16. **"Website"** means the City of Tulsa's website for the Purchasing Division: www.cityoftulsa.org/purchasing

2. **Order of Precedence.** Capitalized terms used but not defined herein will have the respective meanings given to them in the Purchasing Ordinance. In the event of conflicting or ambiguous language between this Purchase Agreement, any of the other Agreement documents, and additional information submitted by the Seller and Accepted by City, the parties shall be governed first according to this Purchase Agreement, second according to the remainder of the documents included in the Agreement and third according to any additional information submitted by Seller and Accepted by City.

3. **Purchase and Sale.** Seller agrees to sell City the Supplies and/or Services for the price and upon the delivery terms set forth on Exhibit A – Delivery and Pricing. City agrees to pay Seller the price as set forth in Exhibit A based on (a) the quantity actually purchased in the case of Supplies and/or Services priced by unit, or (b) the total price for a stated quantity of Supplies and/or Services, upon (i) delivery of the Supplies and/or Services to the City, (ii) the City's Acceptance thereof, and (iii) Seller's submission and City's approval of a verified claim for the amount due. City shall not pay any late charges or fees.

PURCHASE AGREEMENT

(Page 2 of 5)

4. **Term.** The term of the Agreement begins on the date the Mayor/Mayor Pro Tem of the City of Tulsa executes this Purchase Agreement and terminates one year from that date. City in its sole discretion may offer Seller an opportunity to renew this Agreement up to an additional four (4) one (1) year term(s). Seller understands and acknowledges that any future contracts or renewals are neither automatic nor implied by this Agreement. City's continuing purchase of the Supplies and/or Services set forth in this Agreement is subject to City's needs and to City's annual appropriation of sufficient funds in City's fiscal year (July 1st to June 30th) in which City purchases Supplies and/or Services. In the event City does not appropriate or budget sufficient funds to perform this Agreement, this Agreement is null and void without further action by City.

The City may extend the Agreement for ninety (90) days beyond a final renewal term at the price and upon the delivery terms set forth on Exhibit A – Delivery and Pricing. The City, at its sole option and to the extent allowable by law, may choose to exercise subsequent ninety (90) day extensions upon the price and upon the delivery terms set forth on Exhibit A – Delivery and Pricing to facilitate the finalization of related terms and conditions of a new award or as needed for transition to a new Seller.

5. **Supplies Warranty.** With respect to all Supplies to be delivered under this Agreement, Seller warrants to City that such Supplies will be of good materials and workmanship and free from defects and will conform to the Specifications provided by City. In addition, Seller shall assure that the Supplies purchased hereunder are covered by all available and applicable manufacturers' warranties for such Supplies and expressly agrees that it will be responsible for performing all warranty obligations set forth in the Specifications for the Supplies.
6. **Services Warranty.** With respect to all Services to be performed under this Agreement, Seller warrants that it shall perform the Services using personnel of required skill, experience, and qualifications and in a professional and workmanlike manner in accordance with generally recognized industry standards for similar services and in accordance with the Specifications provided by City.
7. **Warranty Period.** Seller agrees that all warranties set forth herein will remain in effect for a period of one (1) year from the date City Accepts the Supplies and/or Services, or as specified in the Specifications, whichever is later. Seller shall not disclaim or otherwise limit the express warranties set forth herein.
8. **Warranty Remedies.** City shall notify Seller if any of the Supplies and/or Services fails to meet the warranties set forth above. If the failure is with Supplies, then Seller shall promptly correct, repair or replace such Supplies at its sole expense and/or if the failure is with a Service, then Seller shall promptly reperform such Service at Seller's sole expense. Notwithstanding the foregoing, if City determines that such Supplies and/or Services are defective or non-conforming within the first thirty (30) Days after the date of Acceptance by City, then Seller at City's option shall refund the entire purchase price, and, in the case of Supplies, City shall promptly return such Supplies to Seller. Seller shall pay all expenses related to the return of such Supplies to Seller.
9. **Rejection, Seller Bears Risk.** All Supplies and Services purchased in the Agreement are subject to approval by the City. Rejection of Supplies or Services, resulting because of nonconformity to the terms, conditions, and Specifications of this Agreement, whether held by the City or returned, will be at Seller's risk and expense. Seller shall bear the risk of loss or damage at all times until the Acceptance of the Supplies or Services by City.
10. **Force Majeure.** Seller will not be responsible for delays in delivery of the Supplies or Services due to acts of God, government action or inaction, fire, war, or riot, provided Seller notifies the City immediately, in writing of such pending or actual delay. Normally, in the event of any such delays (acts of God, etc.) the date of delivery of the Supplies or Services will be extended for a period equal to the time lost due to the reason for delay.
11. **Conflict of Interest.** By signing this Purchase Agreement, Seller covenants that it has no direct or indirect pecuniary or proprietary interest, and that it shall not acquire an interest that conflicts in any manner or degree with the Supplies or Services required to be provided or performed under the Agreement. Furthermore, Seller shall not employ any person or agent having any such conflict of interest. In the event that the Seller or its agents, employees or representatives hereafter acquires such a conflict of interest, it shall immediately disclose such interest to the City and take action immediately to eliminate the conflict or to withdraw from this contract, as the City requests.
12. **No Indemnification by City.** Seller understands and acknowledges that City is a municipal corporation that is funded by its taxpayers to operate for the benefit of its citizens. Accordingly, and pursuant to Oklahoma law, City shall not indemnify nor hold Seller harmless for loss, damage, expense or liability arising from or related to this Agreement, including any attorneys' fees and costs. In addition, Seller shall not limit its liability to City for actual loss or direct damages for any claim based on a material breach of this Agreement. City reserves the right to pursue all legal and equitable remedies to which it may be entitled.
13. **Liability/Indemnification.** Seller shall hold City harmless for any loss, damage or claims arising from or related to its performance of the Agreement. Seller must exercise all reasonable and customary precautions to prevent any harm or loss to all persons and property related to the Agreement. Seller agrees to indemnify and hold the City harmless from all claims, demands, causes of action or suits of whatever nature arising out of the Supplies, Services, labor, or materials furnished by Seller or Seller's subcontractors under this Agreement. In addition, Seller agrees to indemnify, defend, and save harmless City and its officers, employees and agents from all suits and actions of any nature brought against them due to the use of patented appliances, products or processes provided by Seller hereunder. Seller shall pay all royalties and charges incident to such patents.

PURCHASE AGREEMENT

(Page 3 of 5)

14. **No liens.** Pursuant to City's Charter (Art. XII, §5), no lien of any kind shall exist against any property of City. Seller shall deliver all Supplies to City free and clear of liens. Delivery by Seller to City of Supplies which are subject to liens shall be a material breach of the Agreement and all damages and costs incurred by City because of the existence of such liens shall be paid to City by Seller. At City's option, City may return such Supplies to Seller and Seller shall pay the cost of returning such Supplies and reimburse City for any payments made for such Supplies.
15. **No Insurance by City.** If City is leasing Supplies herein, City shall not be required to obtain insurance for Seller's property. Seller shall be solely responsible for any insurance it deems necessary. City is self-insured for its own negligence, subject to the limits of the Governmental Tort Claims Act (51 O.S. § 151 et seq.).
16. **No Confidentiality.** Seller understands and acknowledges that City is subject to the Oklahoma Open Records Act (51 O.S. §24A.1 et seq.) and therefore cannot assure the confidentiality of this Agreement or other information provided by Seller pursuant to this Agreement that would be inconsistent with City's compliance with its statutory requirements thereunder.
17. **Compliance with Laws.** Seller shall comply, and ensure its subcontractors used in the performance of this Agreement comply with all applicable federal, state and local laws, regulations and standards. Seller is responsible for any costs of such compliance. Seller certifies that it and all its subcontractors to be used in the performance of this Agreement are in compliance with 25 O.S. Sec. 1313 and participate in the Status Verification System. The Status Verification System is defined in 25 O.S. Sec. 1312 and includes but is not limited to the free Employee Verification Program (E-Verify) available at www.dhs.gov/E-Verify.
18. **Termination.** City, by written notice, may terminate this Agreement, in whole or in part, when such action is in the best interest of City. If City terminates this Agreement, City shall be liable only for payment for Supplies accepted and Services rendered prior to the effective date of termination. City's right to terminate this Agreement is cumulative to any other rights and remedies provided by law or by this Agreement.
19. **Payment.** Invoices should be e-mailed to the City of Tulsa – Accounts Payable at: apinvoices@cityoftulsa.org. Payment will be made net 30 days after receipt of a properly submitted invoice or the City's Acceptance of the Supplies or Services, whichever is later.

Each invoice must be fully itemized, identifying Supplies provided and/or Services performed, and must bear the purchase order number assigned by the City.

The purchase order number shall appear on all invoices, packing lists, packages, shipping notices, instruction manuals and other written documents relating to the Supplies or Services. Packing lists shall be enclosed in each and every box or package shipped pursuant to this Agreement, indicating the content therein.

20. **Price Changes.** The parties understand and agree that the variables in Seller's cost of performance may fluctuate, but any change in Seller's cost of performance will not alter its obligations under this Agreement, nor excuse performance or delay on Seller's part. Notwithstanding the foregoing, after the first year of the term, the Seller may request a price increase in addition to any other price increase set forth in this Agreement. In its sole discretion, the City may approve the request if it determines that such price increase is in the City's best interest.
21. **Right to Audit.** Seller agrees that Seller's books, records, documents, accounting procedures, practices, price lists or any other items related to the Supplies and/or Services provided hereunder are subject to inspection, examination, and copying by City or its designees. City requires Seller to retain all records related to this Agreement for the duration of the term of this Agreement and a period of three years following completion and/or termination of the Agreement. If an audit, litigation or other action involving such records begins before the end of the three-year period, Seller shall maintain the records three years after the date that all issues arising out of the action are resolved or until the end of the three-year retention period, whichever is later.
22. **Notice.** Any notice, demand, or request required by or made pursuant to this Agreement will be deemed properly made if personally delivered in writing or deposited in the United States mail, postage prepaid, to the following:

To Seller:	To CITY:	Contact for Legal Notice as specified on Exhibit A – Delivery and Pricing form. City Clerk CITY OF TULSA, OKLAHOMA 175 E. 2 nd Street, Suite 260 Tulsa, Oklahoma 74103
	With a copy to:	Tulsa Purchasing Division 175 E. 2 nd Street, 15 th Floor Tulsa, OK 74103
23. **Relationship of Parties.** The Seller is and shall always remain an independent contractor with respect to activities and conduct while engaged in the performance of services for the City under this Agreement. No employees, subcontractors or agents of the Seller will be deemed to be employees of the City for any purpose whatsoever, and none will be eligible to participate in any benefit program provided by the City for its employees. The Seller shall be solely responsible for the payment

PURCHASE AGREEMENT

(Page 4 of 5)

of all employee wages and salaries, taxes, withholding payments, fringe benefits, insurance premiums, continuing education courses, materials or related expenses on behalf of its employees, subcontractors, and agents. Nothing in this Agreement will be construed to create a partnership, joint venture, or agency relationship among the parties. No party will have any right, power or authority to act as a legal representative of another party, and no party will have any power to obligate or bind another party, or to make any representations, express or implied, on behalf of or in the name of the other in any manner or for any purpose whatsoever.

24. **Third Parties.** This Agreement is between City and Seller and creates no right unto or duties to any other person. No person is or will be deemed a third-party beneficiary of this Agreement.
25. **Time of Essence.** City and Seller agree that time is deemed to be of the essence with respect to this Agreement. The Agreement is subject to cancellation by the City for Seller's failure to deliver on time. All deliveries are required F.O.B to the City's facilities. For any exception to the delivery date specified in the Agreement, Seller shall give prior written notification and obtain written approval from the City. The Acceptance by the City of later performance with or without objection or reservation shall neither waive the City's right to claim damages for such breach nor constitute a waiver of the requirements for the timely performance of any obligation remaining to be performed by Seller.
26. **Binding Effect.** This Agreement shall be binding upon City and Seller and their respective successors, heirs, legal representatives and permitted assigns.
27. **Headings.** The headings used herein are for convenience only and will not be used in interpreting this Agreement
28. **Severability Provision.** If any term or provision herein is determined to be illegal or unenforceable, the remainder of this Agreement will not be affected thereby. It is the intention of the parties that if any provision is held to be illegal, invalid or unenforceable, there will be added in lieu thereof a provision as similar in terms to such provision as is possible to be legal, valid and enforceable.
29. **Governing Law and Venue.** This Agreement is executed in and shall be governed by and construed in accordance with the laws of the State of Oklahoma without regard to its choice of law principles, which shall be the forum for any lawsuits arising under this Agreement or incident thereto. The parties stipulate that venue is proper in a court of competent jurisdiction in Tulsa County, Oklahoma and each party waives any objection to such venue. City does not and will not agree to binding arbitration of any disputes.
30. **No Waiver.** A waiver of any breach of any provision of this Agreement shall not constitute or operate as a waiver of any other provision, nor shall any failure to enforce any provision hereof operate as a waiver of the enforcement of such provision or any other provision.
31. **Entire Agreement.** The entire agreement between City and Seller is contained in the Agreement. No verbal agreement between the parties is binding. Any scope of services, scope of work, quote, invoice, acknowledgment or other communication or other document issued by Seller in connection with this Agreement will be for the purposes of describing in greater detail the Supplies and/or Services (as applicable) to be provided. Seller's rejection or modification of the terms set forth in the City's IFB is void and of no effect, unless any such modification improves upon the City's terms or Specifications, in which case the improvement is accepted. Seller understands and acknowledges that if it adds terms and conditions to its Bid that are different from the terms set forth herein that City may reject the Bid as non-responsive.
32. **Amendment/No Assignment.** The Agreement may only be modified or amended in a writing signed by both parties. Notwithstanding anything to the contrary stated herein or in the attachments to this Agreement, no future agreements, revisions or modifications that may be required under this Agreement are effective or enforceable unless such terms, revisions or modifications have been reduced to writing and signed by City and Seller. Seller may not assign this Agreement or use subcontractors to provide the Supplies and/or Services without City's prior written consent. Seller shall not be entitled to any claim for extras of any kind or nature.
33. **Multiple Counterparts.** This Purchase Agreement may be executed in several counterparts, each of which will be deemed an original, but which together will constitute one and the same instrument.
34. **Interpretive Matters and Definitions.** The following interpretive matters shall be applicable to this Agreement:
 - 34.1. Unless the context otherwise requires: (a) all references to Sections are to Sections of or to this Agreement; (b) each term defined in this Agreement has the meaning assigned to it; (c) "or" is disjunctive but not necessarily exclusive; (d) words in a singular include the plural and vice versa. All references to "\$" or to dollar amounts shall be in lawful currency of the United States of America;
 - 34.2. No provision of this Agreement will be interpreted in favor of, or against, any of the parties hereto by reason of the extent to which such party or its counsel participated in the drafting thereof or by reason of the extent to which any such provision is inconsistent with any prior draft hereof or thereof;
 - 34.3. Any reference to any applicable laws will be deemed to include all rules and regulations promulgated thereunder and judicial interpretations thereof, unless the context requires otherwise;

PURCHASE AGREEMENT

(Page 5 of 5)

34.4. The word "including" means "including, without limitation" and does not limit the preceding words or terms; and

34.5. All words used in this Agreement will be construed to be of such gender, number or tense as circumstances require.

35. **Equal Employment Opportunity.** Seller agrees to comply with all applicable laws regarding equal employment opportunity and nondiscrimination.

36. **Authority to Bind.** The undersigned individual states that s/he has authority to bind Seller to this Agreement, that s/he has read and understands the terms of this Agreement, and that Seller agrees to be bound by this Agreement.

IMPORTANT NOTE: This document must be signed by Authorized Agent. FAILURE TO SUBMIT PROPERLY AUTHORIZED SIGNATURE MAY RESULT IN YOUR BID BEING REJECTED AS NONRESPONSIVE.

IN WITNESS WHEREOF, this Agreement has been executed in multiple copies on the dates set forth below to be effective during the period recited above.

Seller Company Name: _____

Sign Here ► _____

ATTEST:

Printed Name: _____

Title: _____

Corporate Secretary

Date: _____

**CITY OF TULSA, OKLAHOMA,
a municipal corporation,**

ATTEST:

By: _____

Mayor

City Clerk

Date: _____

APPROVED:

Assistant City Attorney

BIDDER CHECKLIST

Use this checklist to ensure You have properly read and completed **all** documents listed below. This document (the IFB) contains all the following materials, which must be completed and returned to the City of Tulsa City Clerk's Office in a mailed envelope with the affixed packing label (found on the last page). Each of these documents will form the resulting Agreement between the City and Seller.

Remember: Bids must be sealed and either mailed or delivered. Please use the provided label to clearly write the Bidder legal name and Bid number on the outside of the package, container, or envelope. The package, container, or envelope should contain both of Your completed Bids, the original and the copy. No faxed or emailed Bids will be considered. Unless otherwise stated herein, Bids received after the stated date and time **will not be accepted**.

Bidder's Name: _____

BIDDER CHECKLIST		
BIDDER DOCUMENTS	PAGES	INCLUDED?
Notice of Invitation for Bid (Cover page and Sections I-IV)	2-3, 26-28	
Specifications	4-25	
Certificate(s) of Insurance	29	
References (if applicable)	30	
EXHIBIT A: Delivery and Pricing	31-36	
Affidavits <i>Signatures of Authorized Agent and notarization required</i>	37	
Purchase Agreement <i>Complete legal name in first paragraph and signature block. Signature by Authorized Agent required.</i>	38-42	

PACKING LABEL

Top Left Corner of Label

FROM: Name
Your Company Name
Street Address
City, State, Zip Code

City of Tulsa – City Clerk’s Office

175 East 2nd Street, Suite 260
Tulsa, OK, 74103

Bidder Submission For:

BID# TAC 501H

BID DESCRIPTION: Medium Duty Trucks

Please affix this label on the package, container, or envelope containing Your two completed Bids: one labeled “Original,” the other labeled “Copy.” We recommend that both Bids (original and copy) be sent in the same envelope.

This label ensures that Your Bid will be sent to the correct office (City Clerk’s) and that it is associated with the correct Solicitation (indicated by the Bid number). Bids must be sealed and either mailed or delivered to the City Clerk’s Office. Bids must also be received no later than 5:00 PM (CST) on date listed on the first page of the IFB.