



**PUBLIC WORKS**  
Engineering

**DATE:**  
December 4, 2024

**TO:**  
Plan Holders  
  
Contractors

**FROM:**  
Jenna Richardson  
  
918-596-9637

[jennarichardson@cityoftulsa.org](mailto:jennarichardson@cityoftulsa.org)

## EMAIL TRANSMITTAL

ADDENDUM NO. 1

**PROJECT NO. 144546 – Non-Arterial Street Rehabilitation  
Maintenance Zone 5046**

Number of pages: **6**

Please email a signed cover sheet to [acolley@cityoftulsa.org](mailto:acolley@cityoftulsa.org)  
as acknowledgement of receipt.

Thank you,

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Company

\_\_\_\_\_  
Date



**PUBLIC WORKS**  
Engineering

**DATE:**

**December 4, 2024**

**ADDENDUM NO. 1  
TO  
PROJECT NO. 144546 – Non-Arterial Street Rehabilitation  
Maintenance Zone 5046**


This Addendum No. 1 consisting of one (1) clarification, submitted by City of Tulsa is hereby made a part of the Contract Documents to the same extent as though it were originally included therein and shall supersede anything contained in the Plans and Specifications with which it might conflict. **This Addendum should be recorded on the last page of the proposal.**

This Addendum No. 1 consists of the following:

1. The attached documents list the detail items that have been clarified in Addendum No. 1. These documents shall be inclusive and apply to this project.
2. Disregard items 85-190 on the "For Contractors Use" tab of the proposal. These items are not relevant to this project. All other tabs in the spreadsheet: Instructions, Proposal, Bid Form and Signature Page remain unchanged.

**All other provisions of the Plans and Specifications shall remain in full force and effect.**

**CITY OF TULSA**

*for*  
  
 Paul D. Zachary, P.E.  
 Deputy Director

*HAS* *VB*  
 HAS/DDH/JR/kt

1836 x 1898

TUL x USA

**FOR CONTRACTOR USE**  
**PROJECT NAME: NON-ARTERIAL STREET REHABILITATION OF MAINTENANCE ZONE 5046**  
**PROJECT NO: 144546**

BID ITEM	SPEC NO.	DESCRIPTION	UNIT	QUANTITY
<b>ROADWAY BASE BID</b>				
1	201(A)	CLEARING AND GRUBBING	ACRE	13
2	202(A)	UNCLASSIFIED EXCAVATION	CY	3,832
3	205(A)	TYPE A SALVAGED TOPSOIL	CY	500
4	220	SWPPP DOCUMENTATION AND MANAGEMENT	LS	1
5	230(A)	SOLID SLAB SODDING	SY	4,820
6	303(A)	AGGREGATE BASE TYPE A	CY	2,245
7	310(B)	SUBGRADE METHOD B	SY	5,435
8	325	SEPARATOR FABRIC	SY	14,081
9	334	CONSTRUCTION AS-BUILT	EA	1
10	335	CONTRACTOR'S QUALITY CONTROL	EA	1
11	409	FABRIC REINFORCEMENT (TENSAR GP25)	SY	54,877
12	411(B)	SUPERPAVE, TYPE S3 (PG 64-22 OK)	TON	608
13	411(C)	INSOLUBLE SUPERPAVE, TYPE S4 (PG 64-22 OK)	TON	6,419
14	411(E)	SUPERPAVE, TYPE S6 (PG 64-22 OK)	TON	1,172
15	412	COLD MILL PAVEMENT	SY	54,877
16	414(A)	P.C. CONCRETE PAVEMENT (PLACEMENT)	SY	374
17	414(G)	P.C. CONCRETE PAVEMENT	CY	78
18	501(E)	SELECT BACKFILL	CY	400
19	609(B)	COMBINED CURB AND GUTTER, 6" BARRIER	LF	7,287
20	610(A)	4" CONCRETE SIDEWALK	SY	1,582
21	610(B)	6" CONCRETE DRIVEWAY	SY	13,165
22	610(I)	TACTILE WARNING DEVICE	SF	240
23	612(A)	MANHOLE ADJUSTED TO GRADE (PUBLIC)	EA	1
24	612(E)	VALVE BOXES ADJUSTED TO GRADE	EA	18
25	612(F)	METER BOXES ADJUSTED TO GRADE	EA	43
26	619(A)	REMOVAL OF STRUCTURES AND OBSTRUCTIONS	LS	1
27	619(B)	REMOVAL OF EXISTING CONCRETE CURB AND GUTTER	LF	7,287
28	619(B)	REMOVAL OF EXISTING ASPHALT PAVEMENT	SY	2,164
29	619(B)	REMOVAL OF EXISTING CONCRETE SIDEWALK	SY	354
30	619(B)	REMOVAL OF EXISTING DRIVEWAY	SY	13,165
31	619(B)	REMOVAL OF TRAFFIC SIGN	EA	73
32	640(A)	FIELD OFFICE	EA	1
33	641	MOBILIZATION	EA	1
34	642	CONSTRUCTION STAKING LEVEL II	EA	1
35	805(D)	(PL) REMOVE AND RESET EXISITING SIGNS	EA	14
36	855(A)	TRAFFIC STRIPE (PLASTIC) (WHITE, 24" WIDE)	LF	243
37	855(A)	TRAFFIC STRIPE (RED PAINT ON CURB)	LF	51
38	880(B)	SIGNS 0.00 TO 6.25 SF	SD	2,160
39	880(B)	SIGNS 6.26 TO 15.99 SF	SD	5,400
40	880(B)	SIGNS 16.00 AND UP	SD	10,800
41	880(C)	BARRICADES (TYPE III)	SD	5,400
42	880(E)	TYPE "A" WARNING LIGHT	SD	3,240
43	880(E)	TYPE "C" WARNING LIGHT	SD	10,800
44	880(F)	DRUMS	SD	10,800
45	880(G)	TUBE CHANNELIZERS	SD	18,000
46	SPECIAL	PROJECT SIGN (CITY OF TULSA)	EA	2
47	COT 608	GROUND SIGN	SF	598
48	COT 608	1-1/2" SIGN POST	LF	60
49	COT 608	1-3/4" SIGN POST	LF	806
50	COT 608	2" SIGN POST	LF	234
51	SPECIAL	22' SPEED HUMP	LF	44
52	SPECIAL	REMOVE SPEED HUMP	EA	3
53	SPECIAL	CURB RAMP	EA	30
54	SPECIAL	TYPE I AC PATCH	CY	443
55	SPECIAL	URBAN RIGHT-OF-WAY RESTORATION	EA	1
56	SPECIAL	OWNER ALLOWANCE	ALLOW	25,000

BID ITEM	SPEC NO.	DESCRIPTION	UNIT	QUANTITY
<b>ADD ALTERNATE</b>				
57	610(A)	4" CONCRETE SIDEWALK	SY	1,247

85	COT 301	RIGHT-OF-WAY CLEARING AND RESTORING, COMPLETE IN PLACE	SY	15419
86	COT 302	EXCAVATION AND BACKFILL, UNCLASSIFIED	CY	8166
87	COT 303	MOBILIZATION	EA	1
88	COT 304	CONSTRUCTION STAKING	EA	1
89	COT 312	6 INCH DUCTILE IRON SLEEVE (RJ)	EA	2
90	COT 312	8 INCH DUCTILE IRON SLEEVE (RJ)	EA	8
91	COT 312	12 INCH DUCTILE IRON SLEEVE (RJ)	EA	2
92	COT 315	3/4 INCH WATER SERVICE CONNECTION (LONG)	EA	119
93	COT 315	3/4 INCH WATER SERVICE CONNECTION (SHORT)	EA	155
94	COT 315	1 INCH WATER SERVICE CONNECTION (SHORT)	EA	1
95	COT 315	3/4 INCH WATER METER CAN, LID & RIM	EA	205
96	COT 315	PRIVATE SERVICE CONNECTION BY LICENSED DOMESTIC PLUMBER	EA	138
97	COT 317	SAFETY FENCE HYDRANT ASSEMBLY IN PLACE	EA	28
98	COT 317	12 INCH CUP WIRE HYDRANT EXTENSION	EA	28
99	COT 317	12 INCH GATE VALVE (P.I.)	EA	2
100	COT 318	VALVE BOX	EA	57
101	COT 318	VALVE BOX EXTENSION	VF	57
102	COT 325	SODDING AND SEEDING	SY	4887
103	COT 327	TRAFFIC CONTROL DEVICES (SAFETY FENCE)	LF	1720
104	COT 329	PAVEMENT, REMOVAL AND REPLACEMENT (ASPHALT)	SY	675
105	COT 329	PAVEMENT, REMOVAL AND REPLACEMENT (CONCRETE DRIVEWAY)	SY	4756
106	COT 329	PAVEMENT, REMOVAL AND REPLACEMENT (CURB AND GUTTER)	LF	80
107	COT 329	PAVEMENT, REMOVAL OF EXISTING SIDEWALK	SY	4951
108	COT 329	PAVEMENT 4" CONCRETE SIDEWALK	SY	4951
109	COT 329	SAWCUT	LF	634
110	610(I)	TACTILE WARNING DEVICE	SF	380
111	SPECIAL	CURB RAMP	EA	38
112	SPECIAL	CONSTRUCTION AS-BUILT	EA	1
113	SPECIAL	OWNER ALLOWANCE	ALLOW	1

BID ITEM	SPEC NO.	DESCRIPTION	UNIT	QUANTITY
<b>DIP MATERIAL OPTION 1</b>				
114	COT 307	6 INCH DIP, CL51 POLYETHYLENE WRAPPED	LF	4685
115	COT 307	6 INCH DIP, CL51 POLYETHYLENE WRAPPED (RJ)	LF	5075
116	COT 307	8 INCH DIP, CL51 POLYETHYLENE WRAPPED	LF	1006
117	COT 307	8 INCH DIP, CL51 POLYETHYLENE WRAPPED (RJ)	LF	1833
118	COT 312	6 INCH X 6 INCH DUCTILE IRON TEE (RJ)	EA	26
119	COT 312	8 INCH X 6 INCH DUCTILE IRON TEE (RJ)	EA	13
120	COT 312	8 INCH X 8 INCH DUCTILE IRON TEE (RJ)	EA	2
121	COT 312	12 INCH X 6 INCH DUCTILE IRON TEE (RJ)	EA	1
122	COT 312	12 INCH X 8 INCH DUCTILE IRON TEE (RJ)	EA	1
123	COT 312	6 INCH DUCTILE IRON 15 1/4 DEGREE BEND (RJ)	EA	54
124	COT 312	6 INCH DUCTILE IRON 22 1/2 DEGREE BEND (RJ)	EA	27
125	COT 312	6 INCH DUCTILE IRON 45 DEGREE BEND (RJ)	EA	73
126	COT 312	8 INCH DUCTILE IRON 15 1/4 DEGREE BEND (RJ)	EA	4
127	COT 312	8 INCH DUCTILE IRON 22 1/2 DEGREE BEND (RJ)	EA	4
128	COT 312	8 INCH DUCTILE IRON 45 DEGREE BEND (RJ)	EA	25
129	COT 312	12 INCH DUCTILE IRON 45 DEGREE BEND (RJ)	EA	7
130	COT 312	8 INCH X 6 INCH DUCTILE IRON REDUCER (RJ)	EA	2
131	COT 312	6 INCH DUCTILE IRON PLUG (RJ)	EA	34
132	COT 312	8 INCH DUCTILE IRON PLUG (RJ)	EA	10
133	COT 317	6 INCH GATE VALVE (RJ)	EA	38
134	COT 317	8 INCH GATE VALVE (RJ)	EA	17
135	COT 328	6-INCH BORE	LF	1132
136	COT 328	8-INCH BORE	LF	519

**DO NOT USE**

BID ITEM	SPEC NO.	DESCRIPTION	UNIT	QUANTITY
<b>PVC MATERIAL OPTION 2</b>				
137	COT 307	6 INCH DIP, CL51 POLYETHYLENE WRAPPED (RJ)	LF	676
138	COT 307	8 INCH DIP, CL51 POLYETHYLENE WRAPPED (RJ)	LF	346
139	COT 309	6 INCH PVC AWWA C900 CLASS 200 DR-14	LF	4685
140	COT 309	6 INCH PVC AWWA C900 CLASS 200 DR-14 (RJ)	LF	4399
141	COT 309	8 INCH PVC AWWA C900 CLASS 200 DR-14	LF	1006
142	COT 309	8 INCH PVC AWWA C900 CLASS 200 DR-14 (RJ)	LF	1487
143	COT 312	6 INCH X 6 INCH DUCTILE IRON TEE (RJ)	EA	26
144	COT 312	8 INCH X 6 INCH DUCTILE IRON TEE (RJ)	EA	13
145	COT 312	8 INCH X 8 INCH DUCTILE IRON TEE (RJ)	EA	2
146	COT 312	12 INCH X 6 INCH DUCTILE IRON TEE (RJ)	EA	1
147	COT 312	6 INCH X 8 INCH DUCTILE IRON TEE (RJ)	EA	1
148	COT 312	6 INCH DUCTILE IRON 15 1/4 DEGREE BEND (RJ)	EA	54
149	COT 312	6 INCH DUCTILE IRON 22 1/2 DEGREE BEND (RJ)	EA	25
150	COT 312	6 INCH DUCTILE IRON 45 DEGREE BEND (RJ)	EA	73
151	COT 312	8 INCH DUCTILE IRON 15 1/4 DEGREE BEND (RJ)	EA	4
152	COT 312	8 INCH DUCTILE IRON 22 1/2 DEGREE BEND (RJ)	EA	4
153	COT 312	8 INCH DUCTILE IRON 45 DEGREE BEND (RJ)	EA	27
154	COT 312	12 INCH DUCTILE IRON 45 DEGREE BEND (RJ)	EA	7
155	COT 312	8 INCH X 6 INCH DUCTILE IRON REDUCER (RJ)	EA	2
156	COT 312	6 INCH DUCTILE IRON PLUG (RJ)	EA	34
157	COT 312	8 INCH DUCTILE IRON PLUG (RJ)	EA	10
158	COT 317	6 INCH GATE VALVE (RJ)	EA	38
159	COT 317	8 INCH GATE VALVE (RJ)	EA	17
160	COT 328	6-INCH BORE	LF	1132
161	COT 328	8-INCH BORE	LF	519

**DO NOT USE**

BID ITEM	SPEC NO.	DESCRIPTION	UNIT	QUANTITY
<b>HDPE MATERIAL OPTION 3</b>				
162	COT 309A	8 INCH HDPE AWWA C906 PE5710 DR-11 (DIPS)	LF	9760
163	COT 309A	10 INCH HDPE AWWA C906 PE5710 DR-11 (DIPS)	LF	2839
164	COT 312	8 INCH X 6 INCH DUCTILE IRON TEE (RJ)	EA	18
165	COT 312	8 INCH X 8 INCH DUCTILE IRON TEE (RJ)	EA	3
166	COT 312	10 INCH X 6 INCH DUCTILE IRON TEE (RJ)	EA	3
167	COT 312	12 INCH X 6 INCH DUCTILE IRON TEE (RJ)	EA	1
168	COT 312A	8 INCH X 8 INCH HDPE TEE (DIPS)	EA	5
169	COT 312A	10 INCH X 6 INCH HDPE TEE (DIPS)	EA	10
170	COT 312A	10 INCH X 10 INCH HDPE TEE (DIPS)	EA	2
171	COT 312A	12 INCH X 10 INCH HDPE TEE (DIPS)	EA	1

**DO NOT USE**

172	COT 312A	8 INCH HDPE 22 1/2 DEGREE BEND (RJ)	EA	25
173	COT 312A	8 INCH HDPE 45 DEGREE BEND (DIPS)	EA	73
174	COT 312A	10 INCH HDPE 22 1/2 DEGREE BEND (DIPS)	EA	10
175	COT 312A	10 INCH HDPE 45 DEGREE BEND (DIPS)	EA	27
176	COT 312	8 INCH DUCTILE IRON 22 1/2 DEGREE BEND (RJ)	EA	4
177	COT 312	8 INCH DUCTILE IRON 45 DEGREE BEND (RJ)	EA	8
178	COT 312	12 INCH DUCTILE IRON 45 DEGREE BEND (RJ)	EA	4
179	COT 312	8 INCH X 10 INCH HDPE REDUCER (DIPS)	EA	1
180	COT 312	7 INCH X 8 INCH HDPE REDUCER (DIPS)	EA	7
181	COT 312A	8 INCH HDPE MJ ADAPTER (DIPS) (RJ)	EA	90
182	COT 312A	10 INCH HDPE MJ ADAPTER (DIPS) (RJ)	EA	35
183	COT 312A	8 INCH HDPE WALL ANCHOR (DIPS) (RJ)	EA	90
184	COT 312A	10 INCH HDPE WALL ANCHOR (DIPS) (RJ)	EA	35
185	COT 312	6 INCH DUCTILE IRON PLUG (RJ)	EA	34
186	COT 312A	8 INCH HDPE PLUG (DIPS)	EA	10
187	COT 317	8 INCH GATE VALVE (RJ)	EA	38
188	COT 317	10 INCH GATE VALVE (RJ)	EA	17
189	COT 328	8-INCH BORE	LF	1132
190	COT 328	10-INCH BORE	LF	519

**DO NOT USE**