

## PUBLIC WORKS Engineering

DATE: October 01, 2025

TO: PAUL ZACHARY,
PUBLIC WORKS DEPUTY
DIRECTOR

FROM: H. SOMDECERFF, PUBLIC WORKS DESIGN MANAGER

The Specification Review Committee recommends and asks the Public Works Deputy Director to approve the following:

1. Approve Modification to Standard Detail 314 - Standard Detail Manhole Steps.

Summary of change: Manholes with 30" cover shall not have steps, unless explicitly directed in writing by City of Tulsa Wastewater Design, or Sewer Operations and Maintenance.

Please call Marqua Jimmerson at (918) 596-7355 If you have any questions.


Thank you,


APPROVED:

Paul Zachary, Deputy Director

Date


Cc: Public Works Engineering Services Specification Review Committee





COPOLYMER POLYPROPYLENE PLASTIC PSI - PF MANHOLE STEP, USING THE 1/2" GRADE 60 REBAR.

SEE STANDARD 366 - STANDARD DETAIL FOR MANHOLE STEP LOCATION AND INVERT DETAILS.



STANDARD STEP 1/4 SCALE (REINFORCED STEEL, EPOXY OR RESILIENT COATED)

1/2" REINFORCING BAR MEETING ASTM DESIGNATION A15 ENCASED IN NATURAL CORROSION-RESISTANT RUBBER OR EPOXY WITH A TRACTION TREAD OF RESILIENT RUBBER OR EPOXY MEETING ASTM DESIGNATION C443.

NOTES: MANHOLES WITH 30 INCHES COVERS SHALL NOT HAVE STEPS UNLESS AUTHORIZED IN WRITING BY WASTEWATER DESIGN OR SEWER OPERATIONS AND MAINTENANCE AND APPROVAL BY THE DIRECTOR OF WATER AND SEWER

STANDARD DETAIL MANHOLE STEPS

CITY OF TULSA, OKLAHOMA

DRAWN BY: D.J.N.
CHECKED BY:
DATE: SEPT. 2025

NOT TO SCALE

STANDARD NO. 314