



PUBLIC WORKS
Engineering

DATE: October 01, 2025

TO: PAUL ZACHARY,
PUBLIC WORKS DEPUTY
DIRECTOR

FROM: ^{HAS} H. SOMDECERFF,
PUBLIC WORKS DESIGN
MANAGER

The Specification Review Committee recommends and asks the Public Works Deputy Director to approve the following:


1. Approve Modification to Standard Detail 366 – Standard Detail for Manhole Steps Location and Invert Details.

Summary of change: Manholes with 30" cover shall not have steps, unless explicitly directed in writing by City of Tulsa Wastewater Design, or Sewer Operations and Maintenance.

Please call Marqua Jimmerson at (918) 596-7355 If you have any questions.





Thank you,

APPROVED:


Paul Zachary, Deputy Director

10.07.25
Date



Cc: Public Works Engineering Services Specification Review Committee




LOCATION OF MANHOLE STEPS

NOTE:

1. MANHOLES WITH 30 INCHES COVERS SHALL NOT HAVE STEPS UNLESS AUTHORIZED IN WRITING BY WASTEWATER DESIGN OR SEWER OPERATIONS AND MAINTENANCE AND APPROVAL BY THE DIRECTOR OF WATER AND SEWER.



PIPE	R.
8"	10"
10"	9"
12"	8"



TYPICAL MANHOLE INVERT DETAILS

STANDARD DETAIL FOR
MANHOLE STEP LOCATION
AND INVERT DETAILS

CITY OF TULSA, OKLAHOMA

DRAWN BY: D.J.N.

CHECKED BY:

DATE: SEPT. 2025

APPROVED

NOT TO SCALE

STANDARD NO. 366