

**PUBLIC WORKS**  
Engineering

**DATE:** October 20, 2025

**TO:** PAUL ZACHARY,  
PUBLIC WORKS DEPUTY  
DIRECTOR

**FROM:** <sup>HAS</sup> H. SOMDECERFF,  
PUBLIC WORKS DESIGN  
MANAGER


The Specification Review Committee recommends and asks the Public Works Deputy Director to approve the following:

1. Approve Modification to Standard Detail 359B - Composite Frame and Cover for Stormwater Applications.  
Summary of change: Updates to City Logo and usage notes.

Please call Marqua Jimmerson at (918) 596-7355 If you have any questions.

Thank you,



APPROVED:

  
Paul Zachary, Deputy Director


10.22.25  
Date

Cc: Public Works Engineering Services Specification Review Committee

1/4 TURN LATCH with PENTA HEAD BOLT



DETAIL B



SECTION A-A

**NOTE:**

1. FRAME AND COVER TO BE COMPOSITE UTILITY ACCESS COVER WITH QUARTER TURN LOCKS MANUFACTURED BY EJ GROUP, INC. OR ENGINEER APPROVED EQUAL.
2. FRAME AND COVER TO MEET AASHTO M306 AND BE MANUFACTURED IN THE USA.
3. COMPOSITE FRAMES AND COVERS ARE OPTIONAL AND WILL BE SPECIFIED ON A CASE-BY-CASE BASIS.

COMPOSITE FRAME AND COVER FOR  
STORMWATER APPLICATIONS

CITY OF TULSA, OKLAHOMA

DRAWN BY: D.J.N.

CHECKED BY: *tgn*

DATE: SEPT. 2025

APPROVED

*[Signature]*

NOT TO SCALE

STANDARD NO. 359 B