# **Invitation for Bid (IFB)**

IFB 26-833

**Supplies or Services Requested:** Grapple Truck

**Department:** Parks, Culture, and Recreation

NIGP Commodity Code(s): 072-08

#### **Solicitation Schedule**

EVENT	DATE
IFB Issue Date	11/10/2025
Mandatory Pre-Bid Conference Teams Meeting Email jamiller@cityoftulsa.org for invite	11/18/2025 at 1:30 PM CST
Deadline for Questions	12/01/2025
Submitted to assigned buyer via email.	10 Days prior to IFB due date
Bid Submission Date	12/10/2025
Either mailed or delivered to City Clerk address. Bids are open the day after the due date.	

If You have any questions or need additional information, contact the Assigned Buyer:

Julie Miller, Buyer | jamiller@cityoftulsa.org

All questions should be emailed with IFB 26-833 on the subject line.

#### Submit Bids (sealed) to:

City of Tulsa – City Clerk's Office 175 E. 2<sup>ND</sup> St., Suite 260 Tulsa, OK 74103

Bids (2 total:1 original, 1 copy) must be sealed and either mailed or delivered. Write the Bid Number, Supplies or Service requested (as listed above) and Bid Opening Date on the lower left corner of the outside of Your Bid envelope. Feel free to use included packing slip. No faxed or emailed Bids will be considered. Barring certain circumstances (Section III-5), Bids received after the stated date and time will not be accepted and will be returned to the Bidder unopened.



#### I. STATEMENT OF PURPOSE:

#### 1. Overview and Goals

The goal of this solicitation is to secure a source to purchase a Grapple Truck for the Parks, Culture, and Recreation Department of the City of Tulsa.

#### 2. Term of Contract

The City intends to award a one-year annual contract. The City may offer the Seller the opportunity for additional one-year terms. The City also reserves the right to make multiple or partial awards. To do business with the City, You must agree to the terms and conditions of the City's standard Purchase Agreement, indicated by Your Authorized Agent's signature on the Purchase Agreement.

Capitalized terms used in this IFB and not defined in the Purchase Agreement shall have the meanings as ascribed to them in Title 6, Chapter 4 of the <u>Tulsa Revised Ordinances</u>.

The entire Invitation for Bid (IFB), including any additional information submitted by Bidder and Accepted by City will be included as part of the Agreement between Seller and City. **All sheets of this IFB (including Sections I-VI) must be submitted**.

#### **Authorized Agent**

Several parts of the Bid (Affidavits, Purchase Agreement) must be signed by an "Authorized Agent." An Authorized Agent means an agent who is legally authorized to bind the Seller under the law of the state in which the Seller is legally organized. For instance, under Oklahoma law, the Authorized Agent for each of the following types of entities is as stated below:

- Corporations the president, board chair or board vice chair (or the vice president if the corporation was formed in Oklahoma) can sign; others can sign if they have and provide the City with (i) a corporate resolution giving them authority to bind the Seller, <u>and</u> (ii) a recent certificate of secretary indicating the authority is still valid and was in full force and effect on the date of the signature. (See IFB Section VI for sample of a Certificate of Secretary)
- General Partnerships any partner can sign to bind all partners.
- **Limited Partnerships** the general partner must sign.
- o **Individuals** no additional authorization is required, but signatures must be witnessed and notarized.
- Sole Proprietorship the owner can sign. Any other person can sign if s/he provides a recent Power
  of Attorney, signed by the owner, authorizing him/her to bind the sole proprietorship.
- Limited Liability Company (LLC) any manager of the LLC elected by the members of the LLC, or any member signing as manager of the LLC. All other signers will need a Consent of Members signed by all the Members of the LLC authorizing their signature on or up to 30 days before the date of their signature. (See Section VI for sample of a Consent of Members)

Entities organized in states other than Oklahoma must follow the law of the state in which they are organized.



#### II. SCOPE OF SERVICES AND SPECIFICATIONS

#### 1. Scope of Services

The City is requesting Bids for a source to purchase a Grapple Truck for use by the Parks, Culture, and Recreation Department.

#### **Delivery Requirements**

All prices quoted shall be based on delivery F.O.B. Tulsa, Oklahoma or to any other points as may be designated in the Specifications, with all charges prepaid by Seller to the actual point of delivery. Bids must state the number of Days required for delivery under normal conditions.

Absolutely no items over 500lbs. may be directly shipped to the City requiring the City personnel to unload from the shipping truck or trailer. The City carries no responsibility for any damages incurred during an unloading occurrence. All unloading shall be the responsibility of the Seller and/or shipping entity.

#### 2. Specifications

The Bid **must** meet or exceed the following Specifications.

In the Table below, the Bidder shall respond to each minimum requirement set forth in the Specifications column by writing its response in the space provided under Section 2: Bidder's Response column. Whenever asked to "describe", the description may include details such as size, capacities, dimensions, materials used in construction, etc. A full and complete description is required to reasonably evaluate the Bid, so all pertinent information is required. When referring to attached literature as a means of not fully describing items, misinterpretations by the evaluator of the Bid may occur. Your ability to present the City with enough information to reasonably understand the item being bid and whether it meets the Specifications stated herein relies on the written information provided.

You are <u>required</u> to describe Your proposed equipment in the Bidder's Response column, in terms that correspond with the minimum Specifications shown. You may <u>not</u> answer in the space provided as to whether You meet the Specifications by responding with terms as "yes", "meets", "same as", "complies" or "similar" terms. If these terms are utilized, it shall result in Your Bid being considered as non-responsive and being rejected.

If bidding an equivalent, You must include descriptive manufacturer's literature verifying the information You provided in the Bidder's Response column with Your submission. Failure to provide such literature shall result in Your Bid being considered as non-responsive and being rejected.

Seller shall ensure that each vehicle and related parts are warranted by the manufacturer to be of good material and workmanship and that manufacturer promptly replace any part or parts which by reason of defective materials or workmanship shall fail under normal use, free of negligence or accident, for a minimum of one (1) year from the date of delivery, unless otherwise stated. In addition, if such failures take place outside the dealer's service area, which shall be defined as Tulsa city limits, the Seller will be responsible for reimbursing the nearest manufacturer's authorized dealer in the city of Tulsa for services rendered under this warranty.

The Seller shall respond within 72 hours of notification by the City of Tulsa, on when, where, and how a warranty issue will be resolved. In the event there is no response within 72 hours, or if the



response is not acceptable to the City of Tulsa; the City will provide or arrange for repairs. The Seller shall be responsible for reimbursing the nearest manufacturer's authorized dealer in the city of Tulsa for services rendered under this warranty.

The Seller shall have the option to authorize the City of Tulsa to perform minor warranty replacement and repairs and then reimburse the City for its labor and parts utilized to enact the repair. The reimbursement for labor will be the same rate as that of the actual work performed. Standard warranty information is to be supplied with the Bid.

#### **TESTS AND ACCEPTABILITY OF MATERIAL:**

All items included in the Bid are subject to a performance demonstration within 30 days of the Bid date by the Bidder(s) at the discretion of the City of Tulsa. A like item of the type Bid that contains all the safety concerns, horsepower ratings, accessories, dimensions or other features as deemed appropriate by the City of Tulsa may be required to be demonstrated to the City of Tulsa personnel prior to award of the Bid to establish if the item meets the requirements and Specifications of the City of Tulsa.

SECTION 1: ITEM	MINIMUM SPECIFICATIONS	SECTION 2: BIDDER'S RESPONSE
Equipment	Current year model 35,600 lb. GVW, dual rear wheels, 2-door conventional cab chassis with air ride cab utilized for installing dump body applications.	Describe: Year Manufacturer Model
Gross Vehicle Weight	Minimum 35,600 lb.	Describe:
Cab	<ol> <li>Style: 2-door conventional cab chassis with air ride cab.</li> <li>Seat (s): Air ride driver's seat with air ride companion seat. Both seats shall have high-visibility seat belts.</li> <li>Seat covering: Heavy duty vinyl.</li> <li>Sun visors: One (1) LH and one (1) RH.</li> <li>Arm rests: One (1) LH and one (1) RH.</li> <li>Interior lighting: Dome light with door activated switch.</li> <li>Windshield wipers: Electric 2-speed intermittent with dual washers.</li> <li>Mirrors: Exterior, remote control, heated breakaway type. 7-inch X 15-inch approx. with 7-inch large convex mirror mounted on each side.</li> <li>Pre-trip switch.</li> <li>Front fender mounted 7-inch convex mirrors, both sides.</li> </ol>	Describe: 1



	11. Air conditioning: Factory installed,	11
	through-dash type, with electronic	
	diagnostic and protection system.	
	12. Gauges: Full gauge package with	12
	factory audible alarms and lights.	
	A. Transmission temp gauge and	A
	warning light.	
	B. Tachometer.	В
	C. Oil Pressure Gauge.	
	D. Air pressure gauge.	C
	E. Speedometer.	
	F. Hour meter wired to the ECM.	F
	G. Coolant temperature gauge.	
		_G
	13. Battery charge indicator.	13
	14. 12-volt Power point and USB charging	14
	port.	45
	15. Full headliner.	15
	16. Full rubber floor covering.	16
	17. Factory installed AM/FM weather radio.	17
	18. High heat warning light for transmission	18
	temperature.	
	19. Factory tinted glass throughout.	19
	20. Tilting hood.	20
	21. Interior and exterior grab handles	21
	mounted on both sides to aid in easier	<del></del>
	entry into cab	
	22. Dual air horns.	22
	23. Three (3) auxiliary switches minimum	23
	within easy access to the driver,	<del></del>
	mounted in the dash to accommodate	<del></del>
	body and accessory connections.	
	24. Heated windshield.	24
Engine		Describe:
	1. Diesel powered: Cummins L9 preferred,	1
	Mfg. and Model.	
	2. Displacement: 9 liters minimum.	2
	3. Horsepower: 300 hp. minimum.	3
	4. Torque: 860 @ 1,200 rpm minimum.	4
	5. Emissions: DPF/SCR/DEF type. Must	5
	meet 2024 Greenhouse emission	
	standards.	
	6. Air cleaner: Dry type, dual, replaceable	6
	elements.	
	7. Oil filter: Spin-on type.	7
	8. Fuel filter: Cartridge or in-line type.	8
	9. 110 Volt, 1,000-Watt block heater, to be	9
	labeled and mounted under the driver's	
	door.	
	<u>l</u>	



	10. Water separator: In-line, Racor or	10
	Acceptable Equivalent with heater and	
	warning light, with drain valve.	
	Water/Fuel separator to be mounted	
	under the hood.	
	11. Fuel cooler shall be mounted on the	11
	inside of the frame.	11
		40
	12. Exhaust system: Horizontal with right	12
	hand horizontal tail pipe. A clean and	
	clear top frame rail is requested as well	
	as side frame rail to accommodate	
	hydraulic tank.	<del></del>
	13. Engine brake and exhaust brake.	13
	<ol> <li>Electronic overspeed protection for PTO.</li> </ol>	14
	15. Electronic engine shutdown/derate	15
	system for low oil pressure, coolant	
	temperature, and coolant level.	
	16. Engine fan: Direct drive type, two	16
	speeds with residual torque device for	
	disengaged fan speed.	
Transmission		Describe:
	Manufacturer: Allison preferred.	1
	2. Model No.: 3000RDS or Acceptable	2
	Equivalent	
	3. Type: Automatic with synthetic lube.	3
	4. Speed: Six (6) speeds with overdrive.	4
	5. PTO provision with appropriate rated	5
	PTO pump.	
	6. Fluid cooler to be included.	6
Cooling System		Describe:
	Radiator: Largest capacity available	1
	from the manufacturer. State size.	
	2. Coolant recovery system to be included.	2
	3. Extended life antifreeze to be included.	3
Electrical System		Describe:
	1. 12-volt system.	1
	2. Batteries:	2
	<ul><li>A. Quantity: As required.</li></ul>	A
	B. CCA. Total: 1,800 minimum.	B
	3. Main battery cut off switch, mounted in	3
	cab by the driver's seat.	
	4. Alternator: 165-Amp minimum	4
	brushless.	
	5. Include all lights and reflectors to	5
	comply with all Federal and Oklahoma	
	State laws for 24-hour operation on all	
	highways.	



#### IFB 26-833 | Grapple Truck | Issue Date: 11/10/2025 6. All lights, stop, turn, and marker lights to be LED. 7. Must provide manufacturer's separate electronic junction box for additional wiring of body attachments. 8. Battery tender with plug in mounted below driver's door. Kussmaul Auto Charge 1000 preferred. 9. Battery heater pad to be installed and wired to the same plug-in for the battery tender. Heater pad to be 120 Volt 200 Watts with a preset heater to maintain the batteries at 80 degrees Fahrenheit. 10. Jump start stud located on battery box. 10 Brake System Describe: 1. WABCO 4S/4M ABS with Traction Control brake system or Acceptable Equivalent. 2. Service brakes: Full air system, all axles Front: Air Drum brakes, 16 1/2-inch X 6inch with ABS. Rear: Drum brakes, 16-1/2-inch X 8inch cam rear. 3. Parking brake: MGM 3030 brake chambers spring with release valve both rear axles. 4. Air compressor: 18.7 cfm (minimum) compressor with DV-2 automatic air tank drains. 5. Dust shields front and rear. 6. WABCO system saver 1200 model air dryer or Acceptable Equivalent. 7. Automatic slack adjusters with travel indicators. 8. Enhanced stability control Describe: Suspension 1. Front axle: 14,600 lb. Dana Spicer or Acceptable Equivalent. 2. Set back front axle. 3. Front spring: 20,000 lb. capacity at ground. 4. Rear springs: 40,000 lb. capacity at around. 5. Rear axle: 35,600 lb. with 200-wheel



ends and a minimum of 11 mm. thick walls, Dana Spicer or Acceptable Equivalent with synthetic lube.

6. Rear axle speed: Single.

	7. Rear axle ratio: Governed to 70 mph.	7
	8. State standard axle warranty.	
	Front and rear heavy-duty shocks,	89
	Monroe Magnum Series 70 or	9
	1	<del></del>
	Acceptable Equivalent.  10. Wheel seals: Oil type on all axles.	10
F	To. Wheel seals. Oil type on all axies.	
Frame		Describe:
	The City of Tulsa will not accept any	
	frame lengthening modifications	
	1. Section modules: 27.3	1
	2. Yield strength: 120,000 lb.	2
	3. RBM. 3,200,000 minimum.	3
	4. Clear frame from back of cab to the	4
	front of the rear tandems for mounting	
	of toolbox, 18-inches deep x 36-inches	
	wide x 18-inches tall. The driver's side	
	will need to be clear for the mounting of	
	the hydraulic control system, 22-inches	
	deep x 30- inches wide x 25-inches tall	
	for dump trucks. All measurements	
	approx.	
Wheelbase and		Describe:
Cab to Axle	1. 261-inch Wheelbase.	1
Dimensions	2. 192-inch CA.	2
	2. 102 mon o/ t.	
Sieenna		Lijescrine.
Steering	Manufacturer's standard nower steering for	Describe:
Steering	Manufacturer's standard power steering for	Describe:
Steering	the truck being bid with tilting and	Describe:
_	,	
Wheels	the truck being bid with tilting and telescoping steering column.	Describe:
_	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25	Describe: 1
_	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted.	Describe: 1
_	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25	Describe: 1
_	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted	Describe: 1
_	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached	Describe: 1
_	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility	Describe: 1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached	Describe: 1
_	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility	Describe: 1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility	Describe: 1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.	Describe: 1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.  NOTE: Tires <u>must</u> meet or exceed the	Describe: 1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.  NOTE: Tires must meet or exceed the weight rating of the front and rear axles.	Describe: 1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.  NOTE: Tires must meet or exceed the weight rating of the front and rear axles. 1. Front size: 12R22.5, 16-ply.	Describe: 1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.  NOTE: Tires must meet or exceed the weight rating of the front and rear axles. 1. Front size: 12R22.5, 16-ply. 2. Front, tread design: Radial, highway	Describe: 1_2_3_4_5  Describe:
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.  NOTE: Tires must meet or exceed the weight rating of the front and rear axles. 1. Front size: 12R22.5, 16-ply. 2. Front, tread design: Radial, highway tread.	Describe:  1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.  NOTE: Tires must meet or exceed the weight rating of the front and rear axles. 1. Front size: 12R22.5, 16-ply. 2. Front, tread design: Radial, highway tread. 3. Rear size: 11R22.5, 14-ply.	Describe: 1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.  NOTE: Tires must meet or exceed the weight rating of the front and rear axles. 1. Front size: 12R22.5, 16-ply. 2. Front, tread design: Radial, highway tread. 3. Rear size: 11R22.5, 14-ply. 4. Rear, tread design: Radial, Mud and snow.	Describe: 1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.  NOTE: Tires must meet or exceed the weight rating of the front and rear axles. 1. Front size: 12R22.5, 16-ply. 2. Front, tread design: Radial, highway tread. 3. Rear size: 11R22.5, 14-ply. 4. Rear, tread design: Radial, Mud and	Describe: 1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.  NOTE: Tires must meet or exceed the weight rating of the front and rear axles. 1. Front size: 12R22.5, 16-ply. 2. Front, tread design: Radial, highway tread. 3. Rear size: 11R22.5, 14-ply. 4. Rear, tread design: Radial, Mud and snow. 5. Spare: See Options.	Describe:  1
Wheels	the truck being bid with tilting and telescoping steering column.  1. Front size: 22.5 X 8.25 2. Front type: 10-hole, hub piloted. 3. Rear size: 22.5 X 8.25 4. Rear type: 10-hole, hub piloted 5. Highly visible torque indicators attached to each lug nut, may be high visibility green or orange.  NOTE: Tires must meet or exceed the weight rating of the front and rear axles. 1. Front size: 12R22.5, 16-ply. 2. Front, tread design: Radial, highway tread. 3. Rear size: 11R22.5, 14-ply. 4. Rear, tread design: Radial, Mud and snow.	Describe: 1



	3. State proposed DEF tank size. DEF	3
	tank shall be mounted forward of the	
	fuel tank for protection.	
	Note: Bidder must specify if any fuel tank,	
	exhaust, air dryers, etc. are mounted in	
	such a way as to protrude behind the cab	
	or rearward of cab on frame.	
Undergoting	or real ward or cap on frame.	Describe:
Undercoating	A	Describe.
<b>.</b>	As per manufacturer's standard	
Paint		Describe:
	Manufacturer's standard white, base coat-	
	clear coat paint process.	
Bumpers		Describe:
	Front: 3/16-inch formed steel powder	1
	coated gray.	
	2. Front bumper extension with bumper	2
	and headlight switch for snowplow.	
	Bumper extension will be a minimum of	
	23-inches from the grill and be integral	
	frame extension. No bolt on extensions	
	accepted.	
	3. Include one (1) front, frame attached,	3
	` ´	3
0 "	tow loop.	
Options		Describe:
	Extended warranty of 5 years or	1
	150,000 miles on the following: (Items	
	listed are for reference and should not	
	be limited to. Provide a complete list of	
	what is covered).	
	A. Engine, engine electronics, turbo,	A
	and injectors.	
	B. Exhaust after treatment.	В
	C. Transmission.	
	D. Chassis electronics, including wiring	D
	harnesses. (Provide a list of what is	
	covered)	
	2. Air cab blower and tire inflator with hose	2
	and blow gun and tire	2
	State nearest authorized repair station	3
	for entire truck, including the engine	3
	1	
	and transmission. The City of Tulsa	
	shall expect the Seller to authorize and	
	provide all warranty for the entire cab	
	and chassis and all components	
	installed by the manufacturer or the	
	seller. The City of Tulsa shall not be	
	responsible for obtaining any warranty	
	listed above.	



Grapple Body		Describe:
Grappie Body	It is the intent of this body specification to describe a Knuckle Boom that articulates and stores between the back of the cab and in front of the dump body. The boom shall be capable of folding and stowing for travel, with grapple attached, within the intended area.	
Make and Model	Palfinger Epsilon M110Z78 or Acceptable Equivalent	Describe: Make: Model:
Net Lifting Moment	<ol> <li>7,400 lb. at 9-feet 10-inches</li> <li>5,550 lb. at 13-feet 1-inch</li> <li>4,400 lb. at 16-feet 5-inches</li> <li>3,650 lb. at 19-feet 8-inches</li> <li>3,100 lb. at 23-feet</li> </ol>	Describe: 1
Horizontal Reach	25-feet 6-inches	Describe:
Main & Outer Boom Length- Horizontal	20-feet 4-inches	Describe:
Extension Length	5-feet 2-inches via single extension	Describe:
Crane Rating	HC1/HD4/B4 Minimum	Describe:
Loader Weight	4,600 lb. approx.	Describe:
Hydraulics	<ol> <li>3,500 PSI approx.</li> <li>21 Gallons per minute.</li> <li>High pressure filter</li> <li>Danfoss single circuit control valve or Acceptable Equivalent.</li> </ol>	Describe: 1
Crane Base and Stabilizers	<ol> <li>Stabilizers shall be an "H" pattern design with a spread of 12-feet 6-inches approx.</li> <li>Stabilizers in/out and up/down functions shall be hydraulically controlled.</li> <li>Stabilizers in/out and up/down functions shall be independently controlled via lever controls at operator control station.</li> </ol>	Describe: 1
Operator Control Station and Operator Controls	Crane base to have stand up operator control station platform on street side.     Control station platform to have perforated steel grip.	Describe: 1

	3. Platform station to have pivoting safety	3
	bar on outside edge of platform for	
	operator safety.	
	4. Control station to have an Emergency	4
	Stop button and toggle switch for truck	·
	rpm +/- throttle control.	
	5. Control station to have bullseye style	5
	bubble level.	5
	6. Single bank lever control valve at	6
	curbside control station.	6
		7
	7. LCD display hour counter and service	7
	timer located at control station.	0
	8. Wireless Scanreco radio remote control	8
	with joystick controls or Acceptable	
	Equivalent.	
	Snap in bracket for radio remote	9
	transmitter at operator control station.	
	10. Neck and waste straps for radio remote	10
	transmitter.	
	11. Wired back up tether cable for radio	11
	remote transmitter.	
	12. Radio remote transmitter shall have	12
	toggle switch for high idle truck control.	
	Switch to have "always on" and "on	
	demand" options for rpm control	
	admana optione ioi ipini denia di	
Column &	demand options for this control	Describe:
		1
Column & Slewing System	1. 19,900 ft. lb. net slewing torque	Describe: 1
	1. 19,900 ft. lb. net slewing torque minimum.	1
	1. 19,900 ft. lb. net slewing torque minimum.     2. 425-degree rotation.	1
	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> </ol>	1
	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double</li> </ol>	1
	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> </ol>	1
	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with</li> </ol>	1
	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> </ol>	1
	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision</li> </ol>	1
	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> </ol>	1
	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> <li>7. Divided slewing pistons on ends of</li> </ol>	1
Slewing System	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> </ol>	1
Slewing System  Main & Outer	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> <li>7. Divided slewing pistons on ends of racks for easy service of piston.</li> </ol>	1
Slewing System	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> <li>7. Divided slewing pistons on ends of racks for easy service of piston.</li> <li>1. Main boom lift cylinder shall have a</li> </ol>	1
Slewing System  Main & Outer	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> <li>7. Divided slewing pistons on ends of racks for easy service of piston.</li> <li>1. Main boom lift cylinder shall have a sliding steel guard to protect the</li> </ol>	1
Slewing System  Main & Outer	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> <li>7. Divided slewing pistons on ends of racks for easy service of piston.</li> <li>1. Main boom lift cylinder shall have a sliding steel guard to protect the cylinder load from damage.</li> </ol>	1
Slewing System  Main & Outer	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> <li>7. Divided slewing pistons on ends of racks for easy service of piston.</li> <li>1. Main boom lift cylinder shall have a sliding steel guard to protect the cylinder load from damage.</li> <li>2. Main boom section to have raised sides</li> </ol>	1
Slewing System  Main & Outer	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> <li>7. Divided slewing pistons on ends of racks for easy service of piston.</li> <li>1. Main boom lift cylinder shall have a sliding steel guard to protect the cylinder load from damage.</li> <li>2. Main boom section to have raised sides to create a protective recess for steel</li> </ol>	1
Slewing System  Main & Outer	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> <li>7. Divided slewing pistons on ends of racks for easy service of piston.</li> <li>1. Main boom lift cylinder shall have a sliding steel guard to protect the cylinder load from damage.</li> <li>2. Main boom section to have raised sides</li> </ol>	1
Slewing System  Main & Outer	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> <li>7. Divided slewing pistons on ends of racks for easy service of piston.</li> <li>1. Main boom lift cylinder shall have a sliding steel guard to protect the cylinder load from damage.</li> <li>2. Main boom section to have raised sides to create a protective recess for steel</li> </ol>	1
Slewing System  Main & Outer	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> <li>7. Divided slewing pistons on ends of racks for easy service of piston.</li> <li>1. Main boom lift cylinder shall have a sliding steel guard to protect the cylinder load from damage.</li> <li>2. Main boom section to have raised sides to create a protective recess for steel hydraulic lines and hoses on the top of</li> </ol>	1
Slewing System  Main & Outer	<ol> <li>1. 19,900 ft. lb. net slewing torque minimum.</li> <li>2. 425-degree rotation.</li> <li>3. Crane column to be solid cast.</li> <li>4. Slewing delivered via a solid double rack slewing system.</li> <li>5. Slewing racks immersed in oil bath with self-aligning roller bearing.</li> <li>6. End of stroke dampening for precision slewing control.</li> <li>7. Divided slewing pistons on ends of racks for easy service of piston.</li> <li>1. Main boom lift cylinder shall have a sliding steel guard to protect the cylinder load from damage.</li> <li>2. Main boom section to have raised sides to create a protective recess for steel hydraulic lines and hoses on the top of the main boom.</li> </ol>	1



#### IFB 26-833 | Grapple Truck | Issue Date: 11/10/2025 and elevated off the top of the main boom structure for ease of service. 4. Steel lines on the top of the main boom shall be KTL painted (see KTL paint requirements in paint section below). 5. Loader shall have a linkage system between the main and outer boom to provide consistent rate of movement and load capacity throughout the arc of the loader's movement at a given horizontal reach. The load capacity at a given horizontal reach shall deviate more than 2.5% when evaluated at 0-feet vs.10feet elevation from ground level. 6. Outer boom cylinders shall have guards to protect the cylinder rods. 7. All bushings in the arm system shall be bronze and incorporate grease channels maximize lubrication maintenance. **Extension System** Describe: 1. Extension cylinder, hose, and pipes shall be located inside the outer boom and extension sections. No external hoses, pipes, or cylinders are acceptable. 2. Extension system shall have adjustable wear pads and guide blocks. Suspension Link Describe: & Rotator 1. Suspension link shall be cast steel and have an open center for routing rotator hoses. Hose routing outside of the suspension link is not acceptable. 2. Suspension link shall be a dual pin design at the attachment points where the link attaches to the loader extension section. 3. Rotator shall be a 10-ton, 6 bolt flange or approved equal. 4. Rotator shall be capable of 360-degree continuous rotation. 5. Rotator shall have side and bottom ports. Rotator shall have a bolt on steel guard plate covering the hose fitting connections and ports on the rotator. Grapple Describe: 1. Bakker BVDEZ070-28 or Acceptable Equivalent.



#### IFB 26-833 | Grapple Truck | Issue Date: 11/10/2025 2. Clamshell, butt-style grapple. 3. 28-inch-wide jaws. 4. Bolt-on HARDOX steel cutting edges for 5. 61-inch-wide open width. 6. 6,700 ft. lb. of closing force approx. 7. Two (2) cylinder open/close design. 8. Cylinders protected by steel plates underneath cylinders and hydraulic components. 9. 4,000 lbs. snap-in load hooks on each side of grapple head. Paint Describe: 1. Crane structure components and pipes shall be painted using "KTL" (or equal) process. KTL is an immersion painting process featuring cataphoresis electrostatic coating. 2. Crane components and pipes shall be blasted and wire shot and then treated in zinc phosphate solution. Primer shall be applied and baked. Topcoat shall be powder coating with hardening by baking at 400-degrees. **Body and** Loader Installation **Specifications** Hydraulic System Describe: 1. Hotshift PTO with direct mount, single circuit hydraulic pump. 2. 53-gallon aluminum hydraulic reservoir within tank return filter and shut off valve. 3. Manual dump body control valve mounted on street side frame rail with remote air joystick control mounted at street side crane operator control platform 4. Dump body control valve to have internal relief valve. 5. Crane to be hydraulically powered via power beyond port on body control valve. Describe: Body 1. Body shall be BeauRoc MPMD series body or Acceptable Equivalent. 2. 16-foot length. 3 3. 60-inch-high sides.



4. Side height shall taper down to a height	4
of 48-inches in the front part of the body	
with taper beginning at mid-point of	
body.	
5. 60-inch-high tailgate.	5
6. Minimum 3/16-inch STRENX 100W	6
floor or Acceptable Equivalent. 87-inch	
floor width.	
7. Floor sheet to side sheet transition shall	7
be constructed with a knee brace at	
angles upward from the floor to the side	
at 57-degrees.	
8. Long sills shall be C-channel structure	8
steel with a formed flared support	
flange. Support flange must have a	
minimum 1 3/4-inch return to support the	
floor with as wide a span as possible.	
9. Long sills shall have a minimum bottom	9
surface span of 2 1/4-inches.	
10. Body shall be cross-memberless.	10
Cross-member understructure is not	
acceptable.	
11. Minimum 3/16-inch STRENX 100W	11
front bulkhead.	
12. Front bulkhead shall be one (1) piece	12
flat panel design.	
13. Front bulkhead shall be capped at the	13
top with a 4-inch x 3-inch x 3/16-inch	
structural tube that runs the full width of	
the front sheet.	
14. Sides: 3/16-inch STRENX minimum or	14
Acceptable Equivalent.	45
15. Side design shall include a formed	15
single side sheet with formed two-bend	
horizontal braces to increase rigidity (NO Exceptions). Weld-on horizontal	
bracing and flat side designs are not	
acceptable due to inferior rigidity and	
stability on the side plate.	
16. Lower rub rail shall be formed and	16
integral to the side sheet (Weld-on rub	16
rails are not acceptable).	
17. Lower rub rail shall be dirt shedding	17
with an angle of 40-degrees and shall	'' <del></del>
have a 90-degree end face of 3-inches-	
high (rub rails finishing in a point or	
rounded edge are not acceptable).	



18.	Top rails shall be 4-inches x 4-inches x	18
	3/16-inch structural steel HSS tubing.	
	(Formed top rails are not acceptable).	
19.	Rear posts shall be full depth, one piece	19
	construction and fabricated out of 3/16-	
	inch steel.	
20.	Rear tail gate door shall be 3/16-inch	20
	STRENX 100W or Acceptable	
	Equivalent.	
21	Tailgate shall be manual side open	21
	design ("Barn Door Style").	
22	Tailgate wear surface shall be single	22
22.	piece, fully formed, with two (2)	22
	pressed-in horizontal V-braces to	
	•	
	increase rigidity. Flat panel designs are	
	unacceptable due to inferior rigidity and	
	stability.	
23.	Tailgate outer frame shall consist of a	23
	single, dirt shedding formed upper and	
	lower brace. Outer side bracing shall be	
	3-inches x 1-inch x 1/8-inch structural	
	tubing. Weld-on intermediate horizontal	
	and/or vertical braces are not	
	acceptable due to decrease resistance	
	of tailgate plate to deformation.	
24.	Side opening hardware shall consist of	24
	three side opening hinges with 1-inch	
	diameter hinge pins with bushings and	
	castle nuts.	
25.	Hinge pins to have two (2) grease zerks	25
	per pin.	
26.	Tailgate latch shall be equipped with	26
	ergonomic handle and must have a	
	spring-loaded return for safety.	
27	All body seams to be 100% fully	27
- ' -	welded. No exceptions.	
20	Body shall have an underbody mounted	70
20.	double acting scissor style hoist.	28
20	<u> </u>	20
29.	Rear truck frame and hinge area to	29
	have a 3/16-inch minimum steel cover	
	plate from bottom of hinge assembly	
	angle to bottom of truck frame channel.	
	Body shall have a single body prop.	30
31.	Body shall be sand blasted and primed	31
	with a two-part epoxy primer at a	
	minimum thickness of 4 mils.	
32.	Primer salt spray resistance must be a	32
	minimum of 1500 hours (No	
	exceptions). Seller must supply primer	





	<del>-</del>	•
	15. Truck shall be programmed to high idle	15
	setting for optimal loader pressure and	
	flow.	<del></del>
	16. High idle setting shall be accessible via	16
	switch at stand-up control station on	
	loader, switch on wireless radio remote	
	control and programmed to both cruise	
	set and resume buttons in cab.	
	17. Truck shall be programmed with park	17
	brake interlock for PTO function.	
	18. Junction box shall have a heavy duty	18
	150 AMP solenoid to control power	
	supply to DIN rail brakers only when	
	PTO is engaged.	
Accessories and		Describe:
Other	1. Truck shall have a steel 18-inch x 18-	1
Miscellaneous	inch x 36-inch frame mounted toolbox.	
	Truck shall have frame bolted, spring	2
	loaded mudflap brackets with DOT	
	compliant mudflaps.	
	Truck shall have DOT compliant ICC	3
	bumper.	
	Top of truck frame area between truck	4
	cab and loader shall have an 8-foot-	
	wide 24-inch-long pass-through	
	operator platform with access steps on	
	both street and curb sides.	
	5. Pass-through platform shall be steel	5
	constructed with minimum of 1 ½-inch x	
	3-inch x 11ga steel tube frame and	
	serrated grated platform and sidestep	
	treads.	
	6. Platform shall have handrails on both	6
	sides of steps.	
	7. Crane shall have rectangular steel tube	7
	riser as may be recommended by	
	loader manufacturer between crane and	
	truck frame.	
	8. Truck shall have DOT compliant	8
	reflectors and conspicuity tape.	
	All steel fabrication shall be painted	9
	gloss black enamel	

#### III. BID SUBMISSION INSTRUCTIONS AND INFORMATION

- 1. <u>Bidder Registration</u>: To ensure timely updates and alerts about business opportunities with the City, interested Bidders should register as a Bidder with the City. To register, interested Bidders should complete the City's vendor registration form by contacting Andrea Evans at <a href="mailto:purchasing@cityoftulsa.org">purchasing@cityoftulsa.org</a> or check the City's <u>"Selling to the City"</u> Website.
- 2. <u>Pre-Bid Conference</u>: If a pre-Bid conference is required, see the first page for time and location.

#### Attendance Requirement

- ☑ Attendance at the Pre-Bid Conference is required to submit a Bid.
- ☐ Attendance is not required to submit a Bid.
- 3. Questions and Concerns: As You prepare Your Bid response, You may have questions or points of clarification around this Solicitation. Any questions or comments about this Invitation for Bid must be sent via e-mail to the buyer listed on the first page "Assigned Buyer" and be received at least 10 Days prior to the Bid Submission Date. Please include the IFB Bid number (as indicated on the title page) on all communications. Bidders may only communicate with the City through the Assigned Buyer communication with other City staff could result in disqualification.
- 4. <u>Issuing of Addenda</u>: The City may addend or amend its IFB at any time before the Bid Submission Date. In addition to registering as a Bidder with the City, Bidders can check the "Purchasing Bid Opportunities & Results" page on the City Website for the latest updates (<u>linked here</u>). Any such amendments shall become a part of the Agreement. You must acknowledge receipt of any Addenda or Amendments by writing in the issued Addenda numbers on Exhibit A Delivery and Pricing. City may reject any Bid that fails to acknowledge any Addenda or Amendments.
- 5. <u>Submission and Receipt of Bids</u>: The City requires two completed Invitation for Bids: 1 Original and 1 Copy. Each must be clearly labeled on the front sheet indicating "Original" or "Copy." Use the Bidder Checklist to ensure Your Bid includes all required components. If a copy on electronic media is also required, the box below will be checked.

□ Electronic Copy also required.

Bids must be received no later than 5:00 PM (Central) on the Bid Submission Date (see first page) and delivered to:

City of Tulsa - City Clerk's Office 175 East 2<sup>nd</sup> Street, Suite 260 Tulsa Oklahoma 74103

Bids must be sealed and either mailed or delivered. The package, container, or envelope should contain <u>both</u> of Your completed Bids, the original and the copy. Please use the provided label on the last page of this IFB to clearly write the Bidder's legal name and Bid number on the <u>outside</u> of the package, container, or envelope. No faxed or emailed Bids will be considered.

Bids received after the stated date and time **will not be accepted.** The timestamp clock located at the City Clerk's Office on the second floor of City Hall at 175 East 2nd Street, Suite 260, Tulsa, Oklahoma, 74103 is the City's official bid clock for this IFB. Timeliness of Bid submittals will be determined using only this clock.



#### **Exceptions to Timeliness Requirement**

The Purchasing Agent, at his/her sole discretion, may make exceptions only for the following reasons:

- City Hall closed for business for part or all of the day on the date the response was due;
- If the Purchasing Agent deems it appropriate due to large-scale disruptions in supply chains and the transportation industry that may have prevented delivery as required;
- If documented weather conditions caused the late delivery. You must provide documentation of such weather to the satisfaction of the Purchasing Agent.

In the event that the Bid submittal is delivered after the time specified and does not meet the exceptions listed above, the Bid will not be accepted and the submittal envelope will not be opened.

The City will not be liable for delays in delivery of Bids to the City due to handling by the U.S. Postal Service, or any other type of delivery service. The City reserves the right to postpone the date and time for submittal of Bids at any time prior to the Bid Opening Date or to delay or reschedule the Bid Opening Date for its own convenience.

The City reserves the right to cancel, revise, or amend this IFB and associated bidding documents up to the time specified for receipt of Bids.

**6.** <u>Bid Opening</u>: All Bid openings are public and take place at 8:30 a.m. Thursday, the day after Bids are due. The Bid openings are held in the City of Tulsa Council Meeting Room, 175 East 2<sup>nd</sup> Street, 2<sup>nd</sup> Floor, Tulsa, Oklahoma.

THE REMAINDER OF THIS PAGE HAS BEEN INTENTIONALLY LEFT BLANK



#### IV. BID EVALUATION AND AWARD

- 1. <u>Bid Evaluation</u>: The Assigned Buyer and departmental staff will work together to determine the winning Bid. Generally speaking, the Bid award will go to the <u>Lowest Secure Bidder</u>: the Supply or Service that can best meet the City's needs at the lowest cost. In addition to price and specifications, the Buyer and departmental staff may also evaluate Bidder history and experience, delivery time, maintenance requirements, and performance data, among other factors.
- 2. <u>Bid Rejection or Withdrawal</u>: The City may reject any or all Bids in whole or in part. Reasons a Bid may be rejected include, but are not limited to the following:
  - A submitted Bid does not contain all the necessary materials, signatures, and/or affidavits (listed on the included checklist);
  - The Bid does not meet specifications and requirements in some material way;
  - The Bidder holds outstanding debt to the City;
  - The Bidder adds additional terms and conditions that modify IFB requirements or attempt to limit Bidder's liability to the City.

City reserves the right to waive minor deficiencies of specifications, technicalities or informalities in a Bid, provided that the best interest of the City would be served without prejudice to the rights of other Bidders. Bid withdrawal, meanwhile, may only be accomplished by having an Authorized Agent request the withdrawal in person at the City Clerk's office before the City's close of business on the Bid Submission Date.

3. <u>Bid Award Recommendation and Appeal</u>: Upon confirming the Bid recommended for selection, the Assigned Buyer will email all participating Bidders a memo announcing the recommended Bid. This email will also share the time, date, and virtual meeting link for the Standard, Specifications, and Award (SSA) committee meeting where the Bid award recommendation will be reviewed.

If approved by SSA, the award recommendation is then sent to the Mayor for the Mayor's final approval. SSA meetings are held Thursdays at 8:30am in the City of Tulsa Council Meeting Room, 175 East 2<sup>nd</sup> Street, 2<sup>nd</sup> Floor, Tulsa, Oklahoma. The meeting will be held on a given Thursday at 8:30 am, depending on when the Bid award has been determined. During this meeting, Bidders who are not recommended for award can issue an appeal and ask that the Bid award be reconsidered. Bidders who are not recommended for award can also email the Assigned Buyer prior to the SSA meeting if they have any questions or concerns regarding the award recommendation.

If/when the Bid award is approved by the SSA committee, the City will make available on the City's Purchasing Website a summary of Bids received generally within 5 working days after the Bid Opening Date. After a Bid award is recommended to the Mayor, a copy of the Bid summary will be available in the City Clerk's Office. Bid results are not provided in response to telephone or email inquiries. All Bid awards are subject to Acceptance by the City.

#### V. BID PROCESSING

1. Forms, Notice to Proceed, and Irrevocability of Offer: If the City Accepts Your Bid, You will have ten (10) Days from notification of the Acceptance to provide a completed IRS form W-9. You cannot start work until authorized to do so by the Purchasing Agent or a representative.

Bidder understands and acknowledges that the offer submitted as the Bid is firm and irrevocable from the City's close of business on the Bid Submission Date until the date the City Accepts the Bid or \_\_\_\_365\_\_ Days after the Bid Opening Date, whichever is earlier.

2. <u>Purchase Order Without Contract</u>: If the successful Bid is less than One Hundred Thousand Dollars (\$100,000), the City, in its sole discretion, may Accept the Bid upon written approval of the Mayor rather than execute the Purchase Agreement. Instead, the City will purchase the Supplies and/or Services by issuing a purchase order. In any event, the terms of this IFB will govern the transaction and be enforceable by the City and Seller.

#### 3. Insurance:

Yes: ⊠ No: □

Seller and its subcontractors must obtain at Seller's expense and keep in effect so long as City is purchasing Supplies or Services from Seller pursuant to this Bid, policies of insurance in the minimum amounts set forth below and Workers' Compensation and Employer's Liability insurance in the statutory limits required by law.

General Liability: personal injury and property damage, each occurrence	\$1,000,000.00
Automobile Liability: Combined Single Limit (CSL), each occurrence	\$1,000,000.00
Workers' Compensation	(Statutory limits)

**Seller's insurer must be authorized to transact business in the State of Oklahoma.** Seller will have 10 Days after notification that its Bid was Accepted by the City to provide proof of coverage. The Certificate of Insurance must be completed with the following information:

- A. Your name
- B. Insurer's name and address
- C. Policy number
- D. Liability coverage and amounts
- E. Commencement and expiration dates
- F. Signature of authorized agent of insurer
- G. Certificate Holder Information: City of Tulsa, 175 East 2nd St., Suite 260, Tulsa, OK 74103

Seller shall not cause any required insurance policy to be cancelled nor permit it to lapse. Failure of the Seller to comply with the insurance requirements may be deemed a breach of the contract.

#### 4. Bonding:

Yes: □ No: ⊠



5.	Federal Fu	nding: If the box is checked "Yes," federal funding is involved with this purchase:
	Yes: □	No: ⊠
6.	References	: If the box is checked "Yes," References are <b>required</b> :
	Yes: □	No: ⊠
7.	Data Rider	: If the box is checked "Yes," the Data Rider is <b>required</b> :
	Yes: □	No: ⊠

**8.** Any documents provided in response to subsections 4 through 7 above are by this reference fully incorporated into the Agreement as if set-forth entirely in this Section V.



### VI. SAMPLE FORMS

#### **Certificate of Secretary**

The undersigned
contracts, bonds, affidavits and any ancillary documents, on behalf of the Corporation.
The undersigned further certifies that this Resolution is in full force and effect as of the date of this Certificate and has not been amended, modified, revoked or rescinded.
IN WITNESS WHEREOF, I have executed this Certificate this day of, 20
(Signature)
Printed Name
(Assistant) Secretary
[NAME OF COMPANY], LLC
Consent of Members
The undersigned, being all of the Members of [Name of Company], LLC, an Oklahoma Limited Liability Company, hereby authorize, consent to, approve and ratify the execution by [name of Authorized Representative] on behalf of [Name of Company], LLC of bid proposals, contracts, affidavits and related documents in connection with [Name of Project] of the City of Tulsa.  DATED, this day of, 20 [Date must be dated date authorized representative signed or up to 30 days before the authorized representative signed]
[Signature]
Name Printed:
Title
Name Printed:
[Title]
[ADD ADDITIONAL LINES FOR ADDITIONAL MEMBERS]
Disclaimer Statement: This form is made available for example purposes only and is not intended to be legal advice nor intended to be relied upon in lieu of consultation with an attorney."

Tulsa ANGW Kind of Energy.

#### **EXHIBIT A - DELIVERY AND PRICING**

**Delivery:** If Your Bid is Accepted, state the number of Days You need to deliver the Supplies and/or

You must be able to deliver the Supplies and/or Services as specified in Your Bid. Failure to do so may result in City terminating the Agreement and pursuing collection under any performance bond,

(Must be Bidder's company name as reflected on its organizational documents, filed with the state in which Bidder is organized)

em	Description	Estimated Annual QTY	Unit Cost	Extended Cost
-	Loader and Grapple Truck with Knuckle Boom	1	\$	\$
	Options			•
	1A. Extended Warranty 5yrs/150,000 miles for Engine, engine electronics, turbo, and injectors	1	\$	\$
	1B. Extended Warranty 5yrs/150,000 miles for Exhaust Aftertreatment	1	\$	\$
	1C. Extended Warranty 5yrs/150,000 miles for Transmission	1	\$	\$
	1D. Extended Warranty 5yrs/150,000 miles for Chassis Warranty	1	\$	\$
	2. Air Cab Blower with Tire Inflator	1	\$	\$

\*Web Link: https://www.bls.gov/news.release/cpi.t01.htm

from the prior year

IF ANY, THAT WILL BE MADE DURING THE AGREEMENT TERM.

one of the following methods. The Increase shall be limited to the lesser of:



Bidder's Legal Name:

to begin providing Services:

b. Or the following fixed percentage: %.

THE CITY DOES NOT GUARANTEE ANY SPECIFIC QUANTITY OR NUMBER OF PURCHASES,

**Annual Price Adjustment.** The prices bid for any Supplies and/or Services shall not increase during the first year of the term of the Agreement. However, if You anticipate that You will not be able to maintain firm prices after the first year of the term, You may request an annual change in price using

a. The change in the Consumer Price Index from BLS Table 1\* (web link below)

Addenda
The Bidder acknowledges receipt of Addenda to the IFB as follows. (Please write in each Addenda number issued, if applicable):

		Addenda #	Addenda #	Addenda #	Addenda #	Addenda #
State	of Organization:					
Bidde	r's Type of Legal Ent  ☐ Sole Proprietorsh  ☐ Partnership  ☐ Corporation  ☐ Limited Liability C	ip	☐ Limited Lia	artnership ability Partnershi ability Limited Pa	irtnership	
Bidde	r's Address:	et	City	State	z Zip (	Code
Bidde	r's Website Address:					
	Contact:				Legal Notice:	
Name:	:		<u></u>	Name:		
Title/P	osition:			Title/Position	:	
	:					
-				-		
	:					
How	did you learn abo	out this busine	ss opportun	ity with the C	City of Tulsa	?
	Email from Assigned	l Buver				
	City of Tulsa Website	•				
	Tulsa World posting					
	Purchasing search e	ngine				
	Industry colleague					
	Other:		-			



#### **AFFIDAVIT**

#### NON-COLLUSION, INTEREST, AND CLAIMANT

STATE	
COUNT	)ss. 'Y OF)
I,	, of lawful age, being first duly sworn, state that:  (Seller's Authorized Agent)
1.	I am the Authorized Agent of Seller herein for the purposes of certifying facts pertaining to the existence of collusion between and among Bidders and municipal officials or employees, as well as facts pertaining to the giving or offering of things of value to government personnel in return for special consideration in the letting of any contract pursuant to the proposal to which this statement is attached.
2.	I am fully aware of the facts and circumstances surrounding the making of Seller's Bid to which this statement is attached, and I have been personally and directly involved in the proceedings leading to the submission of such Bid; and
3.	Neither the Seller nor anyone subject to the Seller's direction or control has been a party:  a. to any collusion among Bidders in restraint of freedom of competition by agreement to respond at a fixed price or to refrain from responding,  b. to any collusion with any municipal official or employee as to quantity, quality, or price in the prospective contract, or as to any other terms of such prospective contract, nor  c. in any discussions between Bidders and any municipal official concerning exchange of money or other thing of value for special consideration in the letting of a contract.
4.	No officer or employee of the City of Tulsa either directly or indirectly owns a five percent (5%) interest or more in the Bidders business or such a percentage that constitutes a controlling interest. Affiant further states that the following officers and/or employees of the City of Tulsa own an interest in the Bidders business which is less than a controlling interest, either direct or indirect.
5.	All invoices to be submitted pursuant to this agreement with the City of Tulsa will be true and correct.
6.	That the work, services or material furnished will be completed or supplied in accordance with the plans, specifications, orders, requests or contract furnished or executed by the affiant. Affiant further states that (s)he has made no payment directly or indirectly to any elected official, officer or employee of the City of Tulsa or of any public trust where the City of Tulsa is a beneficiary, of money or any other thing of value to obtain payment of the invoice or procure the contract or purchase order pursuant to which an invoice is submitted. Affiant further certifies that (s)he has complied with all applicable laws regarding equal employment opportunity.
	By: Signature
	By: Signature Title:
Subscri	bed and sworn to before me thisday of, 20
Notary I	Public
My Con	nmission Expires:
Notary (	Commission Number:

The Affidavit must be signed by an Authorized Agent and notarized.



#### **PURCHASE AGREEMENT**

(Page 1 of 5)

**INSTRUCTIONS:** Bidder must properly sign and return this document or Bid may be **rejected**. Your signature on this document indicates You have read and understand these terms and conditions and agree to be bound by them.

**THIS PURCHASE AGREEMENT** is between the CITY OF TULSA, OKLAHOMA, a municipal corporation, 175 East 2<sup>nd</sup> Street, Tulsa, Oklahoma, 74103-3827 (the "City") and:

(Bidder's company name as reflected on its organizational documents filed with the state in which Bidder is organized; not simply DBA and address) (the "Seller").

#### WITNESSETH:

WHEREAS, the City has approved certain specifications and advertised for or solicited Bids on the following supplies or services:

#### IFB 26-833 Grapple Truck

(the "Supplies and/or Services").

WHEREAS, Seller submitted a Bid and desires to provide the Supplies and/or Services to City;

WHEREAS, Seller acknowledges that its signature on this Purchase Agreement constitutes an irrevocable offer to provide the Supplies and/or Services specified in the Agreement and that if Accepted by the City's Mayor, this document will become the contract for such Supplies and/or Services.

NOW, THEREFORE, for and in consideration of the terms, covenants and conditions hereinafter set forth, the parties hereto agree as follows:

#### Definitions.

- 1.1. "Acceptance" or "Accepts" with respect to a Bid means either (1) City's execution of the Purchase Agreement, or (2) Mayor's written approval of the Bid award recommendation and issuance of a purchase order on behalf of the City if the purchase is for an amount less than One Hundred Thousand Dollars (\$100,000) and the City determines it is in its best interests.
- 1.2. "Acceptance" with respect to delivery of the Supplies and/or Services shall mean City's written acknowledgment that Seller has satisfactorily provided such Supplies and/or Services as required.
- 1.3. "Addenda" "Addendum" or Amendment(s)" means a clarification, revision, addition, or deletion to the Invitation for Bid by City which will become a part of the agreement between the parties.
- 1.4. "Agreement" consists of the Invitation for Bid and the Purchase Agreement.
- 1.5. "Bid Opening Date" means the date the Bid is opened by the City.
- 1.6. "Bid Submission Date" means the date the Bid is due from Bidder to the City.
- 1.7. "City" means the City of Tulsa, Oklahoma.
- 1.8. "Days" means calendar days unless otherwise specified.
- 1.9. "Invitation for Bid" or "IFB" consists of the following documents: Cover page, Sections I-VI, Exhibit A Delivery and Pricing, Affidavit(s), Purchase Agreement, and Bidder Checklist.
- 1.10. "Primary Seller" means the Seller whose Bid City Accepts as the principal seller of the Supplies and/or Services required.
- 1.11. "Purchasing Ordinance" means Tulsa Revised Ordinances, Title 6, Chapter 4 et seq.
- 1.12. "Secondary Seller" means the Seller whose Bid City Accepts as a back-up seller in the event the Primary Seller is unable to provide all the Supplies and/or Services.
- 1.13. "Seller" means the Bidder whose Bid City Accepts.
- 1.14. "Specifications" means the technical and/or performance requirements for the Supplies or Services.
- 1.15. "You" or "Your" means the Bidder responding to this Invitation for Bid or the Seller whose Bid the City Accepts.
- 1.16. "Website" means the City of Tulsa's website for the Purchasing Division: www.cityoftulsa.org/purchasing
- 2. Order of Precedence. Capitalized terms used but not defined herein will have the respective meanings given to them in the Purchasing Ordinance. In the event of conflicting or ambiguous language between this Purchase Agreement, any of the other Agreement documents, and additional information submitted by the Seller and Accepted by City, the parties shall be governed first according to this Purchase Agreement, second according to the remainder of the documents included in the Agreement and third according to any additional information submitted by Seller and Accepted by City.
- 3. **Purchase and Sale.** Seller agrees to sell City the Supplies and/or Services for the price and upon the delivery terms set forth on Exhibit A Delivery and Pricing. City agrees to pay Seller the price as set forth in Exhibit A based on (a) the quantity actually purchased in the case of Supplies and/or Services priced by unit, or (b) the total price for a stated quantity of Supplies and/or Services, upon (i) delivery of the Supplies and/or Services to the City, (ii) the City's Acceptance thereof, and (iii) Seller's submission and City's approval of a verified claim for the amount due. City shall not pay any late charges or fees.



#### PURCHASE AGREEMENT

(Page 2 of 5)

4. **Term.** The term of the Agreement begins on the date the Mayor/Mayor Pro Tem of the City of Tulsa executes this Purchase Agreement and terminates one year from that date. City in its sole discretion may offer Seller an opportunity to renew this Agreement up to an additional four (4) one (1) year term(s). Seller understands and acknowledges that any future contracts or renewals are neither automatic nor implied by this Agreement. City's continuing purchase of the Supplies and/or Services set forth in this Agreement is subject to City's needs and to City's annual appropriation of sufficient funds in City's fiscal year (July 1<sup>st</sup> to June 30<sup>th</sup>) in which City purchases Supplies and/or Services. In the event City does not appropriate or budget sufficient funds to perform this Agreement, this Agreement is null and void without further action by City.

The City may extend the Agreement for ninety (90) days beyond a final renewal term at the price and upon the delivery terms set forth on Exhibit A – Delivery and Pricing. The City, at its sole option and to the extent allowable by law, may choose to exercise subsequent ninety (90) day extensions upon the price and upon the delivery terms set forth on Exhibit A – Delivery and Pricing to facilitate the finalization of related terms and conditions of a new award or as needed for transition to a new Seller.

- 5. Supplies Warranty. With respect to all Supplies to be delivered under this Agreement, Seller warrants to City that such Supplies will be of good materials and workmanship and free from defects and will conform to the Specifications provided by City. In addition, Seller shall assure that the Supplies purchased hereunder are covered by all available and applicable manufacturers' warranties for such Supplies and expressly agrees that it will be responsible for performing all warranty obligations set forth in the Specifications for the Supplies.
- 6. **Services Warranty.** With respect to all Services to be performed under this Agreement, Seller warrants that it shall perform the Services using personnel of required skill, experience, and qualifications and in a professional and workmanlike manner in accordance with generally recognized industry standards for similar services and in accordance with the Specifications provided by City.
- 7. **Warranty Period.** Seller agrees that all warranties set forth herein will remain in effect for a period of one (1) year from the date City Accepts the Supplies and/or Services, or as specified in the Specifications, whichever is later. Seller shall not disclaim or otherwise limit the express warranties set forth herein.
- 8. Warranty Remedies. City shall notify Seller if any of the Supplies and/or Services fails to meet the warranties set forth above. If the failure is with Supplies, then Seller shall promptly correct, repair or replace such Supplies at its sole expense and/or if the failure is with a Service, then Seller shall promptly reperform such Service at Seller's sole expense. Notwithstanding the foregoing, if City determines that such Supplies and/or Services are defective or non-conforming within the first thirty (30) Days after the date of Acceptance by City, then Seller at City's option shall refund the entire purchase price, and, in the case of Supplies, City shall promptly return such Supplies to Seller. Seller shall pay all expenses related to the return of such Supplies to Seller.
- 9. **Rejection, Seller Bears Risk.** All Supplies and Services purchased in the Agreement are subject to approval by the City. Rejection of Supplies or Services, resulting because of nonconformity to the terms, conditions, and Specifications of this Agreement, whether held by the City or returned, will be at Seller's risk and expense. Seller shall bear the risk of loss or damage at all times until the Acceptance of the Supplies or Services by City.
- 10. **Force Majeure.** Seller will not be responsible for delays in delivery of the Supplies or Services due to acts of God, government action or inaction, fire, war, or riot, provided Seller notifies the City immediately, in writing of such pending or actual delay. Normally, in the event of any such delays (acts of God, etc.) the date of delivery of the Supplies or Services will be extended for a period equal to the time lost due to the reason for delay.
- 11. Conflict of Interest. By signing this Purchase Agreement, Seller covenants that it has no direct or indirect pecuniary or proprietary interest, and that it shall not acquire an interest that conflicts in any manner or degree with the Supplies or Services required to be provided or performed under the Agreement. Furthermore, Seller shall not employ any person or agent having any such conflict of interest. In the event that the Seller or its agents, employees or representatives hereafter acquires such a conflict of interest, it shall immediately disclose such interest to the City and take action immediately to eliminate the conflict or to withdraw from this contract, as the City requests.
- 12. **No Indemnification by City.** Seller understands and acknowledges that City is a municipal corporation that is funded by its taxpayers to operate for the benefit of its citizens. Accordingly, and pursuant to Oklahoma law, City shall not indemnify nor hold Seller harmless for loss, damage, expense or liability arising from or related to this Agreement, including any attorneys' fees and costs. In addition, Seller shall not limit its liability to City for actual loss or direct damages for any claim based on a material breach of this Agreement. City reserves the right to pursue all legal and equitable remedies to which it may be entitled.
- 13. **Liability/Indemnification.** Seller shall hold City harmless for any loss, damage or claims arising from or related to its performance of the Agreement. Seller must exercise all reasonable and customary precautions to prevent any harm or loss to all persons and property related to the Agreement. Seller agrees to indemnify and hold the City harmless from all claims, demands, causes of action or suits of whatever nature arising out of the Supplies, Services, labor, or materials furnished by Seller or Seller's subcontractors under this Agreement. In addition, Seller agrees to indemnify, defend, and save harmless City and its officers, employees and agents from all suits and actions of any nature brought against them due to the use of patented appliances, products or processes provided by Seller hereunder. Seller shall pay all royalties and charges incident to such patents.



#### **PURCHASE AGREEMENT**

(Page 3 of 5)

- 14. **No liens**. Pursuant to City's Charter (Art. XII, §5), no lien of any kind shall exist against any property of City. Seller shall deliver all Supplies to City free and clear of liens. Delivery by Seller to City of Supplies which are subject to liens shall be a material breach of the Agreement and all damages and costs incurred by City because of the existence of such liens shall be paid to City by Seller. At City's option, City may return such Supplies to Seller and Seller shall pay the cost of returning such Supplies and reimburse City for any payments made for such Supplies.
- 15. **No Insurance by City.** If City is leasing Supplies herein, City shall not be required to obtain insurance for Seller's property. Seller shall be solely responsible for any insurance it deems necessary. City is self-insured for its own negligence, subject to the limits of the Governmental Tort Claims Act (51 O.S. § 151 et seq.).
- 16. **No Confidentiality.** Seller understands and acknowledges that City is subject to the Oklahoma Open Records Act (51 O.S. §24A.1 et seq.) and therefore cannot assure the confidentiality of this Agreement or other information provided by Seller pursuant to this Agreement that would be inconsistent with City's compliance with its statutory requirements thereunder.
- 17. **Compliance with Laws.** Seller shall comply, and ensure its subcontractors used in the performance of this Agreement comply with all applicable federal, state and local laws, regulations and standards. Seller is responsible for any costs of such compliance. Seller certifies that it and all its subcontractors to be used in the performance of this Agreement are in compliance with 25 O.S. Sec. 1313 and participate in the Status Verification System. The Status Verification System is defined in 25 O.S. Sec. 1312 and includes but is not limited to the free Employee Verification Program (E-Verify) available at www.dhs.gov/E-Verify.
- 18. **Acknowledgment.** If Seller has 10 or more full-time employees during the term of the Agreement, and this Agreement has a value of one hundred thousand dollars (\$100,000) or more, Seller hereby represents, warrants, and covenants to the City that, in accordance with and pursuant to 21 O.S. § 1289.31 (i) it does not have a practice, policy, guidance, or directive that discriminates against a firearm entity or firearm trade association, and (ii) will not discriminate against a firearm entity or firearm trade association during the term of this Agreement.
- 19. Termination. City, by written notice, may terminate this Agreement, in whole or in part, when such action is in the best interest of City. If City terminates this Agreement, City shall be liable only for payment for Supplies accepted and Services rendered prior to the effective date of termination. City's right to terminate this Agreement is cumulative to any other rights and remedies provided by law or by this Agreement.
- Payment. Invoices should be e-mailed to the City of Tulsa Accounts Payable at: <a href="mailto:apinvoices@cityoftulsa.org">apinvoices@cityoftulsa.org</a>. Payment will be made net 30 days after receipt of a properly submitted invoice or the City's Acceptance of the Supplies or Services, whichever is later.

Each invoice must be fully itemized, identifying Supplies provided and/or Services performed, and must bear the purchase order number assigned by the City.

The purchase order number shall appear on all invoices, packing lists, packages, shipping notices, instruction manuals and other written documents relating to the Supplies or Services. Packing lists shall be enclosed in each and every box or package shipped pursuant to this Agreement, indicating the content therein.

- 21. Price Changes. The parties understand and agree that the variables in Seller's cost of performance may fluctuate, but any change in Seller's cost of performance will not alter its obligations under this Agreement, nor excuse performance or delay on Seller's part. Notwithstanding the foregoing, after the first year of the term, the Seller may request a price increase in addition to any other price increase set forth in this Agreement. In its sole discretion, the City may approve the request if it determines that such price increase is in the City's best interest.
- 22. **Right to Audit.** Seller agrees that Seller's books, records, documents, accounting procedures, practices, price lists or any other items related to the Supplies and/or Services provided hereunder are subject to inspection, examination, and copying by City or its designees. City requires Seller to retain all records related to this Agreement for the duration of the term of this Agreement and a period of three years following completion and/or termination of the Agreement. If an audit, litigation or other action involving such records begins before the end of the three-year period, Seller shall maintain the records three years after the date that all issues arising out of the action are resolved or until the end of the three-year retention period, whichever is later.
- 23. **Notice.** Any notice, demand, or request required by or made pursuant to this Agreement will be deemed properly made if personally delivered in writing or deposited in the United States mail, postage prepaid, to the following:


To Seller: Contact for Legal Notice as specified on Exhibit A – Delivery and Pricing form.

To CITY: City Clerk

CITY OF TULSA, OKLAHOMA 175 E. 2<sup>nd</sup> Street, Suite 260 Tulsa, Oklahoma 74103

With a copy to: Tulsa Purchasing Division

175 E. 2<sup>nd</sup> Street, 15<sup>th</sup> Floor



IFB Rev 02/2024

Tulsa, OK 74103

24. **Relationship of Parties.** The Seller is and shall always remain an independent contractor with respect to activities and conduct while engaged in the performance of services for the City under this Agreement. No employees, subcontractors or agents of the Seller will be deemed to be employees of the City for any purpose whatsoever, and none will be eligible to participate in any benefit program provided by the City for its employees. The Seller shall be solely responsible for the payment of all employee wages and

#### **PURCHASE AGREEMENT**

(Page 4 of 5)

salaries, taxes, withholding payments, fringe benefits, insurance premiums, continuing education courses, materials or related expenses on behalf of its employees, subcontractors, and agents. Nothing in this Agreement will be construed to create a partnership, joint venture, or agency relationship among the parties. No party will have any right, power or authority to act as a legal representative of another party, and no party will have any power to obligate or bind another party, or to make any representations, express or implied, on behalf of or in the name of the other in any manner or for any purpose whatsoever.

- 25. **Third Parties.** This Agreement is between City and Seller and creates no right unto or duties to any other person. No person is or will be deemed a third-party beneficiary of this Agreement.
- 26. **Time of Essence.** City and Seller agree that time is deemed to be of the essence with respect to this Agreement. The Agreement is subject to cancellation by the City for Seller's failure to deliver on time. All deliveries are required F.O.B to the City's facilities. For any exception to the delivery date specified in the Agreement, Seller shall give prior written notification and obtain written approval from the City. The Acceptance by the City of later performance with or without objection or reservation shall neither waive the City's right to claim damages for such breach nor constitute a waiver of the requirements for the timely performance of any obligation remaining to be performed by Seller.
- 27. **Binding Effect.** This Agreement shall be binding upon City and Seller and their respective successors, heirs, legal representatives and permitted assigns.
- 28. Headings. The headings used herein are for convenience only and will not be used in interpreting this Agreement.
- 29. **Severability Provision.** If any term or provision herein is determined to be illegal or unenforceable, the remainder of this Agreement will not be affected thereby. It is the intention of the parties that if any provision is held to be illegal, invalid or unenforceable, there will be added in lieu thereof a provision as similar in terms to such provision as is possible to be legal, valid and enforceable.
- 30. **Governing Law and Venue.** This Agreement is executed in and shall be governed by and construed in accordance with the laws of the State of Oklahoma without regard to its choice of law principles, which shall be the forum for any lawsuits arising under this Agreement or incident thereto. The parties stipulate that venue is proper in a court of competent jurisdiction in Tulsa County, Oklahoma and each party waives any objection to such venue. City does not and will not agree to binding arbitration of any disputes.
- 31. **No Waiver.** A waiver of any breach of any provision of this Agreement shall not constitute or operate as a waiver of any other provision, nor shall any failure to enforce any provision hereof operate as a waiver of the enforcement of such provision or any other provision.
- 32. **Entire Agreement**. The entire agreement between City and Seller is contained in the Agreement. No verbal agreement between the parties is binding. Any scope of services, scope of work, quote, invoice, acknowledgment or other communication or other document issued by Seller in connection with this Agreement will be for the purposes of describing in greater detail the Supplies and/or Services (as applicable) to be provided. Seller's rejection or modification of the terms set forth in the City's IFB is void and of no effect, unless any such modification improves upon the City's terms or Specifications, in which case the improvement is accepted. Seller understands and acknowledges that if it adds terms and conditions to its Bid that are different from the terms set forth herein that City may reject the Bid as non-responsive.
- 33. Amendment/No Assignment. The Agreement may only be modified or amended in a writing signed by both parties. Notwithstanding anything to the contrary stated herein or in the attachments to this Agreement, no future agreements, revisions or modifications that may be required under this Agreement are effective or enforceable unless such terms, revisions or modifications have been reduced to writing and signed by City and Seller. Seller may not assign this Agreement or use subcontractors to provide the Supplies and/or Services without City's prior written consent. Seller shall not be entitled to any claim for extras of any kind or nature.
- 34. **Multiple Counterparts.** This Purchase Agreement may be executed in several counterparts, each of which will be deemed an original, but which together will constitute one and the same instrument.
- 35. Interpretive Matters and Definitions. The following interpretive matters shall be applicable to this Agreement:
  - 35.1. Unless the context otherwise requires: (a) all references to Sections are to Sections of or to this Agreement; (b) each term defined in this Agreement has the meaning assigned to it; (c) "or" is disjunctive but not necessarily exclusive; (d) words in a singular include the plural and vice versa. All references to "\$" or to dollar amounts shall be in lawful currency of the United States of America;
  - 35.2. No provision of this Agreement will be interpreted in favor of, or against, any of the parties hereto by reason



of the extent to which such party or its counsel participated in the drafting thereof or by reason of the extent to which any such provision is inconsistent with any prior draft hereof or thereof;

35.3. Any reference to any applicable laws will be deemed to include all rules and regulations promulgated thereunder and judicial interpretations thereof, unless the context requires otherwise;

#### **PURCHASE AGREEMENT**

(Page 5 of 5)

- 35.4. The word "including" means "including, without limitation" and does not limit the preceding words or terms; and
- 35.5. All words used in this Agreement will be construed to be of such gender, number or tense as circumstances require.
- 36. **Equal Employment Opportunity.** Seller agrees to comply with all applicable laws regarding equal employment opportunity and nondiscrimination.
- 37. Authority to Bind. The undersigned individual states that s/he has authority to bind Seller to this Agreement, that s/he has read and understands the terms of this Agreement, and that Seller agrees to be bound by this Agreement.

IMPORTANT NOTE: This document must be signed by Authorized Agent. FAILURE TO SUBMIT PROPERLY AUTHORIZED SIGNATURE MAY RESULT IN YOUR BID BEING REJECTED AS NONRESPONSIVE.

IN WITNESS WHEREOF, this Agreement has been executed in multiple copies on the dates set forth below to be effective during the period recited above.

Seller Company Name:			
	Sign Here ▶		
ATTEST:	Printed Name:		
	<u>Title:</u>		
Corporate Secretary	Date:		
CITY OF TULSA, OKLAHOMA, a municipal corporation,			
ATTEST:	By: Mayor		
	Date:		
City Clerk			
APPROVED:			
Assistant City Attorney			



#### **BIDDER CHECKLIST**

Use this checklist to ensure You have properly read and completed <u>all</u> documents listed below. This document (the IFB) contains all the following materials, which must be completed and returned to the City of Tulsa City Clerk's Office in a mailed envelope with the affixed packing label (found on the last page). Each of these documents will form the resulting Agreement between the City and Seller.

Remember: Bids must be sealed and either mailed or delivered. Please use the provided label to clearly write the Bidder legal name and Bid number on the <u>outside</u> of the package, container, or envelope. The package, container, or envelope should contain <u>both</u> of Your completed Bids, the original and the copy. No faxed or emailed Bids will be considered. Unless otherwise stated herein, Bids received after the stated date and time **will not be accepted.** 

Bidder's Name:	

BIDDER CHECKLIST				
BIDDER DOCUMENTS	PAGES	INCLUDED?		
Notice of Invitation for Bid (Cover page and Sections I-IV)	1-2, 18-20			
Specifications	3-17			
Certificate(s) of Insurance	21			
References (if applicable)	22			
Sample Forms	23			
EXHIBIT A: Delivery and Pricing	24-25			
Affidavits Signatures of Authorized Agent and notarization required. Reference Page 2: Authorized Agent	26			
Purchase Agreement  Complete legal name in first paragraph and signature block.  Signature by Authorized Agent required.  Reference Page 2: Authorized Agent	27-31			

Any contact with City employees or officials, other than the Assigned Buyer, for or about this solicitation will disqualify Your Bid and it shall be deemed non-responsive.

#### **PACKING LABEL**

#### **Top Left Corner**

Your Company Name Street Address City, State, Zip Code

FROM:

## City of Tulsa – City Clerk's Office

175 East 2<sup>nd</sup> Street, Suite 260 Tulsa, OK, 74103

### **Bidder Submission For:**

BID# IFB 26-833

BID DESCRIPTION: Grapple Truck

Please affix this label on the package, container, or envelope containing Your two completed Bids: one labeled "Original," the other labeled "Copy." We recommend that both Bids (original and copy) be sent in the same envelope.

This label ensures that Your Bid will be sent to the correct office (City Clerk's) and that it is associated with the correct Solicitation (indicated by the Bid number). Bids must be sealed and either mailed or delivered to the City Clerk's Office. Bids must also be received no later than 5:00 PM (CST) on date listed on the first page of the IFB.

